

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Amendment No. 1
to
AS/NZS 4266.5:2004
Reconstituted wood-based panels—Methods of test
Part 5: Modulus of elasticity in bending and bending strength

REVISED TEXT

The 2004 edition of AS/NZS 4266.5 is amended as follows; the amendments should be inserted in the appropriate places.

SUMMARY: This Amendment applies to Clause 8.1.1 and Figure 3.

Published on 3 February 2006.

Approved for publication in New Zealand on behalf of the Standards Council of New Zealand on 23 September 2005.

Page 4 Clause 8.1.1

Delete existing description for F_2-F_1 , and *replace* with the following:

F_2-F_1 = increment of load on the straight-line portion of the load-deflection curve, (see Figure 3) in newtons, where F_1 shall be approximately $10 \pm 5\%$ and F_2 shall be approximately $45 \pm 10\%$ of the maximum load

Page 4 Figure 3

Delete existing Figure 3, and *replace* with the following:




FIGURE 3 LOAD-DEFLECTION CURVE WITHIN THE RANGE OF ELASTIC DEFORMATION

AMDT
No. 1
FEB
2006

AMDT
No. 1
FEB
2006

This page has been left intentionally blank.