

Petroleum and natural gas industries — Completion fluids and materials —

Part 5: Procedures for measuring the long-term conductivity of proppants

The European Standard EN ISO 13503-5:2006 has the status of a
British Standard

ICS 75.100

National foreword

This British Standard is the official English language version of EN ISO 13503-5:2006. It is identical with ISO 13503-5:2006.

The UK participation in its preparation was entrusted by Technical Committee PSE/17, Materials and equipment for petroleum, petrochemical and natural gas industries, to Subcommittee PSE/17/-/3, Drilling and completion fluids and well cements, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, the EN ISO foreword page, the ISO title page, pages ii to v, a blank page, pages 1 to 25 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2006

© BSI 2006

ISBN 0 580 48447 5

Amendments issued since publication

Amd. No.	Date	Comments

English Version

Petroleum and natural gas industries - Completion fluids and materials - Part 5: Procedures for measuring the long-term conductivity of proppants (ISO 13503-5:2006)

Industries du pétrole et du gaz naturel - Fluides de complétion et matériaux - Partie 5: Modes opératoires pour mesurer la conductivité à long terme des agents de soutènement (ISO 13503-5:2006)

Erdöl- und Erdgasindustrie - Komplettierungsflüssigkeiten und Materialien - Teil 5: Verfahren zur Messung der Langzeitleitfähigkeit von Stützmaterialien (ISO 13503-5:2006)

This European Standard was approved by CEN on 24 May 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 13503-5:2006) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2007, and conflicting national standards shall be withdrawn at the latest by January 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 13503-5:2006 has been approved by CEN as EN ISO 13503-5:2006 without any modifications.

INTERNATIONAL STANDARD

ISO
13503-5

First edition
2006-07-01

Petroleum and natural gas industries — Completion fluids and materials —

Part 5: Procedures for measuring the long-term conductivity of proppants

*Industries du pétrole et du gaz naturel — Fluides de complétion et
matériaux —*

*Partie 5: Modes opératoires pour mesurer la conductivité à long terme
des agents de soutènement*



Reference number
ISO 13503-5:2006(E)

AVA Documents
Document Sharing Hub

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative reference	1
3 Terms and definitions.....	1
4 Abbreviations	2
5 Procedures for evaluating long-term proppant pack conductivity	2
5.1 Objective.....	2
5.2 Discussion	2
6 Reagents and materials	3
6.1 Test fluid	3
6.2 Sandstone.....	3
7 Long-term conductivity test apparatus	3
7.1 Test unit	3
7.2 Hydraulic load frame	3
7.3 Pack width measurement device(s)	3
7.4 Test fluid drive system	3
7.5 Differential pressure transducers	4
7.6 Back-pressure regulators	4
7.7 Balance	4
7.8 Oxygen removal	4
7.9 Temperature control	4
7.10 Silica saturation and monitoring.....	5
8 Equipment calibration	5
8.1 Pressure indicators and flow rates	5
8.2 Zero pack width measurement	5
8.3 Determination of cell width	6
8.4 Hydraulic load frame	6
9 Leak tests	6
9.1 Hydraulic load frame	6
9.2 Test fluid system.....	6
10 Procedure for loading the cells	6
10.1 Preparation of the test unit	6
10.2 Cell setup	7
11 Loading cell(s) in the press	9
12 Acquiring data	9
13 Calculation of permeability and conductivity	10
14 Data reporting	11
Annex A (informative) Conversion factors	12
Annex B (normative) Silica-saturation vessel setup	13
Annex C (informative) Figures	15
Bibliography	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13503-5 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

ISO 13503 consists of the following parts, under the general title *Petroleum and natural gas industries — Completion fluids and materials*:

- *Part 1: Measurement of viscous properties of completion fluids*
- *Part 2: Measurement of properties of proppants used in hydraulic fracturing and gravel-packing operations*
- *Part 3: Testing of heavy brines*
- *Part 4: Procedure for measuring stimulation and gravelpack fluid leakoff under static conditions*
- *Part 5: Procedures for measuring the long-term conductivity of proppants*

Introduction

This part of ISO 13503 is largely based on API RP 61^[1]. Informative references are also included in the Bibliography, References [2] to [15].

The tests and test apparatus herein have been developed to establish standard procedures and conditions for use in evaluating the long-term conductivity of various hydraulic fracture proppant materials under laboratory conditions. This procedure enables users to compare the conductivity characteristics under the specifically described test conditions. The test results can aid users in comparing proppant materials for use in hydraulic fracturing operations.

The procedures presented in this publication are not intended to inhibit the development of new technology, materials improvements, or improved operational procedures. Qualified engineering analysis and sound judgment is required for their application to fit a specific situation.

This part of ISO 13503 may be used by anyone desiring to do so. Every effort has been made by ISO and API to ensure the accuracy and reliability of the data contained in it. However, ISO and API make no representation, warranty, or guarantee in connection with this part of ISO 13503, and hereby expressly disclaim any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this part of ISO may conflict.

In this part of ISO 13503, where practical, U.S. customary units are included in parentheses for information.

Petroleum and natural gas industries — Completion fluids and materials —

Part 5: Procedures for measuring the long-term conductivity of proppants

CAUTION — The testing procedures in this part of ISO 13503 are not designed to provide absolute values of proppant conductivity under downhole reservoir conditions. Long-term test data have shown that time, elevated temperatures, fracturing fluid residues, cyclic stress loading, embedment, formation fines and other factors further reduce fracture proppant pack conductivity. Also, this reference test is designed to measure only the frictional energy losses corresponding to laminar flow within a pack. It is recognized that fluid velocity within an actual fracture can be significantly higher than in these laboratory tests, and can be dominated by inertial effects.

1 Scope

This part of ISO 13503 provides standard testing procedures for evaluating proppants used in hydraulic fracturing and gravel-packing operations.

NOTE The “proppants” mentioned henceforth in this part of ISO 13503 refer to sand, ceramic media, resin-coated proppants, gravel packing media, and other materials used for hydraulic fracturing and gravel-packing operations.

The objective of this part of ISO 13503 is to provide consistent methodology for testing performed on hydraulic-fracturing and/or gravel-packing proppants. It is not intended for use in obtaining absolute values of proppant pack conductivities under downhole reservoir conditions.

2 Normative reference

The following referenced document is indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced standard (including any amendments) applies.

ISO 3506-1, *Mechanical properties of corrosion-resistant stainless-steel fasteners — Part 1: Bolts, screws and studs*

3 Terms and definitions

3.1

conductivity

width of the fracture multiplied by the permeability of the proppant pack

3.2

laminar flow

type of streamlined flow for single-phase fluids in which the fluid moves in parallel layers, or laminae, such that the layers flow smoothly over each other with instabilities being dampened by the viscosity