


PERNI CON PIASTRINA SALDATA - LUNGHEZZA DEFINITA
PINS WITH WELDED PLATE - DEFINED LENGTH



Mat.: Trafilato h9 UNI 10233
C 40 Normalizzato

Mat.: Drawn h9 UNI 10233
C 40 Normalized

Es. di design.:

0.003998.G Perno con piastrina salda
D = 40 h9; L = 100
C40 Norm. - N 7.100.120

Ex. of design.:


0.003998.G Pin with welded plate
D = 40 h9; L = 100
C40 Norm. - N 7.100.120

D h9	10	12	15	16	20	25	30	35	40	45	50	60	70	80	90	100
a	20	22,5	25	25	30	35	40	45	50	60	65	70	75	90	95	110
b	15	15	15	15	20	20	25	25	30	35	35	40	40	50	50	50
c	12,5	15	17,5	17,5	20	25	27,5	30	35	40	45	50	55	65	70	80
e	6,6	6,6	6,6	6,6	9	9	11	11	13	18	18	22	22	26	26	26
s	5	5	5	5	5	8	8	8	8	8	10	10	10	10	10	10
sm	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4
Mass Kg/m	0,62	0,89	1,39	1,58	2,47	3,85	6,31	7,55	9,86	12,5	15,4	22,2	30,4	39,5	49,9	61,1

D h9	CODICE CODE															
	10	12	15	16	20	25	30	35								
20	0.003921.T	0.003930.G														
25	0.003922.R	0.003931.V	0.012501.W													
30	0.003923.V	0.003932.W	0.003940.H	0.003948.M	0.012502.X											
35	0.003924.W	0.003933.X	0.003941.E	0.003949.N	0.012503.Z	0.012504.S										
40	0.003925.X	0.003934.Z	0.003942.F	0.003950.L	0.003956.E	0.003964.E	0.012505.T									
45	0.003926.Z	0.003935.S	0.003943.G	0.003951.G	0.003957.F	0.003965.F	0.012506.R	0.012507.V								
50	0.003927.S	0.003936.T	0.003944.A	0.003952.A	0.003958.P	0.003966.G	0.003974.G	0.012508.D								
60	0.003928.A	0.003937.R	0.003945.B	0.003953.B	0.003959.Q	0.003967.A	0.003975.A	0.003984.T								
70	0.003929.B	0.003938.C	0.003946.C	0.003954.C	0.003960.N	0.003968.H	0.003976.B	0.003985.R								
80	0.011751.E	0.003939.D	0.003947.D	0.003955.D	0.003961.B	0.003969.K	0.003977.C	0.003986.V								
90		0.011752.F	0.011754.A	0.011758.M	0.003962.C	0.003970.Q	0.003978.L	0.003987.W								
100		0.011753.G	0.011755.B	0.011759.N	0.003963.D	0.003971.D	0.003979.M	0.003988.E								
110			0.011756.C	0.011760.L	0.011763.B	0.003972.E	0.003980.B	0.003989.F								
120			0.011757.D	0.011761.G	0.011764.C	0.003973.F	0.003981.X	0.003990.D								
130				0.011762.A	0.011765.D	0.011769.Q	0.003982.Z	0.003991.S								
140					0.011766.E	0.011770.N	0.003983.S	0.003992.T								
150					0.011767.F	0.011771.B	0.011775.F	0.011780.G								
160					0.011768.P	0.011772.C	0.011776.G	0.003993.R								
180						0.011773.D	0.011777.A	0.011781.V								
200						0.011774.E	0.011778.H	0.011782.W								
220							0.011779.K	0.011783.X								
240								0.011784.Z								
260								0.011785.S								

LUNGHEZZA LENGTH L

PERNI CON PIASTRINA SALDATA - LUNGHEZZA DEFINITA
PINS WITH WELDED PLATE - DEFINED LENGTH



	D	CODICE CODE							
		40	45	50	60	70	80	90	100
LUNGHEZZA LENGTH L	50	0.012509.E							
	60	0.003994.V	0.012510.T	0.012511.P					
	70	0.003995.W	0.004004.G	0.004014.S	0.011970.F				
	80	0.003996.X	0.004005.A	0.004015.T	0.012512.Q	0.012513.H			
	90	0.003997.Z	0.004006.B	0.004016.R	0.004025.V	0.004034.W	0.012514.K		
	100	0.003998.G	0.004007.C	0.004017.V	0.004026.W	0.004035.X	0.004045.G	0.012515.L	
	110	0.003999.A	0.004008.L	0.004018.D	0.004027.X	0.004036.Z	0.004046.A	0.012516.M	0.012517.N
	120	0.004000.Q	0.004009.M	0.004019.E	0.004028.F	0.004037.S	0.004047.B	0.004056.C	0.012518.W
	130	0.004001.D	0.004010.A	0.004020.C	0.004029.G	0.004038.A	0.004048.K	0.004057.D	0.012519.X
	140	0.004002.E	0.004011.W	0.004021.Z	0.004030.E	0.004039.B	0.004049.L	0.004058.M	0.004066.E
	150	0.011786.T	0.011793.S	0.011801.S	0.011810.W	0.011820.Z	0.011830.T	0.011841.Z	0.011851.T
	160	0.004003.F	0.004012.X	0.004022.S	0.004031.T	0.004040.P	0.004050.H	0.004059.N	0.004067.F
	180	0.011787.R	0.004013.Z	0.004023.T	0.004032.R	0.004041.C	0.004051.E	0.004060.L	0.004068.P
	200	0.011788.C	0.011794.T	0.004024.R	0.004033.V	0.004042.D	0.004052.F	0.004061.G	0.004069.Q
	220	0.011789.D	0.011795.R	0.011802.T	0.011811.K	0.004043.E	0.004053.G	0.004062.A	0.004070.N
	240	0.011790.B	0.011796.V	0.011803.R	0.011812.L	0.004044.F	0.004054.A	0.004063.B	0.004071.B
	260	0.011791.X	0.011797.W	0.011804.V	0.011813.M	0.011821.M	0.004055.B	0.004064.C	0.004072.C
	280	0.011792.Z	0.011798.E	0.011805.W	0.011814.N	0.011822.N	0.011831.P	0.004065.D	0.004073.D
	300		0.011799.F	0.011806.X	0.011815.P	0.011823.P	0.011832.Q	0.011842.S	0.004074.E
	320		0.011800.D	0.011807.Z	0.011816.Q	0.011824.Q	0.011833.H	0.011843.T	0.011852.R
	350			0.011808.G	0.011817.H	0.011825.H	0.011834.K	0.011844.R	0.011853.V
	380			0.011809.A	0.011818.S	0.011826.K	0.011835.L	0.011845.V	0.011854.W
	400				0.011819.T	0.011827.L	0.011836.M	0.011846.W	0.011855.X
	420					0.011828.R	0.011837.N	0.011847.X	0.011856.Z
	450					0.011829.V	0.011838.W	0.011848.F	0.011857.S
	480						0.011839.X	0.011849.G	0.011858.A
	500						0.011840.C	0.011850.E	0.011859.B