



The attached SMPTE Engineering Document has been declared “Stable” by the controlling Technology Committee.

The SMPTE Operations Manual for Standards states:

A document should be stabilized if it is believed to be substantially correct, does not contain harmful or misleading recommendations, may still be relevant to equipment or practices in use, is stable, but does not represent current technology, and need not be subject to future reviews.

A Stable document shall still be made available and offered for sale by the Society, but it shall be prefaced by a cover page explaining its current status.

At any time, a Technology Committee may revise, amend, or otherwise initiate a new Project on a Stable document.

A Stable document is “In Force”, and not deprecated or withdrawn.

*** * * * ***

Note:

SMPTE “Stable” documents were previously described as “Archived” and the attached document may be marked as “Archived”. The status of a SMPTE document described as “Archived” is exactly as described above for a “Stable” document.

Stable documents may not adhere to the latest style and format of SMPTE documents, or to current usage of normative language. Suitable care should be taken in interpretation.

SMPTE STANDARD

SMPTE 127-2003

Revision of
ANSI/SMPTE 127-1994

for Motion-Picture Film (16-mm) — Magnetic-Photographic Audio Records — Magnetic Striping of Prints



Page 1 of 2 pages

1 Scope

This standard specifies the location and dimensions of the magnetic striping material applied to 16-mm motion-picture prints, containing a picture and photographic audio record, for the purpose of employing both a magnetic and the existing photographic audio record.

2 Magnetic striping

2.1 The location and dimensions of the magnetic striping shall be as given in figure 1 and table 1.

2.2 The magnetic striping shall be on the side of the film toward the lamp on a projector arranged for direct front projection on a reflection-type screen.

NOTES

- 1 This standard is not recommended for unilateral variable-area track.
- 2 The balance stripe is optional and may be a magnetic coating or another material of the same thickness.
- 3 A photographic audio record on this film may be overcoated by as much as 50% by the magnetic stripe. However, experience shows that the photographic record can be reproduced acceptably if it has been recorded in accordance with SMPTE 41.