



DPC: 12 / 30260906 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 27 February 2012

Origin: European

Latest date for receipt of comments: 31 May 2012

Project No. 2009/01617

Responsible committee: ACE/12 Aerospace fasteners and fastening systems

Interested committees:

Title: Draft BS EN 4711 Aerospace series - Screw, 12-point flange head (bi hexagonal head bolt), long thread, for tensile applications, continuous fibre reinforced-PEEK composite, temperature range -65°C to 135°C - Inch series

Supersession information: If you are aware of a current national standard which may be affected, please notify the secretary (contact details below).

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 31 May 2012**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Customer Services, Tel: +44(0) 20 8996 9001 or e-mail csc@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from the responsible committee secretary.

Cross-references

The British Standards which implement International or European publications referred to in this draft may be found via the British Standards Online Service on the BSI web site <http://www.bsigroup.com>.

Responsible Committee Secretary: **Committee Service Centre (BSI)**Direct tel: **020 8996 7009**E-mail: csc@bsigroup.com

Introduction

This draft standard is based on European discussions in which the UK has taken an active part. Your comments on this draft are welcome and will assist in the preparation of the consequent British Standard. Comment is particularly welcome on national, legislative or similar deviations that may be necessary.

Even if this draft standard is not approved by the UK, if it receives the necessary support in Europe, the UK will be obliged to publish the official English Language text unchanged as a British Standard and to withdraw any conflicting standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with reasons) or positive vote on this draft.

Submission of Comments

- The guidance given below is intended to ensure that all comments receive efficient and appropriate attention by the responsible BSI committee. **Annotated drafts are not acceptable and will be rejected.**
- All comments must be submitted, preferably electronically, to the Responsible Committee Secretary at the address given on the front cover. Comments should be compatible with version 6.0 or version 97 of Microsoft Word for Windows, if possible; otherwise comments in ASCII text format are acceptable. **Any comments not submitted electronically should still adhere to these format requirements.**
- All comments submitted should be presented as given in the example below. Further information on submitting comments and how to obtain a blank electronic version of a comment form are available from the BSI website at:
<http://www.bsigroup.com/en/Standards-and-Publications/Current-work/DPCs/>

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	(7)
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/ Figure/ Table/Note	Type of comment	Comment (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	

Study n°:

Draft n°: 20

Date: 2012-02-15

Step n°:

Ref.:

ENGLISH VERSION

Aerospace series —
Screw, 12-point flange head (bi hexagonal head bolt),
long thread, for tensile applications,
continuous fibre reinforced-PEEK composite,
temperature range -65°C to 135°C —
Inch series

FRENCH VERSION
[needs translation]

GERMAN VERSION

Luft und Raumfahrt —
Schraube, Zwölfkantkopf mit Flansch
langes Gewinde für Zugbeanspruchungen, aus
Langfaser verstärktem Thermoplast (PEEK),
Temperaturbereich -65°C bis 135°C —
Inch-Serie

Warning

This document is NOT an ASD-STAN Standard. It is distributed for review and comment. It is subject to change without notice and may NOT be referred to as an ASD-STAN Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Author: Roger Stadler
E-mail: Roger.Stadler@icotec.ch

Author: Roger Stadler
E-mail: roger.stadler@icotec.ch

Intentionally blank