Draft for Public Comment

Form 36

DPC: 13 / 30288691 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000
Fax: +44 (0)20 8996 7400
www.bsigroup.com

Date: 02 August 2013
Origin: European

Latest date for receipt of comments: 31 October 2013

Project No. 2009/01617

Responsible committee: ACE/12 Aerospace fasteners and fastening systems

Interested committees:

Title:	Draft BS EN 4071 Aerospace series - Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated - Classification: 1 100 MPa (at ambient temperature) / 425 °C

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

i) has any issues related to 3rd party IPR, patent or copyright
ii) affects other national standard(s)
iii) requires additional national guidance or information

WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 31 October 2013

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop **http://shop.bsigroup.com**
or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com.
British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from
http://standardsdevelopment.bsigroup.com

Responsible Committee Secretary: **Committee Service Centre (BSI)**
Direct tel: **020 8996 7009**
E-mail: **csc@bsigroup.com**

Documents
Document Sharing Hub

Full document details: 13/30288691 DC

Introduction

This draft standard is based on European discussions in which the UK has taken an active part. Your comments on this draft are welcome and will assist in the preparation of the consequent British Standard. Comment is particularly welcome on national, legislative or similar deviations that may be necessary.

Even if this draft standard is not approved by the UK, if it receives the necessary support in Europe, the UK will be obliged to publish the official English Language text unchanged as a British Standard and to withdraw any conflicting standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with reasons) or positive vote on this draft.

Submission of Comments

- The guidance given below is intended to ensure that all comments receive efficient and appropriate attention by the responsible BSI committee. **Annotated drafts are not acceptable and will be rejected.**

- All comments must be submitted, preferably electronically, to the Responsible Committee Secretary at the address given on the front cover. Comments should be compatible with version 6.0 or version 97 of Microsoft Word for Windows, if possible; otherwise comments in ASCII text format are acceptable. **Any comments not submitted electronically should still adhere to these format requirements.**

- All comments submitted should be presented as given in the example below. Further information on submitting comments and how to obtain a blank electronic version of a comment form are available from the BSI website at: **http://drafts.bsigroup.com/**

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: **ISO/DIS xxxx**

1	2	(3)	4	5	(6)	(7)
MB	**Clause No./ Subclause No./Annex** (e.g. 3.1)	**Paragraph/ Figure/ Table/Note**	**Type of com-ment**	**Commend (justification for change) by the MB**	**Proposed change by the MB**	**Secretariat observations on each comment submitted**
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	

EXAMPLE ONLY

Documents
Document Sharing Hub

Microsoft and MS-DOS are registered trademarks, and Windows is a trademark of Microsoft Corporation.

Full document details: 13/30288691 DC

ASD/TC

Date: 200912-1107

EN 4071:200912

ASD/TC

Secretariat:

Aerospace series — Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated — Classification: 1 100 MPa (at ambient temperature) / 425 °C

Luft- und Raumfahrt — Sechskant-Paßschrauben, kurzes Gewinde, aus Titanlegierung, Aluminium IVD beschichtet — Klasse : 1 100 MPa (bei Raumtemperatur) / 425 °C

Série aérospatiale — Vis à tête hexagonale normale, fût normal à tolérance serrée, filetage court, en alliage de titane, revêtues aluminium IVD — Classification : 1 100 MPa (à température ambiante) / 425 °C

ICS:

Descriptors:

Document type: European Standard
Document subtype:
Document stage:
Document language: E

C:\Users\tgrenot\Desktop\Temp\NWP\4071\4071_2012_stf.doc STD Version 2.2

Documents
Document Sharing Hub

Full document details: 13/30288691 DC

Contents

Page

Foreword 3
1 Scope 4
2 Normative references 4
3 Required characteristics 5
4 Designation 8
5 Marking 8
6 Technical specification 8
7 Oversized bolts 9

Documents
Document Sharing Hub

Full document details: 13/30288691 DC