Form 36

DPC: 15 / 30320914 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000
Fax: +44 (0)20 8996 7400
www.bsigroup.com

Date: 09 February 2015
Origin: European

Latest date for receipt of comments: 3 April 2015

Project No. 2009/01617

Responsible committee: ACE/6 Aerospace avionic electrical and fibre optic technology

Interested committees:

Title: Draft BS EN 4708-104 Aerospace series - Sleeving, heat-shrinkable, for binding, insulation and identification

Part 104: Semi-rigid polyvinylidene fluoride. Temperature range -55 ºC and 175 ºC

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

i) has any issues related to 3rd party IPR, patent or copyright
ii) affects other national standard(s)
iii) requires additional national guidance or information

WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 3 April 2015

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop **http://shop.bsigroup.com**
or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com.
British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from
http://standardsdevelopment.bsigroup.com

Responsible Committee Secretary: **Committee Service Centre (BSI)**
Direct tel: **020 8996 7009**
E-mail: **csc@bsigroup.com**

Documents
Document Sharing Hub

Full document details: 15/30320914 DC

Introduction

This draft standard is based on European discussions in which the UK has taken an active part. Your comments on this draft are welcome and will assist in the preparation of the consequent British Standard. Comment is particularly welcome on national, legislative or similar deviations that may be necessary.

Even if this draft standard is not approved by the UK, if it receives the necessary support in Europe, the UK will be obliged to publish the official English Language text unchanged as a British Standard and to withdraw any conflicting standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with reasons) or positive vote on this draft.

Submission of Comments

- The guidance given below is intended to ensure that all comments receive efficient and appropriate attention by the responsible BSI committee. **Annotated drafts are not acceptable and will be rejected.**

- All comments must be submitted, preferably electronically, to the Responsible Committee Secretary at the address given on the front cover. Comments should be compatible with version 6.0 or version 97 of Microsoft Word for Windows, if possible; otherwise comments in ASCII text format are acceptable. **Any comments not submitted electronically should still adhere to these format requirements.**

- All comments submitted should be presented as given in the example below. Further information on submitting comments and how to obtain a blank electronic version of a comment form are available from the BSI website at: **http://drafts.bsigroup.com/**

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: **ISO/DIS xxxx**

1	2	(3)	4	5	(6)	(7)
MB	**Clause No./ Subclause No./Annex** (e.g. 3.1)	**Paragraph/ Figure/ Table/Note**	**Type of com-ment**	**Commend (justification for change) by the MB**	**Proposed change by the MB**	**Secretariat observations on each comment submitted**
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	

EXAMPLE ONLY

Documents
Document Sharing Hub

Microsoft and MS-DOS are registered trademarks, and Windows is a trademark of Microsoft Corporation.

Full document details: 15/30320914 DC

ASD-STAN Standardization

DRAFT

prEN 4708-104

Edition:P1D5

Study n°: 8.2120.104	Draft n°:5	Nov 2014	Step n°:

Ref.:

ENGLISH VERSION
Aerospace series

Sleeving, heat-shrinkable, for binding, insulation and identification
Part 104: Semi-rigid polyvinylidene fluoride. Temperature range -55 ºC and 175 ºC

French
Manchons thermo rétractables,
de jonction, isolement et identification
Partie 104:
TBA

German
Wärmeschrumpfender Schlauch
zur Befestigung, Isolierung und Identifizierung
Teil 104:
TBA

Warning

This document is NOT an ASD Standard. It is distributed for review and comment. It is subject to change without notice and may NOT be referred to as an ASD Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

AVA Documents
Document Sharing Hub

Full document details: 15/30320914 DC

Contents

Page

1 Scope 3
2 Normative references 3
3 Definitions 4
4 Required characteristics 4
4.1 Dimensions and mass 4
4.2. Conditions of test. 4
4.3 Tests 5
6 Designation 9
7 Labelling and packaging 9
8 Technical specification 9

Documents
Document Sharing Hub

Full document details: 15/30320914 DC