



DPC: 16 / 30352465 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 24 November 2016

Origin: European

Latest date for receipt of comments: 23 January 2017 Responsible committee:

Project No. 2009/01617

ACE/6 Aerospace avionics electrical and fibre optic technology

Interested committees:

Title: Draft BS EN 2267-010 Aerospace series - Cables, electrical, for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 010: DR family, single UV laser printable - Product standard

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 23 January 2017**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Introduction

This draft standard is based on European discussions in which the UK has taken an active part. Your comments on this draft are welcome and will assist in the preparation of the consequent British Standard. Comment is particularly welcome on national, legislative or similar deviations that may be necessary.

Even if this draft standard is not approved by the UK, if it receives the necessary support in Europe, the UK will be obliged to publish the official English Language text unchanged as a British Standard and to withdraw any conflicting standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with reasons) or positive vote on this draft.

Submission of Comments

- The guidance given below is intended to ensure that all comments receive efficient and appropriate attention by the responsible BSI committee. **Annotated drafts are not acceptable and will be rejected.**
- All comments must be submitted, preferably electronically, to the Responsible Committee Secretary at the address given on the front cover. Comments should be compatible with version 6.0 or version 97 of Microsoft Word for Windows, if possible; otherwise comments in ASCII text format are acceptable. **Any comments not submitted electronically should still adhere to these format requirements.**
- All comments submitted should be presented as given in the example below. Further information on submitting comments and how to obtain a blank electronic version of a comment form are available from the BSI website at:
<http://drafts.bsigroup.com/>

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	-------------------------------

1	2	(3)	4	5	(6)	(7)
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/ Figure/ Table/Note	Type of comment	Comment (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	

ASD/TC

Date: 2013-09

EN 2267-010:2013

EN 2267-010 : 2016 June P4 D1

ASD/TC

Secretariat:

Aerospace series — Cables, electrical, for general purpose — Operating temperatures between - 55 °C and 260 °C — Part 010: DR family, single UV laser printable — Product standard

Field Code Changed

Formatted: English (U.K.)

Luft- und Raumfahrt — Leitungen, elektrisch, für allgemeine Verwendung — Betriebstemperaturen zwischen - 55 °C und 260 °C — Teil 010: DR-Familie Einadrige Leitungen UV-Laser bedruckbar — Produktnorm

Série aérospatiale — Câbles, électriques, d'usage général — Températures de fonctionnement comprises entre - 55 °C et 260 °C — Partie 010 : Famille DR, fil simple marquable au laser UV — Norme de produit

ICS: 49.060

Descriptors:

Document type: European Standard
Document subtype:
Document stage:
Document language: E

C:\Users\Stackt\AppData\Local\Temp\7zO0BEEA77E\EN2267-010_P4 D1.doc STD Version 2.5a

Contents

	Page
Foreword	3
1 Scope	4
2 Normative references	4
3 Terms, definitions, symbols and abbreviations	4
4 Materials and construction	5
5 Required characteristics	6
6 Quality assurance	10
7 Designation	10
8 Identification and marking	11
9 Packaging, labelling and delivery lengths	11
10 Technical specification	11