



DPC: 19 / 30405712 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 11 November 2019

Origin: European

Latest date for receipt of comments: 7 January 2020

Project No. 2009/01617

Responsible committee: ACE/006 Aerospace avionic electrical and fibre optic technology

Interested committees:

Title: BS EN 2713-012 (P2) - Aerospace series — Cables, electrical, single and multicore for general purpose — Operating temperatures between – 55 °C and 200 °C — Part 012 MNA (1 core), MNB (pair), MNC (3 cores), MND (4 cores), cables family — Silver plated copper screened (spiral) and jacketed, UV laser printable — Product standard

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 7 January 2020**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Introduction

This draft standard is based on European discussions in which the UK has taken an active part. Your comments on this draft are welcome and will assist in the preparation of the consequent British Standard. Comment is particularly welcome on national, legislative or similar deviations that may be necessary.

Even if this draft standard is not approved by the UK, if it receives the necessary support in Europe, the UK will be obliged to publish the official English Language text unchanged as a British Standard and to withdraw any conflicting standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with reasons) or positive vote on this draft.

Submission of Comments

- The guidance given below is intended to ensure that all comments receive efficient and appropriate attention by the responsible BSI committee. **Annotated drafts are not acceptable and will be rejected.**
- All comments must be submitted, preferably electronically, to the Responsible Committee Secretary at the address given on the front cover. Comments should be compatible with version 6.0 or version 97 of Microsoft Word for Windows, if possible; otherwise comments in ASCII text format are acceptable. **Any comments not submitted electronically should still adhere to these format requirements.**
- All comments submitted should be presented as given in the example below. Further information on submitting comments and how to obtain a blank electronic version of a comment form are available from the BSI website at:
<http://drafts.bsigroup.com/>

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	(7)
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/ Figure/ Table/Note	Type of comment	Comment (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	

ASD/TC

Date: 2017-01

~~EN 2713-012:2017~~

ASD/TC

Secretariat:

**Aerospace series — Cables, electrical, single and multicore for general purpose
— Operating temperatures between – 55 °C and 200 °C — Part 012: MNA (1
core), MNB (pair), MNC (3 cores), MND (4 cores), cables family — Silver plated
copper screened (spiral) and jacketed, UV laser printable — Product standard**

Luft- und Raumfahrt — Leitungen, elektrisch, ein- und mehradrig, für allgemeine Verwendung — Betriebstemperaturen zwischen – 55 °C und 200 °C — Teil 012: MNA- (einadrig), MNB- (zweiadrig), MNC- (dreiadrig), MND- (vieradrig) Leitungsfamilie, mit versilbertem — Kupfergeflecht geschirmt (Umseilung) und ummantelt, UV-Laser-bedruckbar — Produktnorm

Série aérospatiale — Câbles, électriques, mono et multiconducteurs d'usage général — Températures de fonctionnement comprises entre – 55 °C et 200 °C — Partie 012 : MNA (1 élément), MNB (paire), MNC (tierce), MND (quarte), série de câbles multiconducteurs à blindage cuivre argenté (guipés et gainés), marquables au laser UV — Norme de produit

ICS:

Descriptors:

Document type: European Standard

Document subtype:

Document stage:

Document language: E

C:\Users\StackT\AppData\Local\Temp\7z087532E3D\prEN_2713-012_P2_Draft for ND B... Documents
Version 2.5a

Contents		Page
European foreword		3
1	Scope.....	4
2	Normative references.....	4
3	Terms, definitions and symbols.....	4
4	Materials and construction	5
5	Required characteristics	7
6	Quality assurance.....	9
7	Designation	9
8	Identification and marking.....	9
9	Packaging, labelling and delivery lengths.....	9
10	Technical specification	9