



DPC: 21/30429132 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 01 January 2021

Origin: International

Latest date for receipt of comments: 24 February 2021

Project No. 2020/02914

Responsible committee: CPL/61 Safety of household and similar electrical appliances

Interested committees:

Title: Draft BS EN IEC 60335-2-64 Household and similar electrical appliances - Safety. Part 2-64: Particular requirements for commercial electric kitchen machines.

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD. THIS DRAFT IS NOT CURRENT BEYOND 24 February 2021

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <https://standardsdevelopment.bsigroup.com/>.

Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	7
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/Figure/ Table/Note	Type of comment	Commend (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	



61/6171/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:
IEC 60335-2-64 ED4

DATE OF CIRCULATION:
2021-01-01

CLOSING DATE FOR VOTING:
2021-03-26

SUPERSEDES DOCUMENTS:
61/6138/RR

IEC TC 61 : SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES

SECRETARIAT:

United States of America

SECRETARY:

Ms Randi Myers

OF INTEREST TO THE FOLLOWING COMMITTEES:

PROPOSED HORIZONTAL STANDARD:



Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.

FUNCTIONS CONCERNED:

☐ EMC

☐ ENVIRONMENT

☐ QUALITY ASSURANCE

☒ SAFETY

☐ SUBMITTED FOR CENELEC PARALLEL VOTING

☒ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Household and similar electrical appliances - Safety - Part 2-64: Particular requirements for commercial electric kitchen machines

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

This document is circulated according to the decisions taken at the meeting of TC 61 in 2020/Web - see 61/5998A/DA.

History Refer to:

61/6087/DC and 61/6107A/INF in 61 (2020Web/Secretariat) 09 item 22.

Copyright © 2020 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	4
1 Scope.....	5
2 Normative references	6
3 Terms and definitions	6
4 General requirement.....	7
5 General conditions for the tests	8
6 Classification.....	8
7 Marking and instructions.....	8
8 Protection against access to live parts.....	10
9 Starting of motor-operated appliances	10
10 Power input and current.....	11
11 Heating.....	11
12 Charging metal-ion batteries.....	11
13 Leakage current and electric strength at operating temperature.....	11
14 Transient overvoltages	12
15 Moisture resistance	12
16 Leakage current and electric strength.....	13
17 Overload protection of transformers and associated circuits	13
18 Endurance.....	14
19 Abnormal operation	14
20 Stability and mechanical hazards.....	14
21 Mechanical strength	20
22 Construction	20
23 Internal wiring.....	22
24 Components	23
25 Supply connection and external flexible cords	23
26 Terminals for external conductors.....	24
27 Provision for earthing	24
28 Screws and connections	24
29 Clearances, creepage distances and solid insulation	25
30 Resistance to heat and fire.....	25
31 Resistance to rusting	25
32 Radiation, toxicity and similar hazards.....	25
Annexes	28
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates.....	29
Bibliography.....	30
Figure 101 – Splash apparatus	26
Figure 102 – Protection devices for slicing machines	27
Table 101 – Assembling torques for screwed connections providing earthing continuity.....	25

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-64: Particular requirements for commercial
electric kitchen machines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

1 International Standard IEC 60335-2-64 has been prepared by IEC technical committee 61:
2 Safety of household and similar electrical appliances.

3 This fourth edition cancels and replaces the third edition published in 2002, Amendment 1: 2007
4 and Amendment 2:2017. This edition constitutes a technical revision.

5 This edition includes the following significant technical changes with respect to the previous
6 edition:

7 – the text has been aligned with Part 1 Ed 6;

8 – some notes have been converted to normative text or deleted (1, 7.12, 9.101, 10.1, 11.7,
9 15.3, 20.2, 20.116, 20.117, 20.117.2, 20.117.3, 20.119, 22.101, 23.3, 27.2);

10 – clarifications to some test specifications have been made (9.101, 15.1.1, 15.2, 22.113);

11 – conciliate the text of IEC 60335-2-64 with the one of other standards under IEC/TC 61.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61/XX/FDIS	61/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial electric kitchen machines.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The National Committees are requested to note that for this publication the stability date is 2024.

THIS TEXT IS INCLUDED FOR THE INFORMATION OF THE NATIONAL COMMITTEES AND WILL BE DELETED AT THE PUBLICATION STAGE.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in

50 which to make products in accordance with the new requirements and to equip themselves for conducting new or
51 revised tests.

52 It is the recommendation of the committee that the content of this publication be adopted for implementation nationally
53 not earlier than 12 months or later than 36 months from the date of publication.

54 The following differences exist in the countries indicated below.

- 55 – 6.1: Class 01 appliances are allowed if their rated voltage does not exceed 150 V (Japan).
- 56 – 6.2: For appliances intended to be installed in a kitchen, an appropriate degree of protection against harmful
57 ingress of water is required according to their height of installation (France).
- 58 – 13.2: Leakage current limits are different (Japan).
- 59 – 16.2: Leakage current limits are different (Japan).
- 60 – Clause 21: For appliances intended to be installed in a kitchen, different values of impact energy are applicable
61 according to the height of the impact point (France).

62 **Note of the Secretary:** National Committees are asked to reconfirm their in some countries
63 notes. They will be deleted unless reconfirmed.

64

65

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website –

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-64: Particular requirements for commercial electric kitchen machines

1 Scope

This clause of Part 1 is replaced by the following.

This standard deals with the safety of electrically operated commercial **kitchen machines** ~~not intended for household and similar use~~, their **rated voltage** being not more than 250 V for single phase appliances connected between one phase and neutral, and 480 V for other appliances.

These appliances are not intended for household and similar purposes. They are used for commercial processing of food in areas not open to the public, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries and butcheries.

Examples of **kitchen machines** are

- mixers;
- liquid or food blenders;
- kneaders;
- beaters;
- shredders;
- graters;
- mincers;
- slicers;
- peelers;
- tin openers;
- coffee grinders;
- machines used for washing and/or drying food;
- portioning machines;
- pastry rollers;
- noodle strip cutters;
- food processors;
- beam mixers.

This standard also applies to appliances which, in order to facilitate transport, are supplied in several parts (sub-assemblies) which, when assembled at the place of installation, form a constructional unit without the use of any additional parts.

The electrical part of appliances making use of other forms of energy is also within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

This standard does not apply to

- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances for continuous mass production of food;
- independent conveying equipment, such as food distribution belts.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

ISO 898-1, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs with specified property classes – Coarse thread and fine pitch thread*

ISO 3506-1, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 1: Bolts, screws and studs*

ISO 3506-2, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 2: Nuts*

ISO 3506-3, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 3: Set screws and similar fasteners not under tensile stress*

ISO 3506-4, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 4: Tapping screws*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

Definitions relating to physical characteristics

3.1.4 *Addition:*

NOTE 101 to entry The **rated power input** is the sum of the power inputs of all the individual elements in the appliance that can be on at one time; where there are several such combinations possible, that giving the highest power input is used in determining the **rated power input**.

3.1.9 *Addition:*

operation of the appliance under the following conditions

The appliance is operated without load. The appliance is then loaded in appropriate steps, the supply voltage being maintained at its original value. For each step, steady conditions have to be established before increasing the load. This operation is repeated until just before an overload release operates, or until the steady condition with the highest temperature has been attained.

NOTE 101 to entry The load may be achieved by using an electrical or mechanical brake.

Where it is not possible or is impractical to apply effectively an electrical or mechanical brake, the load is 115 % of the input measured when the appliance is operated without load at **rated voltage** and normal operating temperature, and with controls intended to be adjusted by the user set at maximum.

NOTE 102 to entry Examples of such appliances are

- liquid blenders;
- slicers;
- peelers;
- coffee grinders;
- machines used for washing and/or drying food;
- portioning machines.

3.6 Definitions relating to parts of an appliance

3.6.101

guard plate

plate similar to a slice thickness plate, fitted to machines with automatic product feeding

3.6.102

product holder

support for the product to be sliced. The **product holder** can be equipped with a **pusher** or a **feed carriage** and/or a clamping device

3.6.103

sliding feed table

device that supports the **product holder** and allows it to move forwards and backwards

3.6.104

feed carriage

device on which the product is placed and that slides on top of the **product holder** in order to move the product towards the blade

3.6.105

pusher

device used to move the product along the **product holder** against the thickness plate

3.6.106

last slice device

plate with which the last portion of the product is fed to the cutting blade

NOTE to entry The plate can be fitted on the **pusher**, clamping device or **feed carriage**.

3.8 Definitions relating to miscellaneous matters

3.8.101

indicated level

mark on the appliance to indicate the maximum liquid level for correct operation

3.8.102

installation wall

special fixed construction containing supply facilities for appliances installed in conjunction with it

4 General requirement

This clause of Part 1 is applicable.