



DPC: 22 / 30458358 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 20 December 2022

Origin: International

Latest date for receipt of comments: 11 January 2023

Project No. 2022/01494

Responsible committee: CPL/61/10 Floor treatment machines (industrial)

Interested committees:

Title: BS EN 63458-1 High Pressure Water Jet Machines - Safety

Part 1: High Pressure Water Jet Unit

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 11 January 2023**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Responsible Committee Secretary: Ms Charmaine Mukherjee (BSI)

Direct tel:

E-mail: charmaine.mukherjee@bsigroup.com

Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	7
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/Figure/ Table/Note	Type of comment	Commend (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	



PROJECT NUMBER:

IEC 63458-1 ED1

DATE OF CIRCULATION:

2022-11-18

CLOSING DATE FOR VOTING:

2023-02-10

SUPERSEDES DOCUMENTS:

61J/753/NP, 61J/758/RVN

IEC SC 61J : ELECTRICAL MOTOR-OPERATED CLEANING APPLIANCES FOR COMMERCIAL USE	
SECRETARIAT: Germany	SECRETARY: Mr Charalambos Freed
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: ☐ Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: ☐ EMC ☐ ENVIRONMENT ☐ QUALITY ASSURANCE ☒ SAFETY	
☒ SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

High Pressure Water Jet Machines - Safety - Part 1: High Pressure Water Jet Unit

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

Copyright © 2022 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without the written permission of IEC.



Documents

Document Sharing Hub

CONTENTS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

- FOREWORD.....5
- Introduction 7
- 1 Scope.....8
- 2 Normative references 9
- 3 Terms and definitions 10
 - 3.1 high pressure water jet unit.....10
 - 3.2 program controlled high pressure water jet unit.....10
 - 3.3 drive 10
 - 3.4 pressure generator 10
 - 3.5 high pressure line 10
 - 3.6 pipeline.....10
 - 3.7 hose 10
 - 3.8 hose line.....10
 - 3.9 spraying device.....10
 - 3.9.1 general.....10
 - 3.9.2 hand-held spraying device 11
 - 3.10 safety device 11
 - 3.11 maximum allowable working pressure 11
 - 3.12 operating temperature of the liquid 11
 - 3.13 replacement inserts 11
 - 3.14 pulsation damper 11
 - 3.15 test pressure.....11
 - 3.16 cleaning agent 11
 - 3.17 safety pressure 11
 - 3.18 normal operation.....11
 - 3.19 Items or items to be tested.....11
- 4 Safety requirements and/or measures 11
 - 4.1 General 11
 - 4.2 Requirements for high pressure water jet unit with intended exit of water under high pressure 12
 - 4.2.1 Replacement inserts.....12
 - 4.2.2 Safety devices to prevent excessive pressure.....12
 - 4.2.3 Pressure indicator 13
 - 4.3 Mechanical requirements 13
 - 4.3.1 Common requirements 13
 - 4.3.2 High pressure lines.....13
 - 4.3.3 Requirements for mobile machines 13
 - 4.4 Requirements for transport 13
 - 4.5 Electrical requirements 13
 - 4.6 Requirements for emergency stopping 14
 - 4.7 Thermal requirements.....14
 - 4.8 Noise reduction.....14

46	4.8.1	Noise reduction at source by design	14
47	4.8.2	Noise reduction by protective measures	15
48	4.9	Requirements for program controlled water jet machines	15
49	4.10	Marking the control devices	15
50	5	Verification of the safety requirements and/or measures	15
51	5.1	General.....	15
52	5.2	Hydrostatic pressure test	15
53	5.2.1	General	16
54	5.2.2	Timing of the test.....	16
55	5.2.3	Preparation for testing	16
56	5.2.4	Test equipment.....	16
57	5.2.5	Test liquid.....	17
58	5.2.6	Test procedure	17
59	5.2.7	Acceptable criteria.....	18
60	5.2.8	Repairs.....	18
61	5.2.9	Test records	18
62	5.2.10	Test certificate	18
63	5.2.11	Test report.....	18
64	5.2.12	Testing of safety devices for preventing excessive pressure	19
65	5.2.13	Pressure indicator	19
66	5.3	Mechanical tests and/or visual inspection	19
67	5.3.1	General	19
68	5.3.2	Testing the stability of the high pressure water jet unit.....	19
69	5.4	Transport devices	19
70	5.5	Electrical tests	20
71	5.6	Testing of emergency stopping	20
72	5.7	Thermal tests.....	20
73	5.8	Testing of program controlled high pressure water jet units	20
74	5.9	Verification of markings.....	20
75	6	Information for use	20
76	6.1	General.....	20
77		Figure 4 — General warning sign according to ISO 7010, W001	22
78		Figure 5 — Hazard symbol Dangerous Voltage according to ISO 7010, W012	22
79		Figure 6 — Attention.....	22
80	6.2	Marking and Warnings	23
81	6.2.1	General	23
82	6.2.2	Marking of the machine unit.....	23
83	6.2.3	Marking the safety devices	23
84	6.2.4	Marking of pipelines.....	23
85	6.3	Additional warnings.....	24
86		Figure 7 — Example of an additional warning (taken from IEC 60335-2-79)	24
87		Figure 8 — Hazard symbol Hot surfaces according to ISO 7010, W017.....	24
88		Annex A (informative) Routine tests	25
89	A.1	General.....	25
90	A.2	Electrical safety	25
91	A.3	Documentation verification	25

92	A.4	Functional test	25
93	Annex B (informative)	List of significant hazards	26
94	B.1	General	26
95	B.2	Hazards from the intended exit of water under high pressure	26
96	B.3	Mechanical hazards	26
97	B.3.1	General	26
98	B.4	Hazards from transportation.....	26
99	B.5	Electrical hazards	26
100	B.6	Thermal hazards	26
101	B.7	Hazards due to noise	26
102	B.8	Hazards from program controlled high pressure water jet units	26
103	B.9	Hazards from sudden start-up.....	26
104	Annex C (informative)	Random sample schedule	27
105	C.1	Scope	27
106	C.2	Selection of quality grade	27
107	C.3	Formation of a test-lot.....	27
108	C.4	Acceptance and rejection	27
109	C.5	Symbols.....	27
110	Annex D (normative)	Noise test code	29
111	D.1	Scope	29
112	D.2	A-weighted emission sound pressure level at workstation determination	29
113	D.3	A-weighted sound power level determination	29
114	D.4	Mounting and operating conditions.....	29
115	D.5	Measurement uncertainties	30
116	D.6	Information to be recorded	30
117	D.7	Information to be reported.....	30
118	D.8	Declaration and verification of noise emission values.....	31
119	Bibliography.....		32

120
121
122
123
124
125
126
127
128
129
130
131
132

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH PRESSURE WATER JET MACHINES - SAFETY -

Part 1: High pressure water jet unit

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63458-1 has been prepared by subcommittee 61J: Electrical motor-operated cleaning appliances for commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
XX/XX/FDIS	XX/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Introduction

This document is a type-C standard as stated in ISO 12100:2010. This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document. The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the scope of this document. When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

1 Scope

This document contains safety-related requirements for high pressure water jet units with drives of all kinds (e.g. electric motor, internal combustion engine, air and hydraulic) in which pumps are used to generate pressure. This document deals with all significant hazards, hazardous situations and events arising during assembly, erection, operation and servicing relevant to high pressure water jet units, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer. All references to high pressure water jet units within this document includes machines for one or more of the following industrial applications:

- cleaning;
- surface preparation;
- material removal;
- readjustment of concrete;
- cutting.

NOTE 1 List of significant hazards is given in informative Annex B.

This document applies to mobile and fixed high pressure water jet units, in which the water pressure is generated by a pressure generator/pump and in which the maximum allowable working pressure is more than the upper limit fixed in the scope of IEC 60335-2-79.

NOTE 2 35 MPa is currently the upper limit for machines covered by IEC 60335-2-79.

This document does not cover:

- high pressure cleaners which are dealt with in IEC60335-2-54;

NOTE 3 IEC 60335-2-54 applies to steam cleaners for household use. IEC 60335-2-79 applies to high pressure cleaners having a rated pressure not less than 2,5 MPa and not exceeding 35 MPa, as well as steam cleaners and those parts of hot water high pressure cleaners incorporating a steam stage which have a capacity not exceeding 100 l, a rated pressure not exceeding 2,5 MPa and a product of capacity and rated pressure not exceeding 5 MPa.

- additional hazards due to the incorporation of high pressure water jet units into other process-technology machines;
- specific hazards associated with explosive atmospheres, use on ships or ambient temperatures outside the range 5 °C to 40 °C;
- hazard due to the nature of liquids used for jetting, other than that due to pressure;
- hazards associated with the drives or specific hazards due to any heat generation function. However, the hazards due to high temperatures of touchable surfaces are dealt with;
- high pressure water jet units which are manufactured before the date of its publication as IEC;
- high pressure water jet hoses which are covered by IEC 63458-2;
- high pressure water jet spraying device which are covered by IEC 63458-3;

Tests according to this document are type tests unless they relate to routine (informative) tests to be carried out during series manufacture.

NOTE 4 Routine tests are described in informative Annex A.

Compliance with IEC 63458-1, IEC 63458-2 and IEC 63458-3 provide the full requirements for high pressure water jet machine.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 22100-3:2016 *Safety Of Machinery — Relationship With Iso 12100 — Part 3: Implementation Of Ergonomic Principles In Safety Standards*

ISO 14120:2015 *Safety of machinery - Guards - General requirements for the design and construction of fixed and movable guards*

IEC 61310-1:2.0 *Safety Of Machinery - Indication, Marking And Actuation - Part 1: Requirements For Visual, Acoustic And Tactile Signals*

IEC 63458-2:2022, *High Pressure Water Jet Machines - Safety - Part 2: High Pressure hoses, hose lines and connectors*

IEC 63458-3:2022, *High Pressure Water Jet Machines - Safety - Part 3: High Pressure Spraying Device*

IEC 60204-1:2016, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 61310-2:2007, *Safety of machinery - Indication, marking and actuation - Part 2: Requirements for marking*

IEC 60335-2-79:2021, *Household and similar electrical appliances — Safety — Part 2-79: Particular requirements for high pressure cleaners and steam cleaners IEC 60335-2-79:2012)*

IEC 60529:1989/AC:2013, *Degrees of protection provided by enclosures (IP code)*

IEC 62745:2017, *Safety of machinery — Requirements for cableless control systems of machinery*

ISO 7010:2019, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13732-1:2006, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces*

ISO 13857:2019, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14119:2013, *Safety of machinery - Interlocking devices associated with guards - Principles for design and selection*

ISO 17769-1:2012, *Liquid pumps and installation — General terms, definitions, quantities, letter symbols and units — Part 1: Liquid pumps (ISO 17769-1:2012)*

EN ISO 4871:2009, *Acoustics - Declaration and verification of noise emission values of machinery and equipment (ISO 4873:1996)*

EN ISO 11203:2009, *Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a workstation and at other specified positions from the sound power level (ISO 11203:1995)*