



DPC: 23 / 30453717 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 15 November 2023

Origin: International

Latest date for receipt of comments: 3 January 2024

Project No. 2022/00605

Responsible committee: GEL/3 Documentation and graphical symbols

Interested committees:

Title: BS ISO 82079-2 Preparation of instructions for use - Structuring, content and presentation

Part 2: Additional guidance for instructions for assembly of self-assembly products

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 3 January 2024**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Responsible Committee Secretary: **Mr Simon Bounds (BSI)**Direct tel: **0208 996 7281**E-mail: simon.bounds@bsigroup.com

Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	7
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/Figure/ Table/Note	Type of comment	Commend (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	



3/1646/CD

COMMITTEE DRAFT (CD)

PROJECT NUMBER:

ISO 82079-2 ED1

DATE OF CIRCULATION:

2023-11-10

CLOSING DATE FOR COMMENTS:

2024-02-02

SUPERSEDES DOCUMENTS:

3/1536/NP, 3/1553A/RVN

IEC TC 3 : DOCUMENTATION, GRAPHICAL SYMBOLS AND REPRESENTATIONS OF TECHNICAL INFORMATION

SECRETARIAT:

Sweden

SECRETARY:

Mr Mikael Törnkvist

OF INTEREST TO THE FOLLOWING COMMITTEES:

PROPOSED HORIZONTAL STANDARD:

☐

Other TC/SCs are requested to indicate their interest, if any, in this CD to the secretary.

FUNCTIONS CONCERNED:

☐ EMC

☐ ENVIRONMENT

☐ QUALITY ASSURANCE

☐ SAFETY

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any local regulations or technical reasons that may exist and should be considered should this proposal proceed, recognizing that failure to address such requirements could result in the need for new or existing "In Some Countries" clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Preparation of information for use (instructions for use) of products — Part 2: Additional guidance for instructions for assembly of self-assembly products

NOTE FROM TC/SC OFFICERS:

Copyright © 2023 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

E

STD Version 2.9p

Full document details: 23/30453717 DC

Preparation of information for use (instructions for use) of products — Part 2: Assembly of self-assembly products

Élaboration des informations d'utilisation (instructions d'utilisation) — Partie 2: Assemblage de produits à monter soi-même

Warning

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Copyright notice

This ISO document is a working draft or committee draft and is copyright-protected by ISO. While the reproduction of working drafts or committee drafts in any form for use by participants in the ISO standards development process is permitted without prior permission from ISO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ISO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:

ISO copyright office
CP 401 • Ch. de Blandonnet
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Institute of Electrical and Electronics Engineers, Inc
83 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Page

Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	2
3 Terms, definitions, and abbreviated terms	2
3.1 Terms and definitions	2
3.2 Abbreviated terms	4
4 Fulfilment of requirements	5
5 Principles	5
5.1 Provision of instructions for self-assembly as part of the supported product	5
5.2 Minimising risk through product design and instructions for self-assembly	5
5.3 Consideration of needs of the target audience	7
5.3.1 Different target audiences for assembly and use	7
5.3.2 Typical characteristics of non-skilled assemblers	7
5.3.3 Suitability of assembly tasks to the assemblers' capabilities	8
5.3.4 Comprehensible terminology and graphical images for parts	8
6 Content of instructions for self-assembly	9
6.1 Intuitive procedure	9
6.2 Identification of product and instructions	9
6.3 Understanding of the fully assembled product	9
6.4 Understanding of sub-assemblies	11
6.5 Inventory step	11
6.6 Assembly steps	13
6.7 Confirmation of correct and safe assembly	13
6.8 Instructions for self-disassembly and re-assembly	14
6.8.1 General	14
6.8.2 Disassembly instructions	14
6.8.3 Re-assembly instructions	14
7 Media and format of instructions for self-assembly	15
7.1 Media of information for self-assembly of products	15
7.2 One illustration, one assembly action step	15
7.3 Arrangement of a sequence of assembly illustrations and text	17
7.4 Type, style, and quality of assembly step illustrations	18
7.4.1 Three-dimensional illustrations	18
7.4.2 Supplementary 2-dimensional line drawings	19
7.4.3 Use of CAD-generated assembly illustrations	19
7.4.4 Avoidance of exploded, cross-sectional, cutaway, and ghosting views	20
8 Details within illustrations	22
8.1 Orientation of objects and viewpoints in assembly action illustrations	22
8.2 Callouts and subsidiary views	23
8.3 Identification of components in each assembly step	24

8.4	Conveying assembler actions	30
8.5	Electrical cable and wiring connections.....	32
8.6	Battery connections Connecting and threading non-electrical cords	32
8.7	Connecting and threading non-electrical cords	32
9	Evaluation of instructions for self-assembly	33
9.1	General	33
9.2	Principles of independent evaluation of effectiveness	33
9.3	Acceptability criteria for the effectiveness and safety of self-assembly instructions.....	34
9.4	Panel sizes and test procedures	34
9.5	Documentary evidence of evaluation.....	35
9.5.1	Test reports for a usability panel.....	35
9.5.2	Test reports on assembly by a skilled person.....	35
	Bibliography	37

List of Figures

Figure 1 — Multiple views of an assembled product.....	10
Figure 2 —Views of an assembled product in different configurations	10
Figure 3 —Inventory to differentiate similar components.....	11
Figure 4 —Distinguishing small fasteners by dimension and size.....	12
Figure 5 — Figure 5 Multiple assemblers, additional tools, and PPE needed	13
Figure 6 —Assembly of multiple parts in a stack.....	16
Figure 7 —Assembly of multiple parts along an axis	Error! Bookmark not defined.
Figure 8 —. Assembly steps presented in a strip frame	17
Figure 9 —Three-dimensional view, simpler to interpret than two-dimensional views.....	18
Figure 10 —Perspective representations: isometric, two vanishing points, single vanishing point	19
Figure 11 —Exploded parts and assembly view, not suitable for non-skilled assemblers	20
Figure 12 —Cutaway view with foreground ghosting, difficult to interpret in assembly steps	21
Figure 13 —Background ghosting emphasizing parts currently being assembled	21
Figure 14 —Magnified callouts to illustrate connector parts and connection details	22
Figure 15 —Circular callout for enlarged detail of connecting parts.....	23
Figure 16 —Arrows indicating the direction of attachment by pushing.....	25
Figure 17 —Arrow for direction of rotation.....	25
Figure 18 —Arrows for direction of folding, pulling, and pushing.....	26
Figure 19 —Double-headed arrow indicating adjustment	26
Figure 20 —Positioning fingers, hands, or feet to remove components or apply force	28
Figure 21 —Assembling and fitting a product to the user's body.....	29
Figure 22 —Second assembler supporting the sub-assembly during assembly	29
Figure 23 —Schematic cable connections with realistic images of electrical components, plugs, and sockets.....	30
Figure 24 —Cable routing and minimum separation of components	31
Figure 25 —Circuit diagram, unsuited for non-skilled assembler	Error! Bookmark not defined.
Figure 26 —Connection of electrical wiring	31
Figure 27 —Arrows and numbering to show threading a strap.....	33

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialised system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO/IEC documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/ or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by ISO/IEC Joint Working Group 16, Maintenance of IEC 82079 series, which is linked to ISO/TC10/SC1, Basic Conventions, and IEC TC 3, Documentation, graphical symbols and representations of technical information, in cooperation with the Systems and Software Engineering Standards Committee of the IEEE Computer Society.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees

Introduction

This document provides requirements and guidance for preparing instructions for self-assembly of products by non-skilled persons that are adapted to their expected knowledge and abilities. The goal is to enable them to avoid misunderstandings, errors, or injury, and end up with correctly constructed, undamaged products. (An added benefit is that product suppliers can avoid complaints from frustrated, dissatisfied customers.)

Compared to audiences sharing a common profession or employer, levels of ability within non-skilled and consumer audiences are likely to vary more widely relevant to the tasks of assembling a product. In a self-assembly situation, the safety of the assembler and of subsequent users of the assembled product depends on:

- Presenting each assembly step in a way that is understandable by the assemblers
- Identifying and reducing the potential for ambiguity, misunderstanding, or human error in assembly through such means as risk assessment and usability testing of the instructions by a panel of assemblers representative of the target audience;
- Including information on how assemblers can check that what they have assembled functions safely and correctly.

This document supplements the general requirements applied to information for use of products (including instructions for self-assembly) by IEC/IEEE 82079-1:2019.

The principles and recommendations in this document can help reduce the risk of assemblers (particularly consumers) making safety-critical errors. Instructions prepared taking the tendencies of typical non-skilled assemblers into account are likely to be more effective and easier to follow for all assemblers.

The presentational techniques recommended are expected to reduce errors of both typical consumers and more technically experienced assemblers. They are based on published reports of controlled tests and commonly accepted as good practice in this field. Employing these techniques can help assemblers to avoid the problems commonly experienced with poor instructions for self-assembly.

However, instructions for self-assembly cannot compensate for product designs that are too complex (or too demanding of craft skills) for the target audience.

Preparation of information for use (instructions for use) of products — Part 2: Assembly of self-assembly products

1 Scope

This document applies to the preparation of instructions for assembly of self-assembly products. It provides requirements and recommendations for the presentation of instructions to a non-skilled target audience assembling a product without help from a trainer or supervisor. These requirements and recommendations are additional to those in IEC/IEEE 82079-1, which applies to the preparation of all information for use of all products including aspects such as operation and maintenance.

Instructions for assembly of self-assembly products covers:

- Instructions that are provided to support a product that is supplied as a kit of component parts designed to be assembled into a specific item (which can have alternative assembly configurations). These are often described as “flatpack products.”
- Instructions for installing products supplied with components (e.g. screws) intended for attachment to existing products (e.g. a vehicle) or fixtures (e.g. a wall).
- Instructions for erecting or configuring products that incorporate structural elements requiring folding, locking, or tensioning (e.g. child pushchairs or camping equipment).
- Instructions intended to support the assembly of a specific product intended to be assembled by a non-skilled person for their own use - or for use by some other individual (e.g. assembly of a toy by a parent for subsequent use by a child).

The document applies to instructions for all self-assembly products intended to be assembled by non-skilled persons. A skilled person here means an individual who – through relevant technical education, training or experience is able to perceive all risks and avoid all hazards in the assembly and use of a particular product. In contrast, non-skilled persons performing product assembly without supervision or product-specific training rely solely on the information for use (including assembly instructions) provided for the safety of the assembly task and of the assembled product. , In addition to consumers, persons considered non-skilled can therefore include independent installers of appliances and assemblers of furniture.

However, information for use (assembly instructions) cannot compensate for product designs that are too complex (or too demanding of craft skills) for the intended target audience. Moreover, self-assembly instructions for large and complex systems do not completely substitute for a professional assembler's technical experience in anticipating, perceiving, and controlling risks.

This document does not apply to:

- Components or constructional material supplied in combinations and numbers specified by the customer;
- Multiple identical kits supplied in batches for professional assembly and commercial sale as an assembled product;

— Products intended for assembly only by someone professionally skilled or trained in assembling such products e.g. an electrician or a vehicle mechanic.

This document is intended for use by all parties involved in the preparation of instructions for self-assembly, including the following: product manufacturers and suppliers, hardware and software product and information designers, technical writers, technical illustrators, testers and evaluators, managers, and safety authorities.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/IEEE 82079-1:2019, *Preparation of information for use (instructions for use) of products – Part 1: Principles and general requirements*

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the definitions in IEC/IEEE 82079-1:2019 apply, together with the following.

ISO, IEC, and IEEE maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

— IEEE Standards Dictionary Online: available at: <https://dictionary.ieee.org/>, together with the following

3.1.1

assembler

person who assembles a self-assembly product.

Note 1 to entry: The assembler is not necessarily the person who uses the assembled product.

Note 2 to entry: Assemblers as a group are the target audience for whom the instructions for self-assembly are intended by the supplier [In line with definition of target audience in IEC/IEEE 82079-1:2019]

3.1.2

assembly (process)

process of putting together components to make a complete product

Note 1 to entry: Assembly in this document refers mainly to self-assembly of product kits, which can include factory-produced sub-assemblies or separate components.

Note 2 to entry: the process can involve attachment to other products or fixtures (e.g. a wall) or installing connections to energy or water systems).

3.1.3**assembly** (structure)

two or more components of a product kit attached together part way through the assembly procedure, before the product is completely assembled

3.1.4**assembly illustration**

picture of other graphic that shows the components involved and action to be performed by an assembler in one step in the *assembly* (3.1.2) procedure

3.1.5**callout**

projecting or arrow-like artistic device to call the attention of the viewer out of the main body of the illustration towards important information.

Note 1 to entry : Typically, short text message or subsidiary illustration concerning the area within the main illustration to which the arrow points

3.1.6**cross-sectional view**

imagined 2-dimensional view of a product as if part of it had been cut away to show the arrangement components internally

3.1.7**cutaway view**

imagined 3-dimesnional view of a product as if part of it had been cut away to show the arrangement of components internally

3.1.8**exploded view**

drawing of an assembly (3.1.3) in pictorial representation in which all the components are drawn to the same scale and correctly orientated relative to each other, but are separated from each other in their correct sequence along common axes (ISO 10209:2012)

3.1.9**ghosting**

artistic effect depicting some components, surfaces or features less densely to focus attention on one feature or to show components internally. Note: Typically, thinner or broken lines are used to give those features a semi-transparent or 'ghostly' appearance.

3.1.10**information for use**

instructions for use

information provided by the supplier that provides the target audience with concepts, procedures, and reference material for the safe, effective, and efficient use of a supported product during its life cycle

EXAMPLE Step-by-step instructions, troubleshooting information, and *assembly* (3.1.2) instructions.

Note 1 to entry: "Instructions for use, procedures for the safe, effective, and efficient use of a supported product", was the term formerly used to include all the content defined as part of information for use.

Note 2 to entry: Excludes supplementary information, which is outside the scope of information for use.

3.1.11

isometric representation

projection method in which each of the three coordinate axes is inclined at the same angle to the projection plane

[Source: ISO 10209:2022, 3.2.26]

3.1.12

non-skilled assembler

person having insufficient relevant technical education, training, or experience of a supported product to perceive risks during *assembly* (3.1.2) or use of a product and to avoid hazardous mis-assembly, without the information provided by the instructions for self-assembly.

3.1.13

safety-critical (instruction) step

step in a set of instructions in which a foreseeable error that an assembler might make which could result in harm to the assembler or user

3.1.14

self-assembly product

flatpack product

ready-to-assemble product

product that is intended to be assembled or erected from separate components without the help of a supervisor or trainer and relying only on step-by-step instructions

Note 1 to entry: Both products supplied in the form of a kit of component parts and products that incorporate structural elements requiring folding, locking, or tensioning (e.g. child pushchairs or camping equipment).

3.1.15

stack

components that need to be assembled one on top of another – or one after another along a common axis

Examples: wheels along an axle or nuts and washers on a bolt

3.1.16

strip frame

sequence of framed illustrations in a framed row or column, after the manner of a cartoon strip

3.1.17

sub-assembly

assembly (3.1.3) that is connected to other components or sub-assemblies to form a larger sub-assembly or the completed product

Note 1 to entry: In a self-assembly process sub-assemblies will typically be constructed separately by the assembler one at a time, and then brought together.

3.2 Abbreviated terms

CAD computer aided design

PPE personal protective equipment

4 Fulfilment of requirements

A claim of conformance to this document for information supporting a particular self-assembly product may be made by a supplier only if all of its normative requirements (i.e. "shall statements") have been fulfilled. This shall include in particular maintaining documentation recording the required evaluation of the instructions for self-assembly by :

- a) an empirical effectiveness check of all the instructions for self-assembly, conducted according to the requirements in Clause 9 and involving persons representing the target audience
- b) evaluation of safety-critical instructions (5.2) for self-assembly by usability panel testing according to the requirements in Clause 9;

Nothing in this document exempts self-assembly products from other applicable requirements in IEC/IEEE 82079-1, which applies to all the information for use of any product throughout all phases of the product life cycle.

Additionally, for consumer self-assembly products, a claim of conformance to this document may only be made by a supplier if all the information for use of the product fulfils the requirements applying to consumer products in IEC/IEEE 82079-1:2019, 4.1 4.2, and 4.3.

5 Principles

5.1 Provision of instructions for self-assembly as part of the supported product

Information for use is an integral part of the supported product. Preparing instructions for self-assembly should therefore receive the same attention and importance as would apply to the alternative of completely assembling a product before supply to users.

Assembly illustrations accompanied by text instructions shall enable the non-skilled assembler to construct (safely) an assembled product that is safe and effective for the intended users, for example by :

- a) Distinguishing between similar components;
- b) Identifying joining points ;
- c) Conveying actions an assembler needs to perform to attach components
- d) Showing when and how the assembler needs to support components during assembly.
- e) Showing when and how the assembler needs to confirm adequate strength of attachments and fitness for purpose of the completed product

Self-assembly products shall be supported by instructions for assembly as needed throughout all relevant phases of the product life cycle. For example, if the supplier intends the product to be dis-assembled for transport, storage, maintenance, or safe disposal, then instructions for dis-assembly without damage shall also be provided.

5.2 Minimizing risk through product design and instructions for self-assembly

Instructions for self-assembly shall address and reduce residual risks to assemblers and users during assembly or arising from incorrect assembly

Examples of self-assembly products that can be hazardous due to risks in assembly include:

- Products intended to support or withstand the load of a person, heavy object, or environmental force such as wind or water;