



DPC: 23 / 30482635 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 07 November 2023

Origin: International

Latest date for receipt of comments: 27 December 2023

Project No. 2023/02667

Responsible committee: EPL/51 Transformers, inductors, magnetic components and ferrite materials

Interested committees:

Title: BS IEC 63182-6 Magnetic powder cores - Guidelines on dimensions and the limits of surface irregularities

Part 6: EQ - cores

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 27 December 2023**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	7
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/Figure/ Table/Note	Type of comment	Commend (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	



51/1466/CD

COMMITTEE DRAFT (CD)

PROJECT NUMBER:

IEC 63182-6 ED1

DATE OF CIRCULATION:

2023-11-03

CLOSING DATE FOR COMMENTS:

2024-01-26

SUPERSEDES DOCUMENTS:

51/1432/NP

IEC TC 51 : MAGNETIC COMPONENTS, FERRITE AND MAGNETIC POWDER MATERIALS

SECRETARIAT:

Japan

SECRETARY:

Mr Takeshi Abe

OF INTEREST TO THE FOLLOWING COMMITTEES:

PROPOSED HORIZONTAL STANDARD:



Other TC/SCs are requested to indicate their interest, if any, in this CD to the secretary.

FUNCTIONS CONCERNED:

☐ EMC

☐ ENVIRONMENT

☐ QUALITY ASSURANCE

☐ SAFETY

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any local regulations or technical reasons that may exist and should be considered should this proposal proceed, recognizing that failure to address such requirements could result in the need for new or existing "In Some Countries" clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Magnetic powder cores - Guidelines on dimensions and the limits of surface irregularities - Part 6: EQ - cores

NOTE FROM TC/SC OFFICERS:

Copyright © 2023 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Primary dimensions	5
4.1 General.....	5
4.2 Dimensions of EQ-cores	5
4.3 Dimensional limits for coil formers	7
5 Limits of surface irregularities	8
5.1 General.....	8
5.2 Examples of surface irregularities	8
5.3 Chips and ragged edges	8
5.4 Cracks	9
5.5 Flash	9
5.6 Rust.....	9
5.7 Discoloration.....	10
Annex A (normative) Derived standards	11
Figure 1 – Dimensions of EQ-cores.....	6
Figure 2 – Main dimensions of coil formers for EQ-cores	7
Figure 3 – Examples of surface irregularities	8
Figure 4 – Locations of chips and ragged edges for EQ-cores	8
Figure 5 – Locations of cracks for EQ-cores	9
Figure 6 – Locations of flashes for EQ-cores	9
Figure 7 – Rust location for EQ-cores	10
Table 1 – Dimensions of EQ-cores.....	6
Table 2 – Effective parameter values of EQ-cores	7
Table 3 – Dimensions limits of coil formers for EQ-cores	7