



DPC: 24/30435752 DC

**BSI Group Headquarters**

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 25 December 2023

Origin: International

**Latest date for receipt of comments: 17 February 2024**

Project No. 2021/00809

Responsible committee: IST/34 Automatic identification and data capture techniques

Interested committees:

Title: Draft BS ISO/IEC 15424 Information technology - Automatic identification and data capture techniques - Data Carrier Identifiers (including Symbology Identifiers).

Please notify [admin.start@bsigroup.com](mailto:admin.start@bsigroup.com) if you are aware of any keywords that might assist in clarifying or identifying the standard or of the content of this standard:

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD. THIS DRAFT IS NOT CURRENT BEYOND 17 February 2024**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email [cservices@bsigroup.com](mailto:cservices@bsigroup.com). British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <https://standardsdevelopment.bsigroup.com/>.

E-mail: [admin.start@bsigroup.com](mailto:admin.start@bsigroup.com)

## Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

## UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

## Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

## Template for comments and secretariat observations

|                  |                        |
|------------------|------------------------|
| Date: xx/xx/20xx | Document: ISO/DIS xxxx |
|------------------|------------------------|

| 1  | 2                                          | (3)                          | 4               | 5                                                                                                                                  | (6)                                                                      | 7                                                  |
|----|--------------------------------------------|------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------|
| MB | Clause No./ Subclause No./Annex (e.g. 3.1) | Paragraph/ Figure/Table/Note | Type of comment | Comment (justification for change) by the MB                                                                                       | Proposed change by the MB                                                | Secretariat observations on each comment submitted |
|    | 3.1                                        | Definition 1                 | ed              | Definition is ambiguous and needs clarifying.                                                                                      | Amend to read '...so that the mains connector to which no connection...' |                                                    |
|    | 6.4                                        | Paragraph 2                  | te              | The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK. | Delete reference to UV photometer.                                       |                                                    |

# DRAFT INTERNATIONAL STANDARD

## ISO/IEC DIS 15424

ISO/IEC JTC 1/SC 31

Secretariat: ANSI

Voting begins on:  
2023-12-25

Voting terminates on:  
2024-03-18

---

---

### Information technology — Automatic identification and data capture techniques — Data Carrier Identifiers (including Symbology Identifiers)

*Technologies de l'information — Techniques automatiques d'identification et de capture des données —  
Identifiants de porteuses de données (y compris les identifiants de symbologie)*

ICS: 35.040.50; 01.080.50

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number  
ISO/IEC DIS 15424:2023(E)  
**Documents**  
AVA Document Sharing Hub  
© ISO/IEC 2023



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

|                                                                |           |
|----------------------------------------------------------------|-----------|
| <b>Foreword</b> .....                                          | <b>v</b>  |
| <b>Introduction</b> .....                                      | <b>vi</b> |
| <b>1 Scope</b> .....                                           | <b>1</b>  |
| <b>2 Normative references</b> .....                            | <b>1</b>  |
| <b>3 Terms, definitions and abbreviated terms</b> .....        | <b>1</b>  |
| 3.1 Terms and definitions .....                                | 1         |
| 3.2 Abbreviated terms .....                                    | 2         |
| <b>4 Requirements</b> .....                                    | <b>2</b>  |
| 4.1 Applicability .....                                        | 2         |
| 4.2 Structure .....                                            | 2         |
| 4.3 Code characters .....                                      | 2         |
| 4.4 Modifier characters .....                                  | 3         |
| 4.4.1 Code 39 .....                                            | 4         |
| 4.4.2 Telepen .....                                            | 4         |
| 4.4.3 Code 128 .....                                           | 4         |
| 4.4.4 Channel Code .....                                       | 4         |
| 4.4.5 Code One .....                                           | 5         |
| 4.4.6 Data Matrix and DMRE .....                               | 5         |
| 4.4.7 EAN/UPC .....                                            | 5         |
| 4.4.8 GS1 DataBar and GS1 Composite Symbolology .....          | 6         |
| 4.4.9 Codabar .....                                            | 6         |
| 4.4.10 Code 93 and 93i .....                                   | 6         |
| 4.4.11 Grid Matrix .....                                       | 7         |
| 4.4.12 Code 11 .....                                           | 8         |
| 4.4.13 Han Xin Code .....                                      | 8         |
| 4.4.14 Interleaved 2 of 5 .....                                | 8         |
| 4.4.15 DotCode .....                                           | 8         |
| 4.4.16 JAB Code .....                                          | 8         |
| 4.4.17 Code 16K .....                                          | 9         |
| 4.4.18 PDF417 and MicroPDF417 .....                            | 9         |
| 4.4.19 MSI .....                                               | 9         |
| 4.4.20 Modulated Height Postal .....                           | 9         |
| 4.4.21 Anker Code .....                                        | 10        |
| 4.4.22 Codablock .....                                         | 10        |
| 4.4.23 OCR (Optical Character Recognition) .....               | 10        |
| 4.4.24 Plessey Code .....                                      | 11        |
| 4.4.25 PosiCode .....                                          | 11        |
| 4.4.26 QR Code or rMQR .....                                   | 11        |
| 4.4.27 Straight 2 of 5 (with two bar start/stop codes) .....   | 11        |
| 4.4.28 Datastrip 2D .....                                      | 11        |
| 4.4.29 Straight 2 of 5 (with three bar start/stop codes) ..... | 12        |
| 4.4.30 SuperCode .....                                         | 12        |
| 4.4.31 Code 49 .....                                           | 12        |
| 4.4.32 MaxiCode .....                                          | 12        |
| 4.4.33 Ultracode .....                                         | 12        |
| 4.4.34 DMRC Code .....                                         | 13        |
| 4.4.35 Other bar code .....                                    | 13        |
| 4.4.36 System expansion .....                                  | 13        |
| 4.4.37 Non-bar code .....                                      | 13        |
| 4.4.38 Aztec Code and Aztec Mesas .....                        | 14        |
| <b>Annex A (Normative) Assignment</b> .....                    | <b>15</b> |
| <b>Annex B (Normative) Symbolology emulation</b> .....         | <b>16</b> |

**Annex C (Normative) Symbology Identifiers for GS1 application syntax or AIM Application Specification Indicators ..... 18**

**Annex D (informative) Reference documents ..... 19**

**Annex E (Normative) AIM Application Specification Indicators ..... 21**

**Bibliography ..... 22**

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15424 was prepared by Joint Technical Committee ISO/IEC JTC1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

This second edition cancels and replaces the first edition (ISO/IEC 15424:2000), which has been technically revised.

## Introduction

The need exists to identify the data carrier a reader detects in autodiscrimination environments. The Symbology Identifier concept provides a standardized way for a device receiving data from a reader to differentiate between the data carriers. This document deals mostly with bar code symbologies; the terms Symbology Identifier, symbology, and bar code are therefore used throughout this document although they are intended to apply to other data carriers as well.

This identification is achieved by the addition of an optional feature to readers enabling the reader to prefix a standard string of characters to data messages. This preamble contains information about the decoded symbol (or other data carrier) and any processing the reader has done. The information is not encoded or otherwise explicitly or implicitly represented in the symbol, except that the presence of some optional features may be detected by the reading equipment, whereas others require the reader to be expressly configured to implement them.

This document is intended to be read in conjunction with the relevant symbology specifications.

# Information technology — Automatic identification and data capture techniques — Data Carrier Identifiers (including Symbology Identifiers)

## 1 Scope

This document applies to automatic identification device communication conventions and standardizes the reporting of data carriers from bar code readers and other automatic identification equipment. It specifies a preamble message generated by the reader and interpretable by the receiving system, which indicates the bar code symbology or other origin of transmitted data, together with details of certain specified optional processing features associated with the data message.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 646:1991, *Information technology — ISO 7-bit coded character set for information interchange*

ISO/IEC 19762, *Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary*

See [Annex C](#) of this document for symbology document references.

## 3 Terms, definitions and abbreviated terms

### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 19762 and the following apply.

#### 3.1.1

##### **code character**

second character in the symbology identifier string, which usually indicates to the host the bar code symbology of the symbol which has been read

#### 3.1.2

##### **flag character**

first character in the symbology identifier string, which indicates to the host that it and the characters following are the symbology identifier characters

#### 3.1.3

##### **modifier character(s)**

one character following the code character in the symbology identifier string, indicating optional features or processing applied to the symbol

#### 3.1.4

##### **FNC1, FNC2, FNC3, FNC4**

special function character used for specific purposes in certain symbologies