



DPC: 24 / 30494037 DC

BSI Group Headquarters

389 Chiswick High Road London W4 4AL

Tel: +44 (0)20 8996 9000

Fax: +44 (0)20 8996 7400

www.bsigroup.com

Date: 04 June 2024

Origin: International

Latest date for receipt of comments: 24 July 2024

Project No. 2024/01586

Responsible committee: GEL/86/1 Optical fibres and cables

Interested committees:

Title: BS EN IEC 60794-1-136 Optical fibre cables

Part 1-136: Generic specification - Basic optical cable test procedures - Determination of the maximum applicable push force during cable installation by blowing

Please notify the secretary if you are aware of any keywords that might assist in classifying or identifying the standard or if the content of this standard

- i) has any issues related to 3rd party IPR, patent or copyright
- ii) affects other national standard(s)
- iii) requires additional national guidance or information

**WARNING: THIS IS A DRAFT AND MUST NOT BE REGARDED OR USED AS A BRITISH STANDARD.
THIS DRAFT IS NOT CURRENT BEYOND 24 July 2024**

This draft is issued to allow comments from interested parties; all comments will be given consideration prior to publication. No acknowledgement will normally be sent. **See overleaf for information on the submission of comments.**

No copying is allowed, in any form, without prior written permission from BSI except as permitted under the Copyright, Designs and Patent Act 1988 or for circulation within a nominating organization for briefing purposes. Electronic circulation is limited to dissemination by e-mail within such an organization by committee members.

Further copies of this draft may be purchased from BSI Shop <http://shop.bsigroup.com> or from BSI Customer Services, Tel: +44(0) 20 8996 9001 or email cservices@bsigroup.com. British, International and foreign standards are also available from BSI Customer Services.

Information on the co-operating organizations represented on the committees referenced above may be obtained from <http://standardsdevelopment.bsigroup.com>

Introduction

This draft standard is based on national and international discussions. Your comments on this draft are invited and will assist in the preparation of the consequent standard.

For international standards, comments will be reviewed by the relevant UK national committee before sending the consensus UK vote and comments to the international committee, which will then decide appropriate action. If the international standard is approved, it is usual for the text to be published as a British Standard.

For national standards, comments will be reviewed by the relevant UK national committee and the resulting standards published as a British Standard.

UK Vote

Please indicate whether you consider the UK should submit a negative (with supporting technical reasons) or positive vote on this draft. Please indicate if you are aware of any reason why this draft standard should not be published as a British Standard.

Submission of Comments

- **Annotated drafts are not acceptable and will be rejected.**
- All comments should be submitted online at <https://standardsdevelopment.bsigroup.com/>. You will need to register in order to comment.

Template for comments and secretariat observations

Date: xx/xx/20xx	Document: ISO/DIS xxxx
------------------	------------------------

1	2	(3)	4	5	(6)	7
MB	Clause No./ Subclause No./Annex (e.g. 3.1)	Paragraph/Figure/ Table/Note	Type of comment	Commend (justification for change) by the MB	Proposed change by the MB	Secretariat observations on each comment submitted
	3.1	Definition 1	ed	Definition is ambiguous and needs clarifying.	Amend to read '...so that the mains connector to which no connection...'	
	6.4	Paragraph 2	te	The use of the UV photometer as an alternative cannot be supported as serious problems have been encountered in its use in the UK.	Delete reference to UV photometer.	



86A/2469/CD

COMMITTEE DRAFT (CD)

PROJECT NUMBER: IEC 60794-1-136 ED1	
DATE OF CIRCULATION: 2024-05-31	CLOSING DATE FOR COMMENTS: 2024-08-23
SUPERSEDES DOCUMENTS: 86A/2390/NP, 86A/2468/RVN	

IEC SC 86A : FIBRES AND CABLES	
SECRETARIAT: France	SECRETARY: Mr Laurent Gasca
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: ☐ Other TC/SCs are requested to indicate their interest, if any, in this CD to the secretary.
FUNCTIONS CONCERNED: ☐ EMC ☐ ENVIRONMENT ☐ QUALITY ASSURANCE ☐ SAFETY	

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any local regulations or technical reasons that may exist and should be considered should this proposal proceed, recognizing that failure to address such requirements could result in the need for new or existing "In Some Countries" clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE: Optical fibre cables - Part 1-136: Generic specification – Basic optical cable test procedures – Determination of the maximum applicable push force during cable installation by blowing

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 General	7
5 Sample	7
6 Apparatus.....	7
6.1 Apparatus for method E36A	7
6.2 Apparatus for method E35BB	7
7 Test conditions	8
8 Procedure.....	8
9 Details to be specified	9
10 Details to be recorded	9
Annex A (informative) Test set-up for the push force test.....	10
Bibliography.....	11
Figure 1 – Schematic test set-up: a) Cable is inserted, b) The piston is pushed into the duct. The cable buckles. F_{push} and $F_{reaction}$ are recorded.....	8
Figure 2 – Example of a graph which shows the forces F_{push} (applied to push the piston into the duct) and $F_{reaction}$ (reactive force at the top cable end). The green line indicates the maximum allowable push force F_{max}	9
Figure A.1 – Practical implementation of the test set-up shown in Fig. 1	10