

ANSI/ABMA 22.1

ADOPTION NOTICE

ANSI/ABMA 22.1, "Spherical Plain Radial Bearings, Joint Type, Metric Design", was adopted on 15 August 1995 for use by the Department of Defense (DoD). Proposed changes by DoD Activities must be submitted to the DoD Adopting Activity: Defense Industrial Supply Center, ATTN: DISC-EC, 700 Robbins Avenue, Philadelphia, PA 19111-5096. DoD Activities may obtain copies of this standard from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the American Bearing Manufacturers Association, Inc., 1200 19th Street, N.W., Suite 300, Washington, DC 20036-4303.

Custodians:

Army - AT
Navy - AS
Air Force - 99

Adopting Activity:
DLA-IS

(Project 3110-0971)

AMSC N/A

FSC 3110

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

ABMA COPYRIGHT NOTICE

Copyright© American Bearing Manufacturers Association, Inc., 1989

These materials have been prepared by the American Bearing Manufacturers Association, Inc. However the information contained in these materials has not been independently verified by the American Bearing Manufacturers Association or Information Handling Services, Inc. Neither organization warrants or assumes any liability for the accuracy or completeness of these materials.



ANSI/AFBMA
Std. 22.1-1989

AMERICAN NATIONAL STANDARD

AFBMA STANDARD

**SPHERICAL PLAIN RADIAL BEARINGS,
JOINT TYPE**

METRIC DESIGN

Sponsor
**The Anti-Friction Bearing
Manufacturers Association**

Approved June 30, 1989
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerned effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

The Anti-Friction Bearing Manufacturers Association, Inc.
1101 Connecticut Ave. N.W., Suite 700
Washington, D.C. 20036

Copyright 1987 by The Anti-Friction Bearing Manufacturers Association, Inc.



Documents

Document Sharing Hub

FOREWORD

(This foreword is not a part of American National Standard for Spherical Plain Bearings, Joint Type – Metric Design, ANSI/AFBMA Standard 22.1 – 1989)

This standard covers metric design spherical plain bearings of types which are presently in production in the U.S.A.

Typical utilization of swaged bearings, Series 1 and 2 in this Standard, includes airframe control surfaces, involving high load, oscillation and misalignment, normally with intermittent operation.

The typical use of fractured bearings, Series E & G in this Standard, involves slow rotation or oscillation with medium or heavy misaligned loading. The boundary dimensions and tolerances for these bearings conform to ISO 6124/1 and ISO 6125.

The dimensions and tolerances stated in this standard are based on metric units and are found in Part I of the various tables. A soft conversion to U.S. customary (inch-pound) units is provided in Part II of the various tables for the convenience of the user.

Suggestions for the improvement of this standard gained through experience with its use will be welcomed. These should be sent to the American National Standards Institute, Inc., 1430 Broadway, New York, N.Y. 10018.

The officers of Sectional Committee B3 of the American National Standards Institute and the organizations represented at the time this standard was submitted are as follows:

S.R. Ahlman, Chairman

G.T. Satterfield, Secretary

American Society of Agricultural Engineers
Anti – Friction Bearings Manufacturers Association
Hydraulic Institute
National Machine Tool Builders Association
Society of Automotive Engineers
Society of Tribologists and Lubrication Engineers
U.S. Department of Defense, DISC
U.S. Department of the Navy

AFBMA Standards for Ball and Roller Bearings and Balls

- 1 — Terminology
- 4 — Tolerance Definitions and Gaging Practices
- 7 — Shaft and Housing Fits for Metric Radial Ball and Roller Bearings (Except Tapered Roller Bearings) Conforming to Basic Boundary Plans
- 8.1 — Ball and Roller Bearing Mounting Accessories, Metric Design
- 8.2 — Ball and Roller Bearing Mounting Accessories, Inch Design
- 9 — Load Ratings and Fatigue Life for Ball Bearings
- 10 — Metal Balls
- 11 — Load Ratings and Fatigue Life for Roller Bearings
- 12.1 — Instrument Ball Bearings, Metric Design
- 12.2 — Instrument Ball Bearings, Inch Design
- 13 — Rolling Bearing Vibration and Noise
- 14 — Housing for Bearings With Spherical Outside Surfaces
- 15 — Ball Bearings With Spherical Outside Surfaces and Extended Inner Ring Width (Includes Eccentric Locking Collars)
- 16.1 — Airframe Ball, Roller and Needle Roller Bearings, Metric Design
- 16.2 — Airframe Ball, Roller and Needle Roller Bearings, Inch Design
- 17 — Needle Rollers, Metric Design
- 18.1 — Needle Roller Bearings—Radial, Metric Design
- 18.2 — Needle Roller Bearings—Radial, Inch Design
- 19 — Tapered Roller Bearings, Radial, Inch Design
- 19.1 — Tapered Roller Bearings, Radial, Metric Design
- 20 — Radial Bearings of Ball Cylindrical Roller and Spherical Roller Types, Metric Design
- 21.1 — Thrust Needle Roller and Cage Assemblies and Thrust Washers, Metric Design
- 21.2 — Thrust Needle Roller and Cage Assemblies and Thrust Washers, Inch Design
- 22.1 — Spherical Plain Radial Bearings, Joint Type, Metric Design
- 22.2 — Spherical Plain Radial Bearings, Joint Type, Inch Design
- 23.2 — Thrust Bearings of Tapered Roller Type, Inch Design
- 24.1 — Thrust Bearings of Ball, Cylindrical Roller and Spherical Roller Types, Metric Design
- 24.2 — Thrust Bearings of Ball and Cylindrical Roller Types, Inch Design

An AFBMA Standard is intended as a guide to aid the manufacturer, the consumer and the general public. The existence of an AFBMA Standard does not in any respect preclude anyone, whether he has approved the Standard or not from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. AFBMA Standards are subject to revision or withdrawal at any time and users who refer to an AFBMA Standard should satisfy themselves that they have the latest information from the Association.

SPHERICAL PLAIN RADIAL BEARINGS, JOINT TYPE

Metric Design

CONTENTS

Section	Page
1. Scope	1
2. Reference ANSI/AFBMA Standards	1
3. Terminology	1
4. Symbols	3
5. Boundary Dimensions	4
6. Tolerances	12
List of Tables	iii

LIST OF TABLES

Table No.	Page
BOUNDARY DIMENSIONS	
1 Series 1, Swaged Style – Narrow with Chamfered Outer Ring or Face Groove Outer Ring	
Dimensions shown in millimetres	4
Dimensions shown in inches	5
2 Series 2, Swaged Style – Wide with Chamfered Outer Ring or Face Groove Outer Ring	
Dimensions shown in millimetres	6
Dimensions shown in inches	7
3 Series E & G, Fractured Style	
Part 1 – Dimensions shown in millimetres	8
Part 2 – Dimensions shown in inches	10
BEARING TOLERANCES	
4 Series 1 & 2, Swaged Style – Narrow & Wide	12
5 Series E & G, Fractured Style – Wide	14