

An ACI Standard

Type Methyl Methacrylate Slurry (MMS) Polymer Overlays for Bridge and Parking Garage Deck— Specification

Reported by ACI Committee 548

ACI SPEC-548.10-22



American Concrete Institute
Documents
AVA Document Sharing Hub

Type Methyl Methacrylate Slurry (MMS) Polymer Overlays for Bridge and Parking Garage Deck—Specification

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. Despite these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations regarding health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

ACI documents are written via a consensus-based process. The characteristics of ACI technical committee operations include:

- (a) Open committee membership
- (b) Balance/lack of dominance
- (c) Coordination and harmonization of information
- (d) Transparency of committee activities to public
- (e) Consideration of views and objections
- (f) Resolution through consensus process

The technical committee documents of the American Concrete Institute represent the consensus of the committee and ACI. Technical committee members are individuals who volunteer their services to ACI and specific technical committees.

**38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701**

www.concrete.org

AVA Documents
Document Sharing Hub

Type Methyl Methacrylate Slurry (MMS) Polymer Overlays for Bridge and Parking Garage Deck—Specification

An ACI Standard

Reported by ACI Committee 548

Michael M. Sprinkel, Chair

Ashraf I. Ahmed
Mohammad A. Alhassan
Jacques A. Bertrand
Chris Davis
Don Edwards

David W. Fowler
Moneeb Genedy
Quentin L. Hibben
Albert O. Kaeding
Bradley Nemunaitis

Joseph A. Nuciforo Jr.
Mahmoud M. Reda Taha
Aly Said
Michael L. Schmidt
Joseph R. Solomon

Michael S. Stenko
Aamer H. Syed
Mary E. Vancura
David White

Consulting Members

Milton D. Anderson
Lu Anqi
Craig A. Ballinger
John J. Bartholomew
Shashi P. Bhatnagar
Jerry D. Byrne
Zhi-Yuan Chen
Lech Czarnecki

Harold (Dan) R. Edwards
Larry J. Farrell
George Horeczko
David P. Hu
Bert Paul Kriekemans
Deon Kruger
Jay Lee
William Lee

Troy D. Madeley
Henry N. Marsh Jr.
Peter Mendis
John R. Milliron
Peter J. Moss
Yoshihiko Ohama
Kelly M. Page
Hamid Saadatmanesh

Donald A. Schmidt
Meyer Steinberg
Donald P. Tragianese
Wafeek S. Wahby
Harold H. Weber Jr.

This Specification covers methyl methacrylate slurry (MMS) overlays for bridge and parking garage decks. Type MMS polymer overlay incorporates methyl methacrylate-based primer, resin filler slurry, and topcoat with selected filler and aggregate to produce a flexible, skid-resistant, and low-permeability slurry overlay. The overlay is used for new construction or rehabilitation. This Specification includes requirements for chemical components, filler, aggregates, storage and handling, surface preparation, surface profile, mixing, placement, quality control, and quality assurance.

Keywords: bridge decks; low permeability; methyl methacrylate; parking garage decks; polymer overlay; surface preparation.

CONTENTS

PART 1—GENERAL, p. 2

- 1.1—Scope, p. 2
- 1.2—Interpretation, p. 2
- 1.3—Definitions, p. 2
- 1.4—Reference standards, p. 3
- 1.5—Submittals, p. 3
- 1.6—Delivery, storage, and handling, p. 3
- 1.7—Surface preparation qualification, p. 3

PART 2—PRODUCTS, p. 4

- 2.1—Materials, p. 4

ACI SPEC-548.10-22 (SI Units) supersedes ACI 548.10M-10 and was approved by the ACI Standards Board for publication March 2023, and published November 2023. This publication was first published in 2010.

Copyright © 2023, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording, or by any information storage and retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

Documents
Document Sharing Hub



PART 3—EXECUTION, p. 5

- 3.1—Surface preparation, p. 5
- 3.2—Mixing methyl methacrylate-based primer, resin filler slurry, and topcoat, p. 5
- 3.3—Overlay application, p. 5
- 3.4—Curing, p. 6
- 3.5—Joints, p. 6
- 3.6—Opening to traffic, p. 6

NOTES TO SPECIFIER, p. 6

- General notes, p. 6
- Foreword to checklists, p. 6

PART 1—GENERAL**1.1—Scope**

1.1.1 This Specification covers materials and procedures for installing a methyl methacrylate slurry (MMS) polymer overlay for new construction or rehabilitation of bridge and parking garage decks as indicated in Contract Documents.

1.1.2 This Specification is incorporated by Contract Documents and provides product and installation requirements to the Contractor.

1.1.3 This Specification governs for construction within its scope, except project-specific Contract Documents govern if there is a conflict.

1.1.4 This Specification governs if there is a conflict with referenced material and testing standards.

1.1.5 The Contractor is permitted to submit written alternatives to any provisions in this Specification for consideration by the Architect/Engineer.

1.1.6 This Specification governs for MMS polymer overlay installation.

1.1.7 Ignore provisions of this Specification that are not applicable to the Work.

1.1.8 Values in this Specification are stated in SI units. A companion specification in inch-pound units is available.

1.1.9 The Notes to Specifier are not part of this Specification.

1.2—Interpretation

1.2.1 Unless otherwise explicitly stated, this Specification shall be interpreted using the following principles.

1.2.1.1 Interpret this Specification consistent with the plain meaning of the words and terms used.

1.2.1.2 Definitions provided in this Specification govern over the definitions of the same or similar words or terms found elsewhere.

1.2.1.3 Whenever possible, interpret this Specification so that its provisions are in harmony and do not conflict.

1.2.1.4 Headings are part of this Specification and are intended to identify the scope of the provision or sections that follow. If there is a difference in meaning or implication between the text of the provision and a heading, the meaning of the text governs.

1.2.1.5 Footnotes are part of this Specification. The meaning of the provision text governs in the event of a

difference in meaning or implication between the provision text and a footnote to that provision.

1.2.1.6 Where a provision of this Specification involves two or more items, conditions, requirements, or events connected by the conjunctions “and” or “or,” interpret the conjunction as follows:

“and” indicates that all the connected items, conditions, requirements, or events apply.

“or” indicates that the connected items, conditions, requirements, or events apply singularly.

1.2.1.7 The use of the verb “may” or “will” indicates that the Specification provision is for information to the Contractor.

1.2.1.8 The phrase “as indicated in Contract Documents” means the specifier included the provision requirements in Contract Documents.

1.2.1.9 The phrase “unless otherwise specified” means the specifier included an alternative to the default requirements in Contract Documents.

1.2.1.10 The phrase “if specified” means the specifier may have included a requirement in Contract Documents for which there are no default requirements in this Specification.

1.2.1.11 Unless otherwise stated, the SI system of units is applicable to combined standards referenced in this Specification.

1.3—Definitions

accepted—determined by Architect/Engineer to be in compliance with Contract Documents.

Architect/Engineer—the architect, engineer, architectural firm, or engineering firm developing Contract Documents or administering Work under Contract Documents, or both.

broadcast aggregate—fine aggregate that is broadcast uniformly over a layer of uncured overlay slurry.

Construction Documents—written and graphic documents and specifications prepared or assembled for describing the location, design, materials, and physical characteristics of the element of a project necessary for obtaining a building permit and construction of the project.

Contract Documents—set of documents that form the basis of a contractual relationship between the Owner and Contractor or design-builder. These documents are defined by the contractual agreement, and can contain contract forms, contract conditions, specifications, drawings, addenda, and contract changes.

Contractor—the person, firm, or entity under contract for construction of Work.

drawings—graphic presentations that detail requirements for Work and may include written notes.

gel time—time required to change a flowable liquid resin into a nonflowing gel.

inspection agency—the person, firm, or entity under contract for providing inspection services.

lot or batch—volume of material produced and packaged at one time.

methyl methacrylate—solvent-free, 100% solids, two component reactive methacrylate resin, cured through