


**AMERICAN NATIONAL STANDARD/
CSA STANDARD**

FOR

**HOSES FOR
NATURAL GAS VEHICLES
AND DISPENSING SYSTEMS**



First Edition - 1999

HOSES FOR NATURAL GAS VEHICLES AND DISPENSING SYSTEMS

Approved by

American National Standards Institute, Inc., February 18, 1999

Interprovincial Gas Advisory Council, December 8, 1998

This Standard is effective June 1, 2000

Prepared by

CSA INTERNATIONAL

8501 East Pleasant Valley Road
Cleveland, Ohio 44131

178 Rexdale Boulevard
Toronto, Ontario
Canada M9W 1R3

On behalf of
the Natural Gas Vehicle Coalition



Published - May 1999

Copyright © 1999

Canadian Standards Association

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult CSA International at 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3.

Copyright © 1999

CSA America, Inc.

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult CSA International at 8501 E. Pleasant Valley Road, Cleveland, Ohio 44131.

CANADIAN STANDARDS ASSOCIATION

The Canadian Standards Association, which operates under the name CSA International (CSA), under whose auspices this Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA's standards development by volunteering their time and skills to CSA Committee work and supporting the Association's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA's standards development activities.

The Association offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, the Association regularly and continually audits and inspects products that bear the CSA Mark.

In addition to its head office and laboratory complex in Toronto, CSA has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, the Association has developed the necessary expertise to meet its corporate mission: CSA is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA services, write to

**CSA International
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada**

L'Association canadienne de normalisation, maintenant connue sous le nom CSA International (CSA), sous les auspices de laquelle cette Norme nationale a été préparée, a reçu ses lettres patentes en 1919 et son accréditation au sein du Système de normes nationales par le Conseil canadien des normes en 1973. Association d'affiliation libre, sans but lucratif ni pouvoir de réglementation, elle se consacre à l'élaboration de normes et à la certification.

Les normes CSA reflètent le consensus de producteurs et d'utilisateurs de partout au pays, au nombre desquels se trouvent des fabricants, des consommateurs, des détaillants et des représentants de syndicats, de corps professionnels et d'agences gouvernementales. L'utilisation des normes CSA est très répandue dans l'industrie et le commerce, et leur adoption à divers ordres de législation, tant municipal et provincial que fédéral, est chose courante, particulièrement dans les domaines de la santé, de la sécurité, du bâtiment, de la construction et de l'environnement.

Les Canadiens d'un bout à l'autre du pays témoignent de leur appui au travail de normalisation mené par la CSA en participant bénévolement aux travaux des comités de la CSA et en appuyant ses objectifs par leurs cotisations de membres de soutien. Les quelque 7000 volontaires faisant partie des comités et les 2000 membres de soutien constituent l'ensemble des membres de la CSA parmi lesquels ses administrateurs sont choisis. Les cotisations des membres de soutien représentent une source importante de revenu pour les services de soutien à la normalisation volontaire.

L'Association offre des services de certification et de mise à l'essai qui appuient et complètent ses activités dans le domaine de l'élaboration de normes. De manière à assurer l'intégrité de son processus de certification, l'Association procède de façon régulière et continue à l'examen et à l'inspection des produits portant la marque CSA.

Outre son siège social et ses laboratoires à Toronto, la CSA possède des bureaux régionaux dans des centres vitaux partout au Canada, de même que des agences d'inspection et d'essai dans huit pays. Depuis 1919, l'Association a parfait les connaissances techniques qui lui permettent de remplir sa mission d'entreprise, à savoir la CSA est un organisme de services indépendant dont la mission est d'offrir une tribune libre et efficace pour la réalisation d'activités facilitant l'échange de biens et de services par l'intermédiaire de services de normalisation de certification et autres, pour répondre aux besoins de nos clients, tant à l'échelle nationale qu'internationale.

Pour plus amples renseignements sur les services de la CSA, s'adresser à

AMERICAN NATIONAL STANDARDS INSTITUTE

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, state and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American National Standards rests with the

***American National Standards Institute, Inc.
11 West 42nd Street
New York, NY
10036***

PREFACE

This publication represents a standard for safe operation, substantial and durable construction and performance testing of components for hoses for natural gas vehicles and dispensing systems, within limitations given below and in the scope of this standard.

This standard is based on proven engineering principles, research and the combined expertise of gas utilities, manufacturers, users, and others having specialized experience.

Nothing in this standard is to be considered in any way as indicating a measure of quality beyond compliance with the provisions it contains. It is designed to allow compliance of products which may exceed that specified in the provisions herein. In its preparation, full recognition has been given to possibilities of improvement through ingenuity of design. This standard is subject to revision as further experience and investigation may show it is necessary and desirable.

The CSA International (CSA), and their respective Laboratories, do not assume or undertake to discharge any responsibility of the manufacturer or any other party. CSA International, shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of or reliance upon this standard.

Users of this Harmonized American National and Canadian Standards Association Standard are advised that the devices/products/activities within its scope may be subject to regulation at the Federal, state, provincial, or local levels. Users are strongly urged to investigate this possibility through appropriate channels. In the event of a conflict with this standard, the Federal, state, provincial or local regulations should be followed.

This standard does not apply to fuel system components that will be incorporated during original manufacture of motor vehicles which comply with *Federal Motor Vehicle Safety Standards (FMVSS)* or *Canadian Motor Vehicle Safety Standards (CMVSS)* for Natural Gas Powered Vehicles.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc., require that action be taken to reaffirm, revise, or withdraw this standard no later than five (5) years from the date of approval. Purchasers may receive current information on this and other ANSI standards by calling or writing CSA International, 8501 East Pleasant Valley Road, Cleveland, Ohio 44131, (216) 524-4990.

Information on this and other Canadian standards can be obtained by calling or writing CSA International, 78 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3.

EFFECTIVE DATE: An organization using this standard for product evaluation as a part of its certification program will normally establish the date by which all products certified by that organization should comply with this standard. In Canada, effective dates are established by the Interprovincial Gas Advisory Council.

HISTORY OF DEVELOPMENT OF ANSI/IAS NGV 4.2 · CSA 12.52

(This history is informative and is not part of the standard)

During 1984, there was growing need in the U.S. natural gas vehicle industry for guidelines pertaining to the assembly of aftermarket equipment installed on motor vehicles in order to operate alternatively on either gasoline or natural gas. The American Gas Association Laboratories (AGAL), in response to this need developed an A.G.A. Requirement for Natural Gas Vehicle (CNG) Conversion Kits, No. 1-85. This requirement was intended to help promote the safe development and installation of NGV conversion systems by manufacturers and installers. The first draft of A.G.A. Requirement No. 1-85 was developed during 1984 and 1985, with the final version dated August 20, 1985.

At the time of its issuance, the A.G.A. No. 1-85 was in compliance with NGV equipment and fueling stations specifications published by the National Fire Protection Association (NFPA) under its Standard for *Compressed Natural Gas (CNG) Vehicular Fuel Systems*, NFPA 52. The first edition of NFPA 52 was issued in 1984. A second edition was issued in 1988.

In 1988 a group of U.S. gas utilities formed the Natural Gas Vehicle (NGV) Coalition (the Coalition) to promote widespread use of compressed natural gas as a transport fuel. The Coalition organized committees to address technical, marketing and legislative issues which would affect the future expansion of a U.S. transportation industry fueled by natural gas.

The Coalition recognized that an important consideration in the successful commercialization of natural gas as a vehicle fuel was the issue of codes and standards (or the lack of codes and standards, or harmonized codes and standards) pertaining to both fuel stations and vehicle fuel systems. The Coalition's Technology Committee was established to achieve the goal of an organized family of coordinated codes, standards and regulations addressing natural gas vehicles and fueling stations. To help achieve this goal, the Technology Committee established the Standards and Standardization Subcommittee.

Subsequently, the third edition of NFPA 52 was published in 1992. This edition incorporated many changes developed and recommended by the NGV Coalition's task groups.

During August 1992, an NGV Conversion Equipment Task Group was established to coordinate with the AGAL for requirements for compressed NGV conversion kits. The task group agreed the phrase "NGV fuel system" should replace "NGV conversion kits." (An NGV fuel system is comprised of all major components required to supply, manage, and/or control fuel flow, enabling a vehicle to operate on natural gas.) The task group continued to meet during August, October and December 1992 to promulgate the development of a standard to cover both dedicated and bi-fuel natural gas systems for light and medium duty vehicles.

A standard for NGV fuel system components already existed in Canada namely the National Standard of Canada CAN/CGA 12.3, *Fuel System Components for Natural Gas Powered Vehicles*. The genesis for this Canadian document was the Amendment to the 1982 CGA B149.1, *Natural Gas Installation Code* which

added to the Code provisions for Natural Gas Vehicles (NGV) fuel system components on highway vehicles, as well as coverage of NGV refuelling stations. Subsequently these NGV aspects evolved into stand-alone Canadian documents, one being the *CAN/CGA-12.3* which was first published in February 1991.

In order to further common goals for North American harmonization, the task group and the Canadian Gas Association (CGA) NGV Steering Committee on Natural Gas Powered Vehicles, initiated formation of a joint activity involving the CGA Steering Committee's Subcommittee on Fuel System Components for Natural Gas Powered Vehicles and the NGV Conversion Equipment Task Group.

On February 17, 1993, the first joint meeting of the NGV Conversion Equipment Task Group and the CGA 12.3 Standards Subcommittee on Fuel System Components for Natural Gas Powered Vehicles was held. As a result the U.S. Task Group and Canadian Subcommittee agreed to establish the Joint NGVC/CGA Subcommittee on Natural Gas Vehicle Conversion Equipment, to develop harmonized requirements for a North American Bi-National standard. The newly established subcommittee agreed to proceed with harmonization of the Canadian Standard for *Fuel System Components for Natural Gas Powered Vehicles, CAN/CGA-12.3*, which was first published in February 1991, and A.G.A. requirement 1-85. In light of the different approaches in Canada and the U.S. the joint subcommittee agreed that separate harmonized standards should be developed for both complete fuel systems and individual system components.

Subsequently, as needs were identified, the following series of standards evolved under the auspices of the Joint NGV Subcommittee. Within this series, these standards are complementary and hence these standards achieve compatibility with regard to application and performance.

STANDARDS FOR:

- *ANSI NGV 4.1-1999-CSA 12.5-M99, NGV DISPENSING SYSTEMS;*
- *ANSI NGV 4.2-1999-CSA 12.52-M99, HOSES FOR NATURAL GAS VEHICLES AND DISPENSING SYSTEMS;*
- *ANSI NGV 4.4-1999-CSA 12.54-M99, BREAKAWAY DEVICES FOR NATURAL GAS DISPENSING HOSES AND SYSTEMS;*
- *ANSI NGV 4.6-1999-CSA 12.56-M99, MANUALLY OPERATED VALVES FOR NATURAL GAS DISPENSING SYSTEMS; AND*
- *ANSI NGV 4.7-1999-CSA 12.57-M99, AUTOMATIC PRESSURE OPERATED VALVES FOR NATURAL GAS DISPENSING SYSTEMS.*

The first edition of the harmonized ANSI/CSA Standard for NGV Hoses for Natural Gas Vehicles and Dispensing Systems, was approved in the U.S. by the American National Standards Institute, Inc. on February 18, 1999, and in Canada by the (Interim CSA) NGV Standards Steering Committee on Natural Gas Vehicles and Fuelling on May 21, 1998, and the Canadian Interprovincial Gas Advisory Council (IGAC) on December 8, 1998.

The following identifies the designation and the year of the harmonized standard:

ANSI NGV 4.2/CSA 12.52-1999

INTERPROVINCIAL GAS ADVISORY COUNCIL

(February, 1999)

E. K. Taylor (<i>Chairman</i>)	Technical Standards and Safety Authority
J. F. Wastle (<i>Alternate Member</i>)	
G. L. Williams (<i>Vice Chairman</i>)	SaskPower Corporation
B. E. Alberts (<i>Alternate Member</i>)	
D. Eastman	Newfoundland & Labrador Government
S. Katz	British Columbia Ministry of Municipal Affairs
J. Samson	Regie du Batiment du Quebec
A. LeClerc (<i>Alternate Member</i>)	
W. C. LaRose	Alberta Department of Labour
E. Marotta	Human Resources Development Canada
W. G. Mitchell (<i>Alternate Member</i>)	
R. McRae	Government of the Northwest Territories
A. MacKay (<i>Alternate Member</i>)	
I. W. Mault	Manitoba Labour
D. Warriner (<i>Alternate Member</i>)	
D. Young	Government of the Yukon Territory
L. Osland (<i>Alternate Member</i>)	
M. O'Hearn	N. B. Department of Labour
A. Shaw (<i>Alternate Member</i>)	
D.C. Stewart	Nova Scotia Department of Labour
S. Pilon (<i>Alternate Member</i>)	
B. Reid	Prince Edward Island Department of Labour
I. Svorinich (<i>Alternate Member</i>)	Gas Safety Program
S. Van Sickle (<i>Secretary</i>)	CSA International

INTERIM CSA STEERING COMMITTEE ON NATURAL GAS POWERED VEHICLES AND FUELLING

Oscar Alonso (<i>Chairman</i>)	Technical Standards & Safety Authority
Andy Beregszaszy	Natural Resources Canada
Anthony Chan	FuelMaker Corporation
Alf Durnie	Alberta Labour
Bernie Deck	Ontario Ministry of Labour
Tony Filetti	Mogas Equipment
Adrian Ghelesel	BC Gas Utility Ltd.
Edward Hurd (<i>Alternate Member</i>)	B.C. Ministry of Municipal Affairs
John Heenan	Veriteek NGV Canada Corp.
Jim Jones	Union Gas Limited
Stan Kokotka (<i>Alternate Member</i>)	Enbridge Consumers Gas
Susana Katz	B.C. Ministry of Municipal Affairs
Benoit Leduc	Gas Metropolitan Inc.
Hani Ragheb (<i>Alternate Member</i>)	Ministry of Labour
Floyd Running	Gas Equipment Supplies
Ry Smith (<i>Alternate Member</i>)	Union Gas Limited
Robert Selvazzo (<i>Alternate Member</i>)	Union Gas Limited
Mike Tremayne	Enbridge Consumers Gas
Nick White	Gas Technology Canada
C. Barrigar (<i>Secretary</i>)	CSA International

**JOINT NATURAL GAS VEHICLE COALITION
(Interim CSA) WORKING GROUP
FOR
NATURAL GAS DISPENSING**

JOHN VRANICAR, Chairman

Jim Kohut, Vice-Chairman

REPRESENTING MANUFACTURERS:

Terry Bouthillier
David Duey
Peter Ehlers
Tony Feger
James Foster
John Heenan
Gary Koch
Jeffrey Kelly
Paul LeMay
Dave Myers
William Raymundo
Tom Sewell
John Shimer

REPRESENTING REGULATORY AUTHORITIES:

Oscar Alonso
Alf Durnie
Edward Hurd
Susan Katz

REPRESENTING UTILITIES:

John Vranicar
Adrian Ghelesel
Nancy Pehrson
Robert Selvazzo
Mike Tremayne

REPRESENTING GENERAL INTERESTS:

Robert DeRemer
Bob Florczyk
Joe Favot
Marie Giannoccaro
William Liss
Mark Richards
Nick White

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
PART I. CONSTRUCTION	1
1.1 SCOPE	1
1.2 TEST SAMPLES	1
1.3 GENERAL CONSTRUCTION	2
1.4 FITTINGS	3
1.5 INSTRUCTIONS	3
1.6 MARKINGS	4
PART II. PERFORMANCE	6
2.1 GENERAL	6
2.2 LEAKAGE	6
2.3 ULTRAVIOLET LIGHT AND WATER EXPOSURE TEST	7
2.4 HYDROSTATIC STRENGTH	7
2.5 ELECTRICAL CONDUCTIVITY	7
2.6 KINK RESISTANCE - DISPENSER HOSES	8
2.7 KINK RESISTANCE - VEHICLE ON-BOARD FUEL SYSTEM HOSES	8
FIG. 1	9
2.8 CRUSH TEST	9
2.9 IMPACT TEST	10
2.10 TORSION STRENGTH	10
2.11 END FITTING STRESS RELIEF AND HOSE BENDING	11
FIGURE 2	12
2.12 TENSILE TEST OF HOSE ASSEMBLY	12
2.13 MATERIALS	13
TABLE I	13

TABLE OF CONTENTS (Continued)

	Page
2.14 OZONE RESISTANCE	14
2.15 CORROSION TEST	14
2.16 VIBRATION TEST	15
2.17 PRESSURE CYCLE TEST	16
2.18 ABRASION RESISTANCE TEST	16
2.19 MARKING MATERIAL LEGIBILITY	17
2.20 FLUIDS EXPOSURE TEST	17
FIGURE 3.	18
2.21 VERIFICATION OF HOSE COVER PERFORATIONS	19
EXHIBIT A. ITEMS UNIQUE TO ONE COUNTRY (Canada)	21
EXHIBIT B. LIST OF REFERENCE STANDARDS	22
PART III. MANUFACTURING AND PRODUCTION TESTS	23
PART IV. DEFINITIONS	24
APPENDIX A. APPLICATIONS SUMMARY (HOSE / ASSEMBLY)	33
APPENDIX B. PICTURE OF IMPACT TEST APPARATUS	34
APPENDIX C. RECOMMENDED WIRE COLOR USAGE	35
APPENDIX D. PERTINENT REFERENCES TO ANSI Y14.15	36
APPENDIX E. WIRE COLOR DESIGNATIONS	37

TABLE OF CONTENTS (Continued)

	Page
APPENDIX F. TABLE OF CONVERSION FACTORS	38

DANGER

Testing described in these requirements may result in the sudden release of test gas at high pressure with dangerous explosive force. Adequate protection from explosion, concussion, and flying debris must be utilized to protect test personnel and facilities.

**STANDARD FOR
HOSES FOR NATURAL GAS VEHICLES AND
DISPENSING SYSTEMS (ANSI/IAS NGV 4.2 · CSA 12.52)**

**PART I
CONSTRUCTION**

1.1 SCOPE

- 1.1.1 This standard applies to compressed natural gas hose assemblies which are used for NGV dispensing stations to connect the dispenser to the refueling nozzle, or used as part of a vehicle on-board fuel system and for gas lines which carry vented gas back to a safe location.

Hose assemblies certified under this standard may be assembled at the point of manufacture of the bulk hose, or at hose assembly facilities authorized by the bulk hose manufacturer.

This standard does not apply to hoses which are utilized at less than 2 psi.

- 1.1.2 All dimensions used in this standard are in metric units [International System of Units (SI)], unless otherwise specified. If a value for a measurement, as given in this standard, is followed by an equivalent value in other units, the first stated is to be regarded as the specification.
- 1.1.3 All references to pressure throughout this document are to be considered gauge pressures unless otherwise specified.
- 1.1.4 For clarification of which clause applies to which aspect of fueling see Appendix A (Applications Summary Table).
- 1.1.5 Exhibit B contains a list of standards specifically referenced in this standard, and sources from which these reference standards may be obtained. It includes both U.S., and Canadian reference standards where applicable.

1.2 TEST SAMPLES

- 1.2.1 Hoses, hose assemblies and components submitted for examination under this standard shall be representative of production samples.

- 1.2.2 Unless otherwise specified, a new hose may be used for each test specified herein.

1.3 GENERAL CONSTRUCTION

- 1.3.1 The construction of hose parts not specifically covered by this standard shall be in accordance with reasonable concepts of safety, substantiality and durability.

All specifications as to construction set forth herein may be satisfied by the construction actually prescribed or such construction as will provide at least equivalent performance.

- 1.3.2 The nominal hose diameter shall refer to the finished internal diameter ± 0.65 mm (0.025 in) for sizes up to and including 20 mm ($\frac{3}{4}$ in) and ± 1.25 mm (0.05 in) for sizes over 20 mm ($\frac{3}{4}$ in). A tapered plug gauge having a taper of 30 mm/m ($\frac{3}{8}$ in/ft) marked to indicate variation of 0.5 mm ($\frac{1}{64}$ in) in diameter or other equivalent means may be used for measuring inside diameter.
- 1.3.3 The inner tube surface and outer cover shall be smooth, of uniform thickness and free from imperfections. The intent of this requirement is not to exclude the use of a corrugated or perforated cover.
- 1.3.4 The outer cover shall be constructed to minimize or prevent fluid penetration into the inner plies, braids or tube. The inner plies, braids or tube shall be resistant to the effects of common automotive fluids, as determined by the method of test in 2.20 FLUIDS EXPOSURE TEST.
- 1.3.5 A hose for high pressure service shall be constructed in such a manner that permeation or leakage from the inner tube does not expand or damage the outer cover, braids or inner plies. The manufacturer shall provide evidence of compliance with this provision, as tested in accordance with 2.21 VERIFICATION OF HOSE COVER PERFORATIONS.
- 1.3.6 Dispenser hoses shall be suitable for use at a temperature range of -40°C (-40°F) to 65°C (150°F). Hoses for use in vehicle engine compartments shall be suitable for use at a temperature range of -40°C (-40°F) to 120°C (250°F). Hoses for use on vehicles outside the engine compartment shall be suitable for use at a temperature of -40°C (-40°F) to 93°C (200°F).
- 1.3.7 Hose assemblies shall be constructed so as to provide an electrically conductive path between couplings at each end of the hose in order to dissipate static electricity. (See 2.5 ELECTRICAL CONDUCTIVITY.)
- 1.3.8 Dispenser hose outer covers shall be constructed of non-electrically conductive materials (i.e. metallic braids will not be exposed between ferrules).