


FIGURE 1
TYPE A

**INACTIVE FOR NEW DESIGN
AFTER JANUARY 1, 1986
NO SUPERSEDING STANDARD**

LIST OF CURRENT SHEETS

SHT.	REV.
1	7
2	4
3	6
4	5
5	7
6	5
7	2

CUSTODIAN NATIONAL AEROSPACE STANDARDS COMMITTEE		THIRD ANGLE PROJECTION
PROCUREMENT SPECIFICATION	TITLE	CLASSIFICATION
NAS4001	7 BIT, SCREWDRIVER, TRI-SLOT RECESS	STANDARD PART
		NAS4005
		SHEET 1 OF 7

USE OF OR RELIANCE UPON THIS DOCUMENT OR ANY NATIONAL AEROSPACE STANDARD IS ENTIRELY VOLUNTARY AND DOES NOT QUALIFY SUPPLIERS OR CERTIFY CONFORMANCE OF ITEMS PROCURED UNDER NATIONAL AEROSPACE STANDARDS. AIA MAKES NO REPRESENTATION OR CLAIM RESPECTING THE EXISTENCE OF OR APPLICABILITY THERETO OF PATENT OR TRADEMARK RIGHTS.

TABLE I

DRIVER NUMBER	RECESS NUMBER	A + .000 - .004	B REF	D ± .010	E ± .020	E' ± .020	K RAD.	L MIN	M ± .020	N ± .12	P MIN
NAS4005A4-0	0	.250	.203	.188	.375		.084	.047	.062	1.25	.188
NAS4005A4-1	1	.250	.203	.188	.375		.084	.062	.062	1.25	.203
NAS4005A4-2	2	.250	.203	.188	.375		.084	.078	.062	1.25	.219
NAS4005A4-3	3	.250	.203	.188	.375		.084	.084	.062	1.25	.219
NAS4005A4-4	4 &	.250	.203	.188	.375		.084	.084	.062	1.25	.250
NAS4005A5-4	4J	.312	.268	.250	.408		.084		.062	1.25	
NAS4005A4-5	5	.250	.203	.188	.375		.084	.108	.062	.125	.250
NAS4005A5-5		.312	.268	.250	.408		.084		.062	1.25	
NAS4005A4-6	6	.250	.203	.188	.375		.084	.125	.062	1.25	.375
NAS4005A5-6		.312	.268	.250	.408		.084		.062	1.25	
NAS4005A7-6		.438	.391	.344	.250		.108		.047	1.25	.312
NAS4005A4-7	7	.250	.203	.188	.375		.084	.141	.062	1.25	.438
NAS4005A5-7		.312	.268	.250	.408		.084		.062	1.25	
NAS4005A7-7		.438	.391	.344	.250		.108		.047	1.25	.375
NAS4005A4-8	8	.250	.203	.188	.375		.084	.172	.062	1.25	.438
NAS4005A5-8		.312	.268	.250	.408		.084		.062	1.25	
NAS4005A7-8		.438	.391	.344	.250		.108		.047	1.25	.375
NAS4005A7-9	9	.438	.391	.344	.250		.108	.172	.047	1.25	.438
NAS4005A10-9		.625	.578	.531		.344	.172			1.25	
NAS4005A10-10	10	.625	.578	.531		.344	.172	.203		1.25	.500
NAS4005A10-11	11	.625	.578	.531		.344	.172	.219		1.25	.500
NAS4005A10-12	12	.625	.578	.531		.344	.172	.250		1.25	.582
NAS4005A10-13	13	.625	.578	.531		.344	.172	.312		2.50	.812
NAS4005A12-14	14	.750	.703	.656	.312		.156	.375	.062	3.00	1.062
NAS4005A12-15	15	.750	.703	.656	.312		.156	.438	.062	3.00	1.062

④ **INACTIVE FOR NEW DESIGN
AFTER JANUARY 1, 1986
NO SUPERSEDING STANDARD**


NAS 4005

Documents SH 2

USE OF OR RELIANCE UPON THIS DOCUMENT OR ANY NATIONAL AEROSPACE STANDARD IS ENTIRELY VOLUNTARY. AIA DOES NOT QUALIFY SUPPLIERS OR CERTIFY CONFORMANCE OF ITEMS PRODUCED UNDER NATIONAL AEROSPACE STANDARDS. AIA MAKES NO REPRESENTATION OR CLAIM RESPECTING THE SUITABILITY OF ITEMS FOR ANY PARTICULAR APPLICATION, OR (2) THE EXISTENCE OF OR APPLICABILITY THEREOF OF PATENT OR TRADEMARK RIGHTS.

THIS DRAWING SUPERSEDES ALL ANTECEDENT STANDARD DRAWINGS FOR THE SAME PRODUCT AND SHALL BECOME EFFECTIVE NO LATER THAN SIX MONTHS FROM THE LAST DATE OF APPROVAL SHOWN HEREON.

APPROVAL DATE April 1969 REVISION ① 16 March 1970 ② 16 Nov. 1970 ③ 17 Dec. 1979 ④ 15 August 1985



For retaining groove dimensions,
see Type A, Table I.

FIGURE 2
TYPE B

TABLE II

DRIVER NUMBER	RECESS NUMBER	A +.000 -.004	O	N ± .12			
				1.88	2.75	3.50	6.00
NAS4005B(*)-0	0	.250	.125—.121	1.88	2.75	3.50	6.00
NAS4005B(*)-1	1	.250	.125—.121	1.88	2.75	3.50	6.00
NAS4005B(*)-2	2	.250	.188—.184	1.88	2.75	3.50	6.00
NAS4005B(*)-3	3	.250	.188—.184	1.88	2.75	3.50	6.00
NAS4005B(*)-4	4 & 4J	.250	.247—.242	1.88	2.75	3.50	6.00
NAS4005B(*)-5	5	.250	.247—.242	1.88	2.75	3.50	6.00
NAS4005B(*)-6	6	.438	.434—.429	1.88	2.75	3.50	6.00
NAS4005B(*)-7	7	.438	.434—.429	1.88	2.75	3.50	6.00
NAS4005B(*)-8	8	.438	.434—.429	1.88	2.75	3.50	6.00
NAS4005B(*)-9	9	.825	.822—.817		2.75	3.50	6.00
NAS4005B(*)-10	10	.825	.822—.817		2.75	3.50	6.00
NAS4005B(*)-11	11	.825	.822—.817		2.75	3.50	6.00

*Dash numbers indicate Driver length "N" in hundredths of an inch. See Sheet 7 for examples of part number callout.

INACTIVE FOR NEW DESIGN
AFTER JANUARY 1, 1986
NO SUPERSEDING STANDARD

NAS4005
Documents
SHEET 3

USE OF OR RELIANCE UPON THIS DOCUMENT OR ANY NATIONAL AEROSPACE STANDARD IS ENTIRELY VOLUNTARY. AIA DOES NOT QUALIFY SUPPLIERS OR
CERTIFY CONFORMANCE OF ITEMS PROCURED UNDER NATIONAL AEROSPACE STANDARDS. AIA MAKES NO REPRESENTATION OR CLAIM RESPECTING (1)

Copyright Aerospace Industries Association of America Inc. ITEMS FOR ANY PARTICULAR APPLICATION, OR (2) THE EXISTENCE OF OR APPLICABILITY THEREOF OF PATENT OR TRADEMARK RIGHTS.
Licensee= www.sepana.ir/5991803002, User=sam, albert
Not for Resale, 01/09/2016 01:09:33 MST

Full document details: AIA NAS4005 1994