



Radiation Protection at Research Reactor Facilities

REAFFIRMED

July 20, 2021

ANSI/ANS-15.11-2016 (R2021)

ANSI/ANS-15.11-2016

An American National Standard

This standard has been reviewed and reaffirmed with the recognition that it may reference other standards and documents that may have been superseded or withdrawn. The requirements of this document will be met by using the version of the standards and documents referenced herein. It is the responsibility of the user to review each of the references and to determine whether the use of the original references or more recent versions is appropriate for the facility. Variations from the standards and documents referenced in this standard should be evaluated and documented. This standard does not necessarily reflect recent industry initiatives for risk informed decision-making or a graded approach to quality assurance. Users should consider the use of these industry initiatives in the application of this standard.

Published by the
American Nuclear Society
555 N. Kensington Ave
La Grange Park, IL 60526
Documents
Document Sharing Hub



ANSI/ANS-15.11-2016

**American National Standard
Radiation Protection at
Research Reactor Facilities**

Secretariat
American Nuclear Society

Prepared by the
**American Nuclear Society
Standards Committee
Working Group ANS-15.11**

Published by the
**American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA**

Approved May 13, 2016
by the
American National Standards Institute, Inc.

American National Standard

Designation of this document as an American National Standard attests that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standard has been achieved.

This standard was developed under the procedures of the Standards Committee of the American Nuclear Society; these procedures are accredited by the American National Standards Institute, Inc., as meeting the criteria for American National Standards. The consensus committee that approved the standard was balanced to ensure that competent, concerned, and varied interests have had an opportunity to participate.

An American National Standard is intended to aid industry, consumers, governmental agencies, and general interest groups. Its use is entirely voluntary. The existence of an American National Standard, in and of itself, does not preclude anyone from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard.

By publication of this standard, the American Nuclear Society does not insure anyone utilizing the standard against liability allegedly arising from or after its use. The content of this standard reflects acceptable practice at the time of its approval and publication. Changes, if any, occurring through developments in the state of the art, may be considered at the time that the standard is subjected to periodic review. It may be reaffirmed, revised, or withdrawn at any time in accordance with established procedures. Users of this standard are cautioned to determine the validity of copies in their possession and to establish that they are of the latest issue.

The American Nuclear Society accepts no responsibility for interpretations of this standard made by any individual or by any ad hoc group of individuals. Inquiries about requirements, recommendations, and/or permissive statements (i.e., “shall,” “should,” and “may,” respectively) should be sent to the Scientific Publications and Standards Department at Society Headquarters. Action will be taken to provide appropriate response in accordance with established procedures that ensure consensus.

Comments on this standard are encouraged and should be sent to Society Headquarters.

Published by the

American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA



This document is copyright protected.

Copyright © 2016 by American Nuclear Society. All rights reserved.

Any part of this standard may be quoted. Credit lines should read “Extracted from American National Standard ANSI/ANS-15.11-2016 with permission of the publisher, the American Nuclear Society.” Reproduction prohibited under copyright convention unless written permission is granted by the American Nuclear Society.

Printed in the United States of America

Inquiry Requests

The American Nuclear Society (ANS) Standards Committee will provide responses to inquiries about requirements, recommendations, and/or permissive statements (i.e., “shall,” “should,” and “may,” respectively) in American National Standards that are developed and approved by ANS. Responses to inquiries will be provided according to the Policy Manual for the ANS Standards Committee. Nonrelevant inquiries or those concerning unrelated subjects will be returned with appropriate explanation. ANS does not develop case interpretations of requirements in a standard that are applicable to a specific design, operation, facility, or other unique situation only and therefore is not intended for generic application.

Responses to inquiries on standards are published in ANS’s magazine, *Nuclear News*, and are available publicly on the ANS Web site or by contacting the ANS Scientific Publications and Standards Department.

Inquiry Format

Inquiry requests shall include the following:

- (1) the name, company name if applicable, mailing address, and telephone number of the inquirer;
- (2) reference to the applicable standard edition, section, paragraph, figure, and/or table;
- (3) the purpose(s) of the inquiry;
- (4) the inquiry stated in a clear, concise manner;
- (5) a proposed reply, if the inquirer is in a position to offer one.

Inquiries should be addressed to:

American Nuclear Society
ATTN: Scientific Publications and Standards Department
555 N. Kensington Avenue
La Grange Park, IL 60526

or standards@ans.org

Foreword

(This foreword is not a part of American National Standard “Radiation Protection at Research Reactor Facilities,” ANSI/ANS-15.11-2016.)

In the fall of 1970, the American Nuclear Society Standards Committee established ANS-15, Operation of Research Reactors, under the auspices of the N17 Consensus Committee, Research Reactors, Reactor Physics, Radiation Shielding, and Computational Methods, to provide needed standards for the operation, use, and regulation of research reactors. Since then, numerous standards have been developed, and several working groups have been established, among them ANS-15.11.

In 1977, two standards dealing with radiation protection at research reactors were published: ANSI/ANS-15.11-1977 (N628), “Radiological Control at Research Reactor Facilities,” and ANSI/ANS-15.12-1977 (N647), “Design Objectives for and Monitoring of Systems Controlling Research Reactor Effluents.” These two standards were revised later and combined into a single standard, ANSI/ANS-15.11-1987, “Radiation Protection at Research Reactor Facilities.” Major changes to the regulations on standards for radiation protection and to the recommendations of the National Council on Radiation Protection and Management and the International Commission on Radiological Protection, significantly impacting research reactors, were incorporated into the revision, ANSI/ANS-15.11-1993, “Radiation Protection at Research Reactor Facilities.” The standard was revised in 2009 with minor changes.

Work on this standard began in November of 2013 and culminated in March of 2016 with approval by the Research and Advanced Reactor Consensus Committee. The current revision addresses applicable changes and provides directions on implementation, including meeting the objectives and principles of as-low-as-is-reasonably-achievable (ALARA) levels of radiation.

In preparing this standard, the intent has been to specify objectives that will achieve the following results:

- (1) Establish a comprehensive radiation protection program that deals with all matters involving radiation and radioactive materials at research reactors;
- (2) Limit exposures and releases to ALARA levels without seriously restricting the operation of existing reactors, inhibiting growth and upgrade, or discouraging the development of new research reactors;
- (3) Set a reasonably low activity level threshold, above which measurements will be required that will allow for the use of readily available instrumentation without resorting to extraordinary means.

In the process of creating standards with respect to existing and varied practices in many operating facilities, it is important to consider the following:

- (1) It is not intended that the standard be used as a demand model for backfitting purposes;
- (2) The standard can be a significant aid for existing and new owners or operators;
- (3) The standard can be helpful for a facility undergoing change or modification;
- (4) The standard’s considered use can assist in implementing regulatory requirements.

Prior to using the standard, individual facilities ought to carefully examine their license, permit, or other requirements for limiting conditions that might not be compatible with the

standard or new regulatory requirements and that might require change, amendment, or special authorization. Care also ought to be exercised in using appropriate units as might be specified by authorities.

The standard does not address certain conditions that do not occur or are known not to exist at research reactor facilities such as planned special exposures, facilities-specific public dose limits, and hot particle contamination. Individual facilities ought to address these issues, if needed, in their programs.

The family of American National Standards developed by ANS-15 for research reactors are the following:

- ANSI/ANS-15.1-2007 (R2013), “The Development of Technical Specifications for Research Reactors”;
- ANSI/ANS-15.2-1999 (R2009), “Quality Control for Plate-Type Uranium-Aluminum Fuel Elements”;
- ANSI/ANS-15.4-2016, “Selection and Training of Personnel for Research Reactors”;
- ANSI/ANS-15.7-1977 (R1986), “Research Reactor Site Evaluation” (withdrawn);
- ANSI/ANS-15.8-1995 (R2013), “Quality Assurance Program Requirements for Research Reactors”;
- ANSI/ANS-15.10-1994, “Decommissioning of Research Reactors” (withdrawn);
- ANSI/ANS-15.11-2016, “Radiation Protection at Research Reactor Facilities”;
- ANSI/ANS-15.15-1978 (R1986), “Criteria for the Reactor Safety Systems of Research Reactors” (withdrawn);
- ANSI/ANS-15.16-2015, “Emergency Planning for Research Reactors”;
- ANSI/ANS-15.17-1981 (R2000), “Fire Protection Program Criteria for Research Reactors” (withdrawn);
- ANSI/ANS-15.19-1991, “Shipment and Receipt of Special Nuclear Material (SNM) by Research Reactor Facilities” (withdrawn);
- ANSI/ANS-15.21-2012, “Format and Content for Safety Analysis Reports for Research Reactors.”

This standard might reference documents and other standards that have been superseded or withdrawn at the time the standard is applied. A statement has been included in the “References” section that provides guidance on the use of references.

This standard does not incorporate the concepts of generating risk-informed insights, performance-based requirements, or a graded approach to quality assurance. The user is advised that one or more of these techniques could enhance the application of this standard.

This standard was prepared by the ANS-15.11 Working Group of the American Nuclear Society. The following members contributed to this standard:

S. R. Reese (Chair), *Oregon State University*

C. H. Bassett, *U.S. Nuclear Regulatory Commission*

D. R. Brown, *National Institute of Standards and Technology*

R. J. Dobey, *University of Missouri*

W. D. Frey, *University of California at Davis*

The Operations of Research Reactors Subcommittee had the following membership at the time of its approval of this standard:

D. S. O’Kelly (Chair), *Idaho National Laboratory*

A. Adams, *U.S. Nuclear Regulatory Commission*
M. J. Burger, *Sandia National Laboratories*
D. J. Cronin, *University of Florida at Gainesville*
L. P. Foyto, *University of Missouri*
S. Miller, *Armed Forces Radiobiology Research Institute*
M. K. Morrison, *Idaho National Laboratory*
T. J. Myers, *Individual*
D. M. Pinkston, *Oak Ridge National Laboratory*
S. R. Reese, *Oregon State University*
T. R. Schmidt, *Individual*
R. Strader, *National Institute of Standards and Technology*

The Research and Advanced Reactor Consensus Committee had the following membership at the time of its approval of this standard:

G. F. Flanagan (Chair), *Oak Ridge National Laboratory*
B. B. Bevard (Vice Chair), *Oak Ridge National Laboratory*
T. Newton (Vice Chair), *National Institute of Standards and Technology*

A. Adams, *U.S. Nuclear Regulatory Commission*
J. K. August, *Southern Nuclear Operating Company*
E. D. Blandford, *University of New Mexico*
R. E. Carter, *Individual*
L. P. Foyto, *University of Missouri*
A. Greci, *Chicago Bridge & Iron*
D. R. Lawson, *U.S. Department of Energy*
M. A. Linn, *Oak Ridge National Laboratory*
J. Mazza, *U.S. Nuclear Regulatory Commission*
M. J. Memmott, *Brigham Young University*
M. K. Morrison, *Idaho National Laboratory*
T. J. Myers, *Individual*
D. S. O’Kelly, *Idaho National Laboratory*
M. W. Peres, *Fluor Enterprises Inc.*
S. R. Reese, *Oregon State University*
T. R. Schmidt, *Individual*
R. S. Turk, *Individual*
A. R. Veca, *General Atomics*

Contents

Section	Page
1 Scope	1
2 Acronyms and definitions	1
2.1 Shall, should, and may	1
2.2 List of acronyms	1
2.3 Definitions	2
3 Program, policy, and organization	8
3.1 Radiation protection program	8
3.2 Management policy	8
3.3 Radiation protection responsibilities	9
3.4 Organizational relationships	9
3.5 Reviews and audits	9
4 Training	9
4.1 Introduction	9
4.2 Initial training	9
4.3 Retraining	10
5 Radioactive material control	10
5.1 Special nuclear material	10
5.2 Byproduct materials	10
5.3 Radioactive waste	10
5.4 Other radioactive material	11
6 Radiation monitoring	11
6.1 Radioactive effluent monitoring	11
6.1.1 Submersion nuclide effluents	11
6.1.2 Airborne radioactive materials (other than submersion nuclides)	11
6.1.3 Liquid effluents	11
6.2 Facility monitoring	12
6.2.1 Airborne radioactivity monitoring	12
6.2.2 Area radiation monitoring	12
6.2.3 Radioactive contamination monitoring	12
6.3 Personnel monitoring	13
6.4 Emergency radiation monitoring	13
7 Instrumentation	13
7.1 Instrument categories	13
7.2 Range and spectral response	13
7.3 Calibration	13
8 ALARA objectives, program, and audits	14
8.1 ALARA program	14
8.2 Facility design	14
8.2.1 Design objective	14
8.2.2 External radiation control design features	14
8.2.3 Contamination control design features	15
8.2.4 Radioactive effluent control	15
8.3 Facility operation	15

8.3.1	Operations dose objective.....	15
8.3.2	Operations planning.....	15
8.3.3	Operations.....	16
8.4	Review and audit.....	16
9	Records.....	17
10	Emergency response and exposure guidelines.....	17
10.1	Response.....	17
10.2	Guidance on dose limits.....	17
11	References	18
Appendices		
Appendix A	Controlled Area.....	20
Appendix B	Outline of a Radiation Protection Program	21
Appendix C	Review and Audit Guide	23
Appendix D	Performance Quality Assurance Program	24
Appendix E	Outline of an ALARA Program	25
Appendix F	Control of Radiation Beams	26
Appendix G	Supplementary References.....	28
Table		
Table 1	Emergency response dose guidance	18

Radiation Protection at Research Reactor Facilities

1 Scope

This standard establishes the elements of a radiation protection program and the criteria necessary to provide an acceptable level of radiation protection for personnel at research reactor facilities and the public consistent with keeping exposures and releases as low as is reasonably achievable (ALARA).

2 Acronyms and definitions

2.1 Shall, should, and may

shall, should, and may: The word “shall” is used to denote a requirement; the word “should” is used to denote a recommendation; and the word “may” is used to denote permission, neither a requirement nor a recommendation.

2.2 List of acronyms

(the) Act: Atomic Energy Act of 1954 (42 U.S.C. 2011 et seq.)

ALARA: as low as is reasonably achievable

ALI: annual limit on intake

DAC: derived air concentration

DAC-hour: derived air concentration-hour

ICRP: International Commission on Radiological Protection

ICRP 60: ICRP Publication 60

ICRP 103: ICRP Publication 103

ICRU: International Commission on Radiation Units and Measurements

LDE: lens dose equivalent

MQA: measurement quality assurance

NCRP: National Council on Radiation Protection and Measurements

NCRP 91: NCRP Report No. 91

NRC: U.S. Nuclear Regulatory Commission

NVLAP: National Voluntary Laboratory Accreditation Program

TEDE: total effective dose equivalent

TLD: thermoluminescent dosimeter

2.3 Definitions

For radiation quantities, the definitions herein do not conflict with those of the International Commission on Radiation Units and Measurements (ICRU), and the ICRU definitions may be used where appropriate. A number of definitions not used in this document are nevertheless included for completeness and reference. The definitions of shall, should, and may are listed under “shall.”

Many of the definitions are based on those in 10 CFR 20 [1].¹⁾ In no case has any wording from that source been deleted. A few have been amplified to make them more generally applicable to all research reactors. These are noted in the text.

absorbed dose: The energy imparted by ionizing radiation per unit mass of irradiated material. The units of absorbed dose are the rad and the gray (Gy).

accessible area: The area that can reasonably be occupied by a significant portion of an individual’s body (also see “radiation area” and “high radiation area”).

activity: The rate of disintegration (transformation) or decay of radioactive material. The units of activity are the curie (Ci) and the becquerel (Bq).

adult: An individual 18 or more years of age.

airborne radioactive material: Radioactive material dispersed in the air in the form of dusts, fumes, particulates mists, vapors, or gases; also commonly referred to as airborne radioactivity.

airborne radioactivity area: A room, enclosure, or area in which airborne radioactive materials, composed wholly or partly of permitted or licensed material, exist in concentrations

- (1) in excess of the derived air concentrations (DACs) for controlling occupational exposures, e.g., those specified in 10 CFR 20, Sec. 20.1001 (“Purpose”) through Sec. 20.2401 (“Violations”) and Appendix B [“Annual Limits on Intake (ALIs) and Derived Air Concentrations (DACs) of Radionuclides for Occupational Exposure; Effluent Concentrations; Concentrations for Release to Sewerage”] [1] and EPA-520/1-88-020 [2]; or
- (2) to such a degree that an individual present in the area without respiratory protective equipment could exceed, during the hours an individual is present in 1 week (7 consecutive days), an intake of 0.6% of the ALI or 12 DAC-hours or, in the case of submersion nuclides, exceed an effective dose equivalent of 30 mrem (0.3 mSv). See “Note 1” at the end of this section.

annual limit on intake (ALI): The derived limit for the amount of radioactive material taken into the body of an adult worker by inhalation or ingestion in a year. ALI is the smaller value of intake of a given radionuclide in a year by the reference man that would result in a committed effective dose equivalent of 5 rem (0.05 Sv) or a committed dose equivalent of 50 rem (0.5 Sv) to any individual organ or tissue. (ALI values for intake by ingestion and by inhalation of selected radionuclides are given in 10 CFR 20, Secs. 20.1001 through 20.2401 and Appendix B, Table 1, columns one and two [1].)

as low as is reasonably achievable (ALARA): To make every reasonable effort to maintain exposures to radiation as far below the dose limits as is practical, consistent with the purpose for which the permitted or licensed activity is undertaken, taking into account the state of technology, the economics of improvements in relation to the state of technology, the economics of

¹⁾ Numbers in brackets refer to corresponding numbers in Sec. 11, “References.”