
AMERICAN NATIONAL STANDARD

Quantities and Procedures for Description and Measurement of Underwater Sound from Ships – Part 1: General Requirements

ANSI/ASA S12.64-2009/Part 1

Accredited Standards Committee S12, Noise

Standards Secretariat
Acoustical Society of America
35 Pinelawn Road, Suite 114 E
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



AMERICAN NATIONAL STANDARD

Quantities and Procedures for Description and Measurement of Underwater Sound from Ships - Part 1: General Requirements

Secretariat:

Acoustical Society of America

Approved September 30, 2009 by:

American National Standards Institute, Inc.

Abstract

This standard describes the measurement systems, procedures, and methodologies used for the beam aspect measurement of underwater sound pressure levels from ships for a given operating condition. The resulting quantities are reported as nominal source level values in one-third octave bands. It does not require the use of a specific ocean location, but the requirements for an ocean test site are provided. The underwater sound pressure level measurements are performed in the far-field and then corrected to a reference distance of 1 m. This standard is applicable to any and all surface vessels either manned or unmanned. This standard is not applicable to submerged vessels or to aircraft. Measurement systems are described for measurement of underwater sound pressure levels and also the distance or range between the underwater transducers and the subject vessel. Processing and reporting of the data are described, and informational guidance is provided. This standard does not specify or provide guidance on underwater noise criteria.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).

These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
ASA Secretariat
35 Pinelawn Road, Suite 114E
Melville, New York 11747-3177
Telephone: 1 (631) 390-0215
Fax: 1 (631) 390-0217
E-mail: asastds@aip.org

© 2009 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

Contents

1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Instrumentation	5
4.1	Introduction	5
4.2	Hydrophone and signal conditioning	5
4.3	Data acquisition, recording, processing and display	6
4.4	Distance measurement.....	6
4.5	Acoustic center	8
5	Measurement requirements and procedure	8
5.1	Introduction	8
5.2	Test site requirements	8
5.3	Sea surface conditions	9
5.4	Hydrophone deployment	9
5.5	Test course and vessel operation.....	11
5.6	Test sequence	11
6	Post processing.....	12
6.1	Introduction	12
6.2	Background noise adjustments (all grades)	14
6.3	Sensitivity adjustments (all grades)	15
6.4	Distance normalization (all grades)	15
6.5	Grade A-specific post processing	16
6.6	Grade B-specific post processing	17
6.7	Grade C-specific post processing.....	18
7	Measurement uncertainty.....	18
8	Reporting Example.....	19
	Bibliography.....	21

Figures

Figure 1 – Grades A and B hydrophone geometry	10
Figure 2 – Grade C hydrophone geometry.....	10
Figure 3 – Typical hydrophone deployment configurations – may be used for any grade	11
Figure 4 – Test course configuration, (a) port and (b) starboard approaches.	13

Tables

Table 1 – Summary of measurement grades	7
---	---

Foreword

This Foreword is for information only and is not a part of ANSI/ASA S12.64-2009/Part 1 American National Standard Quantities and Procedures for Description and Measurement of Underwater Sound from Ships - Part 1: General Requirements.

This standard comprises a part of a group of definitions, standards, and specifications for use in noise. It was developed and approved by Accredited Standards Committee S12, Noise, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S12 is as follows:

Standards, specifications, and terminology in the field of acoustical noise pertaining to methods of measurement, evaluation, and control, including biological safety, tolerance, and comfort, and physical acoustics as related to environmental and occupational noise.

This standard is not comparable to any existing ISO Standard.

At the time this Standard was submitted to Accredited Standards Committee S12, Noise, for approval, the membership was as follows:

R.D. Hellweg, *Chair*
W.J. Murphy, *Vice-Chair*
S.B. Blaeser, *Secretary*

Acoustical Society of America	R.D. Hellweg
.....	D. Lubman (Alt.)
Aearo Company	E.H. Berger
Air-Conditioning, Heating and Refrigeration Institute	S. Lind
.....	D. Brown (Alt.)
Air Movement Control Association	J.A. Brooks
.....	M. Stevens (Alt.)
Alcoa Inc.	W.D. Gallagher
American Academy of Audiology	D. Ostergren
.....	S. Gordon-Salant (Alt.)
American Academy of Otolaryngology - Head and Neck Surgery	R.A. Dobie
.....	L.A. Michael (Alt.)
American Industrial Hygiene Association	D. Driscoll
.....	S.N. Hacker (Alt.)
American Society of Heating, Refrigeration and Air Conditioning Engineers	L. Ronsee
.....	D. Tucker (Alt.)
American Speech-Language-Hearing Association	L.A. Wilber
.....	V. Gladstone (Alt.)
Caterpillar, Inc.	K.G. Meitl
Compressed Air and Gas Institute	R.C. Johnson
.....	D.R. Bookshar (Alt.)

Council for Accreditation in Occupational Hearing Conservation	J.A. MannL.D. Hager (Alt.)
Emerson Electric – Copeland Corporation	A.T. HerfatG. Williamson (Alt.)
ETS–Lindgren Acoustic Systems	D. WinkerM. Black (Alt.)
G.R.A.S. Sound & Vibration	B. Schustrich
Information Technology Industry Council	M.A. NobileJ. Rosenberg (Alt.)
Institute of Noise Control Engineering	B. TinianovM. Lucas (Alt.)
International Safety Equipment Association	J. BirknerJ.C. Bradley (Alt.)
John Deere	K. Cone
Modular Building Institute	D. ShufordI. Derks (Alt.)
NASA Glenn Research Center	B. Cooper
National Council of Acoustical Consultants	J. ErdreichG.E. Winzer (Alt.)
National Hearing Conservation Association	J. Cissna
National Institute for Occupational Safety and Health	W.J. MurphyM. Stephenson (Alt.)
National Park Service	G.R. StanleyK. Fristrup (Alt.)
Noise Control Engineering, Inc.	M. BahtiarianR. Fischer (Alt.)
Noise Pollution Clearinghouse	L. Blomberg
North American Insulation Manufacturers Association	H. Alter
PCB Group	K. CoxL. Harbaugh (Alt.)
Power Tool Institute, Inc.	W.D. SpencerM. Hickok (Alt.)
Quest Technologies, Inc.	M. WurmP. Battenberg (Alt.)
SAE	D.B. MooreC. Reese (Alt.)
Schomer and Associates, Inc.	P.D. Schomer
Sierra Club - National Parks and Monuments Committee	D.J. Hingson

Sonomax Hearing Healthcare Inc.	J. Voix
.....	L.D. Hager (Alt.)
Sperian Hearing Protection, LLC	B. Witt
.....	T. Schulz (Alt.)
U.S. Access Board	L. Thibault
U.S. Air Force	R.L. McKinley
.....	F. Mobley (Alt.)
U.S. Army Aeromedical Research Lab	W. Ahroon
U.S. Army Center for Health Promotion and Preventive Medicine	W.D. Whiteford
.....	C. Stewart (Alt.)
U.S. Army Construction Engineering Research Laboratory	M.J. White
.....	M. Swearingen (Alt.)
U.S. Army Research Laboratory	M. Grantham
.....	M.S. Binseel (Alt.)
U.S. Department of Transportation	A. Konheim
U.S. Naval Surface Warfare Center - Carderock	M. Craun

Individual Experts of Accredited Standards Committee S12, Noise, were:

P.K. Baade	W.J. Galloway	P.D. Schomer
L.L. Beranek	R.D. Godfrey	J.P. Seiler
E.H. Berger	R.D. Hellweg	L.C. Sutherland
S.H.P. Bly	W.W. Lang	W.R. Thornton
B.M. Brooks	D. Lubman	L.A. Wilber
A.J. Campanella	W.J. Murphy	G.E. Winzer
K.M. Eldred	M.A. Nobile	G.S.K. Wong
L.S. Finegold	R.J. Peppin	

Working Group S12/WG 47, Underwater Noise Measurement of Ships, which assisted Accredited Standards Committee S12, Noise, in the development of this standard, had the following membership:

M.A. Bahtiarian, Chair
D.J. Vendittis, Vice-Chair

D. Chayes	M. Jech	V. Schmidt
C. de Jong	D. Kirklewski	M. Seto
J. Diebold	A. Kukk	A. Scholik-Schlomer
R. Fischer	B. Myers	R. Taddeo
G. Hassell	K. O'Neill	W. Verboom
M. Hawkins	B. Racine	D. Wood
D. Hazelwood	J. Roche	K. Yankaskas

Suggestions for improvements of this standard will be welcomed. They should be sent to Accredited Standards Committee S12, Noise, in care of the Standards Secretariat of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: 631-390-0215; FAX: 631-390-0217; E-mail: asastds@aip.org.

Introduction

This part of ANSI/ASA S12.64 was written to provide a standardized measurement method for the quantification and qualification of a ship's underwater (radiated) noise. More specific discussions of advanced measurement systems, along with technical rationale and tradeoffs, and computation examples will be included in subsequent parts of this standard. Future parts will also contain recommendations concerning issues such as hydrophone suspension, narrowband processing and reporting, shallow water measurements, and factors that affect the uncertainty and repeatability of the data.

Reduction of all types of vessel emissions has become an issue in the past ten years, most notably ballast water and engine emissions. More recently, these emissions have included underwater noise for the purpose of reducing the impact on marine animals. Excessive underwater noise has the potential to interfere with a marine animal's ability to perform a variety of critical life functions such as navigate, communicate, find food, etc. Thus, the environmental impact statements of underwater projects (e.g., pile driving, pipe laying, oil exploration) now include assessments of underwater noise impacts. This standard should help promote consistency among those reporting sound measurements from shipping sources.

American National Standard

Quantities and Procedures for Description and Measurement of Underwater Sound from Ships - Part 1: General Requirements

1 Scope

This part of ANSI/ASA S12.64 describes the general measurement systems, procedures, and methodologies used for the measurement of underwater sound pressure levels from ships at a prescribed operating condition. It contains methodology for the reporting of one-third octave band sound pressure levels. The resulting quantities are the sound pressure levels normalized to a distance of 1 m. Since the underwater sound pressure levels are affected by the presence of the free surface (and sometimes the bottom), such quantities are considered “affected source levels,” herein referred to as source levels.

The underwater sound pressure level measurements are performed in the geometric far field and then adjusted to the 1 m normalized distance for use in comparison with appropriate underwater noise criteria. However, this standard does not specify or provide guidance on underwater noise criteria or address the potential effects of noise on marine organisms.

This standard is applicable to any and all underway surface vessels, either manned or unmanned. The methods have no inherent limitation on minimum or maximum vessel size. This standard is not applicable to submerged vessels or to aircraft. This standard is limited to vessels transiting at speeds no greater than 50 knots (25.70 m/s). The measurement methods mitigate the variability caused by Lloyd’s Mirror surface image coherence effects (see 3.16), but do not exclude a possible influence of bottom reflections. No specific computational adjustments for either of these effects are part of this standard. A specific ocean location is not required to use this standard, but the requirements for an ocean test site are provided.

The intended uses of the methods described in this standard are: to show compliance with contract requirements, to enable periodic signature assessments, and for research and development. The intended users include: government agencies, research vessel operators, and commercial vessel owners that need to operate in acoustically sensitive waters.

This standard offers three grades of measurement, each with a stated applicability, test methodology, uncertainty, system repeatability, and complexity. A summary of the attributes of each “Grade” (denoted A, B, and C) is given in Table 1.

2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI S1.1, *American National Standard Acoustical Terminology*

ANSI/ASA S1.11, *American National Standard Specification for Octave-Band and Fractional-Octave-Band Analog and Digital Filters*