ANSI/AWWA **C702-19**

(Revision of ANSI/AWWA C702-15)

AWWA Standard

Cold-Water Meters—Compound Type

Effective date: May 1, 2020.

First edition approved by Board of Directors May 24, 1923.
This edition approved Oct. 28, 2019.
Approved by American National Standards Institute Nov. 21, 2019.

American Water Works Association

Documents
Document Sharing Hub

Full document details: ANSI AWWA C702-19

AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or code of any governmental authority. AWWA standards are intended to represent a consensus of the water industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed in the Official Notice section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

Caution Notice: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of ANSI approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; 212.642.4900, or emailing info@ansi.org.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher. Please send any requests or questions to permissions@awwa.org.

ISBN-13, print: 978-1-64717-003-5

ISBN-13, electronic: 978-1-61300-546-0

DOI: http://dx.doi.org/10.12999/AWWA.C702.19

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher.

Copyright © 2020 by American Water Works Association
Printed in USA

Documents
Document Sharing Hub

Copyright © 2020 American Water Works Association. All Rights Reserved

Full document details: ANSI AWWA C702-19

Committee Personnel

The AWWA Subcommittee on Compound and Fire-Service Meters, which developed this standard, had the following personnel at the time:

George H. De Jarlais, *Chair*

M.J. Aragon, Denver Water, Denver, Colo.
R.A. Barillas, Badger Meter, Milwaukee, Wis.
T.D. Bianchi, Neptune Technology Group Inc., Tallassee, Ala.
M.C. Bowen, City of Columbus, Division of Water, Columbus, Ohio
D. Casper, Mueller Systems, Cleveland, N.C.
J. Conover Jr., City of Sacramento, Sacramento, Calif.
G.H. De Jarlais, Badger Meter, Milwaukee, Wis.
D. Faber, Faber & Associates, Columbus, Ind.
R. Gallon, Zenner USA, Banning, Calif.
L. Gregory, RG3 Meter Company, Longview, Tex.
A. Hendey Sr., Hendey Meter, Beaumont, Calif.
D.E. Hood, M.E. Simpson Company Inc., Valparaiso, Ind.
A.M. Horbovetz, M.E. Simpson Company Inc., Valparaiso, Ind.
R.N. Koch, Master Meter Inc., Pittsburgh, Pa.
J. Pintok, RG3 Meter Company, Lake Mary, Fla.
J.A. Reiss, Elster AMCO Water LLC, Ocala, Fla.
J.R. Scarborough III, Neptune Technology Group Inc., Tallassee, Ala.
T. Smith, Sensus, Morrisville, N.C.
S.M. Swanson, Sensus, Uniontown, Pa.
M.A. Thomas, Mueller Systems, Cleveland, N.C.
W.J. Vetter, Master Meter Inc., Mansfield, Tex.
A.M. Watson, Elster AMCO Water LLC, Ocala, Fla.

The AWWA Standards Committee on Water Meters, which reviewed and approved this standard, had the following personnel at the time of approval:

Thomas A. Kelly Jr., *Chair*
Michael L. Mastic, *Secretary*

General Interest Members

J.E. Cray, Wright-Pierce, Andover, Mass.
A. Dabak, Texas Instruments, Dallas, Tex.

Documents
Document Sharing Hub
Copyright © 2020 American Water Works Association. All Rights Reserved
Full document details: ANSI AWWA C702-19

D. Faber, Faber & Associates, Columbus, Ind.
R.C. Graff, Poway, Calif.
J.G. Gunn (*alternate*), Johnson Controls Inc., Victor, N.Y.
C.C. Hannah, Johnson Controls, Inc., Lubbock, Tex.
D.E. Hood, M.E. Simpson Company Inc., Valparaiso, Ind.
A.M. Horbovetz (*alternate*), M.E. Simpson Company Inc., Valparaiso, Ind.
M.C. Johnson, Utah Water Research Laboratory, Utah State University, Logan, Utah
F.S. Kurtz (*liaison, nonvoting*), Standards Engineer Liaison, AWWA, Denver, Colo.
M.L. Mastic, MARS Company, Ocala, Fla.
R.A. Richter, National Institute of Standards and Technology, Gaithersburg, Md.
S. Thakurdesai (*alternate*), Texas Instruments, Dallas, Tex.

Producer Members

F.J. Begale (*alternate*), Badger Meter, Milwaukee, Wis.
T.D. Bianchi, Neptune Technology Group Inc., Tallassee, Ala.
C. Brunson (*alternate*), Neptune Technology Group Inc., Tallassee, Ala.
D. Casper (*alternate*), Mueller Systems, Cleveland, N.C.
M.D. Cole, Meter Technology Werks, Tampa, Fla.
G.H. De Jarlais, Badger Meter, Milwaukee, Wis.
D.J. Devane, Zenner USA, Leeds, Ala.
L. Gregory (*alternate*), RG3 Meter Company, Longview, Tex.
A. Hendey Sr., Hendey Meter, Beaumont, Calif.
R.N. Koch, Master Meter Inc., Pittsburgh, Pa.
M. Laird (*alternate*), Metron-Farnier LLC, Boulder, Colo.
J.A. McCraven, Mueller Systems, Cleveland, N.C.
J. Pintok, RG3 Meter Company, Lake Mary, Fla.
J.A. Reiss (*alternate*), Elster AMCO Water LLC, Ocala, Fla.
M. Shamley, Metron-Farnier LLC, Boulder, Colo.
T. Smith (*alternate*), Sensus, Morrisville, N.C.
S.M. Swanson, Sensus, Uniontown, Pa.
W.J. Vetter (*alternate*), Master Meter Inc., Mansfield, Tex.
A.M. Watson, Elster AMCO Water LLC, Ocala, Fla.

Copyright © 2020 American Water Works Association. All Rights Reserved
Documents
Document Sharing Hub
Full document details: ANSI AWWA C702-19

User Members

M.J. Aragon, Denver Water, Denver, Colo.

M.C. Bowen, City of Columbus, Division of Water, Columbus, Ohio

J. Conover Jr., City of Sacramento, Sacramento, Calif.

W.F. Dunnill, Consolidated Utility District of Rutherford County, Murfreesboro, Tenn.

W.M. Garfield, Arizona Water Company, Phoenix, Ariz.

G.M. Gehringer, City of Philadelphia, Philadelphia, Pa.

D. Griffin, City of Winnipeg Water and Waste Department, Winnipeg, Man.

P.A. Hayes, Mammoth Community Water District, Mammoth Lakes, Calif.

D.M. Hill, American Water, Voorhees, N.J.

N.D. Kaufman, Truckee Donner Public Utility District, Truckee, Calif.

T.A. Kelly Jr., Washington Suburban Sanitary Commission, Laurel, Md.

A. Land, Dallas Water Utilities, Dallas, Tex.

S.U. Mills-Wright (*liaison, nonvoting*), Standards Council Liaison, Dallas Water Utilities, Dallas, Tex.

R. Molhoek, Desert Water Agency, Palm Springs, Calif.

K.C. Molli, Veolia Water North America, Chicago, Ill.

J.A. Novak, Milwaukee Water Works, Milwaukee, Wis.

R. Sloan, Birmingham Water Works Board, Birmingham, Ala.

D. Strub, Austin Water Utility, Austin, Tex.

Copyright © 2020 American Water Works Association. All Rights Reserved

Documents
Document Sharing Hub

Full document details: ANSI AWWA C702-19

This page intentionally blank.

Copyright © 2020 American Water Works Association. All Rights Reserved

Documents
Document Sharing Hub

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC. PAGE

Foreword

I Introduction ix
I.A Background ix
I.B History ix
I.C Acceptance ix
II Special Issues xi
II.A Chlorine and Chloramine Degradation of Elastomers xi
III Use of This Standard xi
III.A Purchaser Options and Alternatives xi
III.B Modification to Standard xii
IV Major Revisions xii
V Comments xii

Standard

1 General

1.1 Scope 1
1.2 Purpose 1
1.3 Application 1

2 References 2

3 Definitions 4

4 Requirements

4.1 Materials 4
4.2 General Design 8
4.3 Detailed Design 9
4.4 Marking 14

SEC. PAGE

5 Verification

5.1 Basis for Rejection 14

6 Delivery

6.1 Packaging and Shipping 15
6.2 Affidavit of Compliance 15

Appendix

A Supplemental Information 17
A.1 Units of Measurement 17
A.2 Register Types 17
A.3 Tests 17
A.4 Testing Equipment 19
A.5 Registration Accuracy 19
A.6 Periodic Tests 21
A.7 Meter Storage 22
A.8 Installation 22
A.9 Service Bypass Around Meter 23

Tables

1 Operating Characteristics for Class II Compound Meters 8
2 Meter Dimensions 8
3 Span of Changeover Flow Rates for Class II Compound Meters 9
4 Physical Characteristics of Companion Flanges 10
5 Maximum Indication on Test Circle and Minimum Register Capacity 11
A.1 Average Recommended Interval Between Meter Tests 22

Copyright © 2020 American Water Works Association. All Rights Reserved

Documents
Document Sharing Hub

Full document details: ANSI AWWA C702-19

This page intentionally blank.

Copyright © 2020 American Water Works Association. All Rights Reserved

Documents
Document Sharing Hub

Foreword

This foreword is for information only and is not a part of ANSI/AWWA C702.*

I. Introduction.

I.A. *Background.* The first compound-type water meter was developed in 1914, when it became evident that there was a need for a measuring device combining a valve with a small displacement-type bypass meter. The new meter would, by design, divert and register water at flow rates below the minimum flow-rate capability of the main water-line meter, which was usually of the turbine type.

Initially, standard meters of the turbine type and displacement type were assembled into units with suitable valves. Mainline meter cases were first made of cast iron, but after five or six years, some were made of bronze. In the field, meters were also converted to the compound type by the attachment of bypass meters and diversion valves.

Currently, some compound-type meters are made almost entirely of bronze in single mainline cases. Others continue to be constructed with cast-iron cases. Some compound-type meters are assembled units, particularly those in large sizes. Compound-type meters have applications in commercial, industrial, and institutional services where wide ranges of flow rates are encountered.

I.B. *History.* The first standard that covered compound-type meters was adopted by the New England Water Works Association (NEWWA) in March 1923, and by the American Water Works Association (AWWA) on May 24, 1923. On Jan. 14, 1946, the standard was approved as tentative as AWWA 7M.3-T. On July 25, 1947, the standard was approved under the designation 7M.3-1947/C702-47. Subsequent editions of the standard were approved by the AWWA Board of Directors on Jan. 26, 1970; Jan. 28, 1978; June 22, 1986; June 18, 1992; Jan. 21, 2001; Jan. 17, 2010; and Jan. 24, 2015. This edition was approved on Oct. 28, 2019.

I.C. *Acceptance.* In May 1985, the US Environmental Protection Agency (USEPA) entered into a cooperative agreement with a consortium led by NSF International (NSF) to develop voluntary third-party consensus standards and a certification program for direct and indirect drinking water additives. Other members of the original consortium included the Water Research Foundation (formerly AwwaRF) and the Conference of State Health and Environmental Managers (COSHEM). AWWA and the Association of State Drinking Water Administrators (ASDWA) joined later.

* American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036.

Documents
Document Sharing Hub
Copyright © 2020 American Water Works Association. All Rights Reserved
Full document details: ANSI AWWA C702-19

In the United States, authority to regulate products for use in, or in contact with, drinking water rests with individual states.* Local agencies may choose to impose requirements more stringent than those required by the state. To evaluate the health effects of products and drinking water additives from such products, state and local agencies may use various references, including

1. Specific policies of the state or local agency.

2. Two standards developed under the direction of NSF,† NSF/ANSI/CAN‡ 60, Drinking Water Treatment Chemicals—Health Effects, and NSF/ANSI/CAN 61, Drinking Water System Components—Health Effects.

3. Other references, including AWWA standards, *Food Chemicals Codex, Water Chemicals Codex,*§ and other standards considered appropriate by the state, local, or provincial agency.

Various certification organizations may be involved in certifying products in accordance with NSF/ANSI/CAN 61. Individual states or local agencies have authority to accept or accredit certification organizations within their jurisdictions. Accreditation of certification organizations may vary from jurisdiction to jurisdiction.

Annex A, "Toxicology Review and Evaluation Procedures," to NSF/ANSI/CAN 61 does not stipulate a maximum allowable level (MAL) of a contaminant for substances not regulated by a USEPA final maximum contaminant level (MCL). The MALs of an unspecified list of "unregulated contaminants" are based on toxicity testing guidelines (noncarcinogens) and risk characterization methodology (carcinogens). Use of Annex A procedures may not always be identical, depending on the certifier.

In an alternative approach to inadvertent drinking water additives, some jurisdictions (including California, Louisiana, Maryland, and Vermont at the time of this writing) are calling for reduced lead limits for materials in contact with potable water. Various third-party certifiers have been assessing products against these lead content criteria, and a first-edition ANSI-approved national standard, NSF/ANSI 372, Drinking Water System Components—Lead Content, was published in 2010.

On Jan. 4, 2011, legislation was signed revising the definition for "lead free" within the Safe Drinking Water Act (SDWA) as it pertains to "pipe, pipe fittings, plumbing fittings, and fixtures." The changes went into effect on Jan. 4, 2014. In brief, the new

---

* Persons outside the United States should contact the appropriate authority having jurisdiction.

† NSF International, 789 North Dixboro Road, Ann Arbor, MI 48105.

‡ Standards Council of Canada, 55 Metcalfe Street, Suite 600, Ottawa, ON K1P 6L5 Canada.

§ Both publications available from National Academy of Sciences, 500 Fifth Street, N.W., Washington, DC 20001.

Documents
Document Sharing Hub
Copyright © 2020 American Water Works Association. All Rights Reserved
Full document details: ANSI AWWA C702-19

provisions to the SDWA require that these products meet a weighted average lead content of not more than 0.25 percent.

ANSI/AWWA C702 does not address additives requirements. Users of this standard should consult the appropriate state or local agency having jurisdiction in order to

1. Determine additives requirements, including applicable standards.
2. Determine the status of certifications by parties offering to certify products for contact with, or treatment of, drinking water.
3. Determine current information on product certification.

II. Special Issues.

II.A. *Chlorine and Chloramine Degradation of Elastomers.* The selection of materials is critical for water service and distribution piping in locations where there is a possibility that elastomers will be in contact with chlorine or chloramines. Documented research has shown that elastomers such as gaskets, seals, valve seats, and encapsulations may be degraded when exposed to chlorine or chloramines. The impact of degradation is a function of the type of elastomeric material, chemical concentration, contact surface area, elastomer cross section, environmental conditions, and temperature. Careful selection of and specifications for elastomeric materials and the specifics of their application for each water system component should be considered to provide long-term usefulness and minimum degradation (swelling, loss of elasticity, or softening) of the elastomer specified.

III. Use of This Standard. It is the responsibility of the user of an AWWA standard to determine that the products described in that standard are suitable for use in the particular application being considered.

III.A. *Purchaser Options and Alternatives.* The following information should be provided by the purchaser:

1. Standard used—that is, ANSI/AWWA C702, Cold-Water Meters—Compound Type, of latest edition.
2. Whether compliance with NSF/ANSI/CAN 61, Drinking Water System Components—Health Effects; NSF/ANSI 372, Drinking Water System Components—Lead Content; or an alternative lead content criterion is required.
3. If specific warranty provisions will be required.
4. Limitations on acceptable materials, if any, as referenced throughout Sec. 4.1.
5. Details of federal, state, and local requirements (Sec. 4.1).
6. Restrictions on corrosion-resistance treatment process (Sec. 4.1.8), if any.
7. Sizes of meters (Sec. 4.2.1) and quantity required.
8. Length of filler piece (Sec. 4.2.3) if required.

Copyright © 2020 American Water Works Association. All Rights Reserved

Documents
Document Sharing Hub

Full document details: ANSI AWWA C702-19