

ANSI/AWWA **G560-22**
(First Edition)

AWWA Standard

Stormwater Management for Water Utilities

Effective date: June 1, 2022.

This edition approved Board of Directors Jan. 13, 2022.

Approved by American National Standards Institute Jan. 7, 2022.



American Water Works
Association



AWWA Management Standard

This document is an American Water Works Association (AWWA) management standard. It is not a specification. AWWA management standards describe consensus requirements for utility management practices. The use of AWWA management standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or codes of any governmental authority. AWWA management standards are intended to represent a consensus of the water industry of requirements and practices that utilities should strive to achieve. When AWWA revises or withdraws this standard, an official notice of action will be placed in the Official Notice section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of ANSI approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; (212) 642-4900, or e-mailing info@ansi.org.



All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher. Please send any requests or questions to permissions@awwa.org.

ISBN-13, print: 978-1-64717-088-2

ISBN-13, electronic: 978-1-61300-622-1

DOI: 10.12999/AWWA.G560.22

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher. Please send any requests or questions to permissions@awwa.org.

Copyright © 2022 by American Water Works Association
Printed in USA

Committee Personnel

The AWWA Standards Committee on Stormwater Utility Management, which reviewed and approved this standard, had the following personnel at the time of approval:

Chi Ho Sham, *Chair*

Jonathan E. Jones, *Vice Chair*

Service Provider/Consulting Services

S. Brown, Storm and Stream Solutions LLC, Alexandria, Va.

S. Deitche, Greenman-Pedersen Inc., Tampa, Fla.

J.E. Jones, Wright Water Engineers Inc., Denver, Colo.

D. Mason (*liaison, nonvoting*), Standards Council Liaison, Midwest Environmental Management Services LLC, Holden, Mo.

H.M. Rogers (*alternate*), Wright Water Engineers Inc., Denver, Colo.

C.H. Sham, Eastern Research Group, Lexington, Mass.

Management Interest Members

G. Conley, 2nd Nature, Santa Cruz, Calif.

N.S. Grigg, Colorado State University, Fort Collins, Colo.

F.S. Kurtz (*liaison, nonvoting*), AWWA Standards Engineer Liaison, Denver, Colo.

R.E. Pitt, University of Alabama, Birmingham, Ala.

P. Rogers, University of Southern Mississippi, Hattiesburg, Miss.

Utility/User Members

J. Gano, City of Des Moines Public Works, Des Moines, Iowa

C. Hudson, Beaver Water District, Lowell, Ark.

H. Judd, Town of Gilbert, Gilbert, Ariz.

E. Kemper, City of Springfield, Springfield, Mo.

I. McSweeney, Boston Water and Sewer Commission, Boston, Mass.

This page intentionally blank.

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC.	PAGE	SEC.	PAGE
<i>Foreword</i>		4.4	Operations and Maintenance 18
I	Introduction..... vii	4.5	Emergency Preparation and Response 20
I.A	Background..... vii	4.6	Public Outreach/Communication ... 23
I.B	History..... x	5	Verification
I.C	Acceptance x	5.1	Documentation Required..... 24
II	Special Issues x	6	Delivery 26
II.A	Advisory Information on Application of Standards x	<i>Appendix</i>	
III	Use of This Standard x	A	Bibliography..... 27
III.A	Options and Alternatives..... x	<i>Figures</i>	
III.B	Modification to Standard x	1	Unified Stormwater Sizing Criteria and Objectives..... 9
IV	Major Revisions..... xi	2	Representation of an Integrated Stormwater Management System..... 9
V	Comments xi	3	An Example of the Types of Actions Necessary to Protect Receiving Waters 10
<i>Standard</i>		4	Treatment-Train Approach to Managing Stormwater Runoff..... 12
1	General	5	The Stormwater BMP Toolbox 13
1.1	Scope 1	<i>Table</i>	
1.2	Purpose 1	1	Unit Processes for Pollutants of Concern and Runoff Volume Management 11
1.3	Application 2		
2	References 2		
3	Definitions 4		
4	Requirements		
4.1	Addressing Water Quality Issues 5		
4.2	Addressing Water Quantity Issues.... 14		
4.3	Design..... 16		

This page intentionally blank.

Foreword

This foreword is for information only and is not a part of ANSI /AWWA G560.*

I. Introduction.

I.A. *Background.* The AWWA Utility Management G-Series Standards Program is designed to serve water, wastewater, reuse, and stormwater utilities—hereafter, the water sector; its customers; owners; service providers; and government regulators. The standards developed under the program are generally intended to improve a utility's overall operations and services. Among these standards is this effort to establish formal management and operations guidelines. These guidelines identify appropriate practices, procedures, and behaviors whose implementation will promote effective and efficient utility operations and contribute to the protection of public health, public safety, and the environment.

The Utility Management G-Series Standards were developed to assist utilities with identifying and implementing applicable best management practices. To further enhance the use of the Standards, the AWWA Utility Quality Management Committee developed both self-assessment and peer-review programs to assist utilities that choose to meet performance criteria contained within the Standards. The Committee developed a framework for the stringent expectations of all Utility Management Standards, as follows:

- Utility Management Standards are voluntary, and their intent is to provide guidance toward best management practices.
- The requirements set forth in the Standards describe best practices that are achievable but not necessarily the best of class.
- The language used in the Standards should avoid requirements related to numeric values and words such as “shall” or “must” in areas that describe or could be considered in exceedance of existing local and/or federal regulations.

AWWA's standards process has been used for more than 100 years to produce American National Standards Institute (ANSI)-approved standards for materials and processes that are used by the water sector. These standards are recognized worldwide and have been adopted by many utilities and organizations. Likewise, this management standard is developed using the same ANSI-recognized formal process. Volunteer standards committees establish standard practices in a uniform and appropriate format.

* American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036.

Formal AWWA standards committees have formed and continue to be formed to address the individual standards practices for the diverse areas of the water sector. A formal standards committee was formed in January 2015 to develop this standard for stormwater management.

AWWA has developed a series of utility management standards designed to cover the principal activities of water sector utilities. Some examples of the individual topics in this series include those for water treatment plant operation and management, distribution system operation and management, source water protection, emergency preparedness practices, security practices, communication and customer relations, business practices, water conservation program operation and management, reclaimed water operation and management, as well as wastewater collection system operation and management, and wastewater treatment plant operations and management.

Because drinking water utilities, wastewater utilities, stormwater utilities, and other management agencies often have different mandates, this first edition of ANSI/AWWA G560 is targeted specifically to drinking water utilities—that is, to provide guidance on those stormwater issues that these utilities need to address to protect their operations. Future editions of this standard, or possibly future standalone AWWA standards, are planned to address stormwater issues beyond those for drinking water utilities to include stormwater management for wastewater and stormwater utilities.

The objective of this first edition of ANSI/AWWA G560 is to provide general and conceptual guidance to drinking water utilities regarding major aspects of stormwater quantity and quality management issues. Because of the complexity and variability associated with how stormwater is managed across various jurisdictions and organizations (e.g., municipal public work departments, state highway departments, and private landowners, to name a few) in North America, this standard focuses on the role of drinking water utilities to improve their operations to manage stormwater impacts on their source waters from both the quality and quantity points of view. For example, depending on the settings of a water utility, it may have to address: (1) management of stormwater generated on its properties, (2) source water protection strategies to ensure water entering the treatment facility is of appropriate quality (as outlined in [ANSI/AWWA G300](#), Source Water Protection), (3) treatment of degraded water quality as impacted by stormwater, (4) management of stormwater quantity as a supply source (where relevant), and (5) stormflow and flooding associated with extreme events. A great deal of good technical and programmatic information is available from the American Society of Civil Engineers, Water Environment Federation, and US Environmental Protection Agency (USEPA), as well as many state and municipal

governmental entities, such as the Mile High Flood District in Denver, Colo. (see Section 2 and Appendix A for additional resources).

Because stormwater characteristics are dependent on local conditions, management practices must be matched with local factors such as hydrology, watershed characteristics, groundwater properties, land use, and development history, among others. Contaminants of concern in rural areas (e.g., pesticides and nutrients from agricultural lands) will differ from those contaminants of concern in urban areas (e.g., industrial chemicals and roadway pollutants such as deicing salts and motor vehicle fluids).

In addition, stormwater in urban areas can mix with sanitary wastewater (in combined sewers) or be conveyed in separate systems (municipal separate storm sewer systems, or MS4), which results in significant differences in water quality and microbial concerns. Therefore, different approaches and management practices should be evaluated and deployed to obtain the desirable outcomes to protect source water quality. In other words, a central role in managing stormwater is coordination with programs outside of the drinking water utility to tackle local issues that would impact the operation of the drinking water utility.

Apart from the impacts on water quality, stormwater from urban areas is frequently associated with quantity issues (e.g., increased stormflow and modified baseflow) due to such factors as increased impervious surfaces (with particular concern for directly connected impervious areas), which affect water availability at the local level (e.g., difficulties to capture stormflow with shortened time of concentration and increased volume using limited storage facilities), soil compaction, speeding up flows in storm drains, channels, and gutters, and other factors. Furthermore, increased stormflow affects water quality through soil and streambank erosion, along with mobilization of contaminants in sediment and on land surfaces.

It should be stressed that interdisciplinary and cross-disciplinary approaches are essential to develop and deploy management practices on stormwater. Professionals with technical knowledge in hydrology, hydrogeology, fluvial geomorphology, hydrometeorology, hydraulics, water resources planning, landscape ecology, soil science, forestry, and land use planning, among other disciplines, are needed to manage stormwater on a local and regional level.

On the basis of the discussion above, a one-size-fits-all approach is neither effective nor efficient for managing stormwater. Therefore, the intent of this standard is to outline a framework for water utilities to formulate their strategies and programs to assess and mitigate the impacts of stormwater on their operations to protect public

health, safety, and welfare, and to address water availability (with stormwater viewed as a resource). “Ensuring long-term reliability and resiliency of water delivery, along with protecting public health from the source to the tap, are paramount for water utilities. ... The management of water, wastewater, reuse, stormwater, and other lower-quality water is all closely inter-related, and each is a valuable resource. Total Water Solutions is an approach that values each of these components of the water cycle with the adage of ‘one water, many solutions’” (Davis et al. 2016).[†]

I.B. *History.* This is the first edition of this standard. It was approved by the AWWA Board of Directors on Jan. 13, 2022.

I.C. *Acceptance.* There is no applicable information for this section.

II. Special Issues.

II.A. *Advisory Information on Application of Standards.* This standard includes only those requirements that are limited exclusively to stormwater management programs for water utilities. The standard does not specifically address stormwater management practices required of and implemented by entities outside of the jurisdiction of the water utilities. There are numerous references and toolkits developed by organizations that devote much of their efforts to stormwater management. In addition, the user of this standard may want to consult other AWWA management standards such as [ANSI/AWWA G300](#), Source Water Protection; [ANSI/AWWA G430](#), Security Practices for Operation and Management; [ANSI/AWWA G440](#), Emergency Preparedness Practices; and [ANSI/AWWA G420](#), Communication and Customer Relations, to name a few.

III. Use of This Standard. It is the responsibility of the user of an AWWA standard to determine that the approaches and methods described in that standard are suitable for use in the particular application being considered.

III.A. *Options and Alternatives.* The following information should be provided by the user:

1. Standard used—that is, ANSI/AWWA G560, Stormwater Management for Water Utilities, of latest revision.
2. Details of federal, state, provincial, territorial, and local requirements (Section 4).

III.B. *Modification to Standard.* There is no applicable information for this section.

[†] Davis, W.Y, C.H. Sham, T.E. Dumm, L.R. Kammereck. 2016. “Total Water Solutions: Integrated Water Resource Planning.” *Journal AWWA*, 108:5:18–22.

IV. Major Revisions. This is the first edition of the standard.

V. Comments. If you have any comments or questions about this standard, please call AWWA Engineering and Technical Services at 303.794.7711, FAX at 303.795.7603, write to the department at 6666 West Quincy Avenue, Denver, CO 80235-3098, or email at standards@awwa.org.

This page intentionally blank.



**American Water Works
Association**

Dedicated to the World's Most Important Resource®

ANSI/AWWA G560-22
(First Edition)

AWWA Standard

Stormwater Management for Water Utilities

SECTION 1: GENERAL

Sec. 1.1 Scope

This standard describes the critical requirements for the effective management of stormwater by a water utility.

Sec. 1.2 Purpose

The purpose of this standard is to define the minimum requirements for a water utility's stormwater management program, including management of stormwater on water utility sites, addressing water quality and water quantity issues, planning and design of stormwater programs, and incorporation of stormwater in integrated water resource planning and management. Stormwater management and flood control are typically the responsibility of local governments, regional flood districts, and sometimes federal agencies such as the US Army Corps of Engineers (USACE), to which the utility oftentimes provides water services. Consequently, the utility will often be working with the government's relevant programs and activities already. This standard outlines elements for water utilities to consider in managing their own stormwater and stormwater generated outside their jurisdiction.

Sec. 1.3 Application

This standard can be referenced in the development and evaluation of source water programs. Given the management of stormwater is far reaching in geographical coverage and will span over many years, it is not expected that a water utility would complete all aspects of its stormwater management program within a short timeframe of 5 to 10 years. The water utility should revisit its program periodically to consider needed program improvements due to climate change, which can impact both the volume of stormwater and its intensity. The water utility should demonstrate meaningful progress in the various aspects of its stormwater management program through monitoring and routine evaluation of program performance outcomes.

SECTION 2: REFERENCES

This standard references the following documents. In their latest editions, they form a part of this standard to the extent specified within the standard. In any case of conflict, the requirements of this standard shall prevail.

[ANSI*/AWWA G300](#)—Source Water Protection.

[ANSI/AWWA G420](#)—Communication and Customer Relations.

[ANSI/AWWA G430](#)—Security Practices for Operation and Management.

[ANSI/AWWA G440](#)—Emergency Preparedness Practices.

ASCE[†], USEPA[‡], WRF, et al.—International Stormwater BMP Database, bmpdatabase.org.

ASCE/WEF[§]—*Design of Urban Stormwater Controls*.

ASCE/WEF—*Urban Runoff Quality Management*, WEF Manual of Practice No. 23/ASCE Manual and Report on Engineering Practice No. 87, 1998.

ASCE—*Design of Urban Runoff Quality Controls* (1988).

ASCE—*Great Works on Urban Water Resources (1962–2001)* (2006).

ASCE—*Linking Stormwater BMP Designs and Performance to Receiving Water Impact Mitigation* (2001).

[AWWA Manual M19](#)—*Emergency Planning for Water and Wastewater Utilities*, Fifth Edition, 2018.

* American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036.

† American Society of Civil Engineers, 1801 Alexander Bell Drive, Reston, VA 20191.

‡ Environmental Protection Agency, 1200 Pennsylvania Avenue, N.W., Washington, DC 20460.

§ Water Environment Federation, 601 Wythe Street, Alexandria, VA 22314.