

Reaffirmed by ANSI  
June 28, 2011

Reaffirmed by ANSI  
June 17, 2016

---

---

---

## AMERICAN NATIONAL STANDARD

# Guide for the Measurement and Evaluation of Human Exposure to Vibration Transmitted to the Hand

---

---

---

ANSI S2.70-2006  
(Revision of ANSI S3.34-1986)

Accredited Standards Committee S2, Mechanical Vibration and Shock

---

Standards Secretariat  
Acoustical Society of America  
35 Pinelawn Road, Suite 114 E  
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



AMERICAN NATIONAL STANDARD

# **Guide for the Measurement and Evaluation of Human Exposure to Vibration Transmitted to the Hand**

**Secretariat**

**Acoustical Society of America**

**Approved 19 May 2006**

**American National Standards Institute, Inc.**

## **Abstract**

This standard specifies the recommended method for the measurement, data analysis, vibration and health risk assessments, and reporting of human exposure to hand-transmitted vibration. A standard format is established for measurement, data analysis, vibration and health risk assessments, and reporting of hand-transmitted vibration, periodic or random, in three orthogonal axes, in the frequency range from 5.6 Hz to 1,400 Hz. Three normative annexes provide guidance for vibration and health risk assessments, mitigating health risks, training, and medical surveillance related to hand-transmitted vibration.

## AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute.


These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the accredited Standards Committees [operating in accordance with procedures approved by American National Standards Institute (ANSI)] is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America  
ASA Secretariat  
35 Pinelawn Road, Suite 114E  
Melville, New York 11747-3177  
Telephone: 1 (631) 390-0215  
Fax: 1 (631) 390-0217  
E-mail: [asastds@aip.org](mailto:asastds@aip.org)

© 2006 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

## Contents

|         |                                                                                  |    |
|---------|----------------------------------------------------------------------------------|----|
| 1       | Scope .....                                                                      | 1  |
| 2       | Normative references.....                                                        | 1  |
| 3       | Terms and definitions.....                                                       | 2  |
| 4       | Symbols .....                                                                    | 2  |
| 5       | General considerations .....                                                     | 3  |
| 6       | Characterization of hand-transmitted vibration exposure .....                    | 4  |
| 6.1     | Magnitude of vibration.....                                                      | 4  |
| 6.2     | Frequency spectrum of vibration.....                                             | 4  |
| 6.3     | Direction of vibration .....                                                     | 7  |
| 6.4     | Daily vibration exposure.....                                                    | 7  |
| 7       | Measurement of hand-arm vibration.....                                           | 8  |
| 8       | Information to be reported.....                                                  | 8  |
| Annex A | Vibration exposure and health risk assessments .....                             | 11 |
| A.1     | Daily exposure action and limit values.....                                      | 11 |
| A.2     | Vibration exposure assessment.....                                               | 12 |
| A.3     | Health risk assessment.....                                                      | 12 |
| Annex B | Mitigating health risks associated with hand-transmitted vibration exposure..... | 14 |
| B.1     | Guidelines to avoid or reduce potential health risks .....                       | 14 |
| B.2     | Low vibration tools and personal protective equipment.....                       | 14 |
| Annex C | Training and medical surveillance .....                                          | 15 |
| C.1     | Training .....                                                                   | 15 |
| C.2     | Health surveillance.....                                                         | 15 |

## Tables

|                                                                                                                                                                                    |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Table 1 — ISO frequency-weighting factors, $W_{hi}$ , for hand-transmitted vibration for conversion of one-third octave band magnitudes to ISO frequency-weighted magnitudes ..... | 5 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

## Figures

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Figure 1 — Coordinate system for the hand. The origin of the system lies in the head of the third metacarpal, and the $z_{(hand)}$ axis is defined by the longitudinal axis of that bone. The $x$ axis projects forward from the origin when the hand is in the normal anatomical position (palm facing forward). The $y$ axis passes through the origin and is perpendicular to the $x$ axis. When the hand is gripping a cylindrical handle, the coordinate system shall be rotated so that the $y_h$ axis is parallel to the axis of the handle. (a) "Handgrip" position. In this position, the hand adopts a standardized grip on a cylindrical bar of radius 2 cm. (b) "Flat palm" position. In this position, the hand presses down onto a spherical surface of radius 5 cm. .... | 6 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

|                                                                                                                    |    |
|--------------------------------------------------------------------------------------------------------------------|----|
| Figure A.1 — Plots of the $a_{hv(DEAV)}$ and $a_{hv(DELV)}$ values for vibration exposure times other than 8 hours | 12 |
|--------------------------------------------------------------------------------------------------------------------|----|

|                                                                                              |    |
|----------------------------------------------------------------------------------------------|----|
| Figure A.2 — Plot of $D_y$ as a function of the daily vibration exposure value, $A(8)$ ..... | 13 |
|----------------------------------------------------------------------------------------------|----|

## Foreword

*[This Foreword is for information only and is not a part of the American National Standard ANSI S2.70-2006 American National Standard Guide for the Measurement and Evaluation of Human Exposure to Vibration Transmitted to the Hand.]*

This standard comprises a part of a group of definitions, standards, and specifications for use in mechanical vibration and shock. It was developed and approved by Accredited Standards Committee S2, Mechanical Vibration and Shock, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S2 is as follows:

*Standards, specifications, methods of measurement and test, and terminology in the field of mechanical vibration and shock and condition monitoring and diagnostics of machines, including the effects of exposure to mechanical vibration and shock on humans, including those aspects which pertain to biological safety, tolerance, and comfort.*

This standard is a revision of ANSI S3.34-1986 (R 1997), which has been technically revised. The revisions incorporated into this standard make the measurement and data analysis procedures of the standard compatible with the corresponding procedures specified in ISO 5349 – Part 1 and ISO 5349 – Part 2. Vibration and health risks assessment procedures, methods for mitigating the potential for workers developing symptoms related to hand-arm vibration syndrome (HAVS), and training and medical surveillance guidelines have been added to this standard.

This standard is not comparable to any existing ISO Standard.

At the time this Standard was submitted to Accredited Standards Committee S2, Mechanical Vibration and Shock, for approval, the membership was as follows:

R.J. Peppin, *Chair*

D.J. Evans, *Vice-Chair*

S.B. Blaeser, *Secretary*

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| <b>Acoustical Society of America</b> .....           | S.I. Hayek            |
| .....                                                | B.E. Douglas (Alt.)   |
| <b>Acquip, Inc.</b> .....                            | D. Josefsberg         |
| <b>American Industrial Hygiene Association</b> ..... | J.J. Earshen          |
| .....                                                | D. Driscoll (Alt.)    |
| <b>Association of American Railroads</b> .....       | J. Moller             |
| .....                                                | N. Cooperrider (Alt.) |
| <b>BJM Corp.</b> .....                               | W. Kruger             |

|                                                                      |                                     |
|----------------------------------------------------------------------|-------------------------------------|
| <b>Bruel &amp; Kjaer Instruments, Inc.</b> .....                     | M. Alexander<br>J. Chou (Alt.)      |
| <b>Calnetix</b> .....                                                | L. Hawkins<br>P. McMullen (Alt.)    |
| <b>Caterpillar, Inc.</b> .....                                       | D. Roley<br>K.G. Meitl (Alt.)       |
| <b>Emerson Electric – Copeland Corporation</b> .....                 | A.T. Herfat<br>M. Mezache (Alt.)    |
| <b>Endevco</b> .....                                                 | B. Yang                             |
| <b>GE Energy</b> .....                                               | R. Bankert                          |
| <b>Infrared Training Center</b> .....                                | G. Orlove<br>R. Madding (Alt.)      |
| <b>International Council for Machinery Lubrication</b> .....         | J. Fitch<br>D. Troyer (Alt.)        |
| <b>John Deere</b> .....                                              | L. DeVries                          |
| <b>Lord Corporation</b> .....                                        | L. Miller<br>A. Crockett (Alt.)     |
| <b>Mechanical Solutions, Inc.</b> .....                              | W.D. Marscher<br>M. Gaydon (Alt.)   |
| <b>MIMOSA</b> .....                                                  | K. Bever<br>A. Johnston (Alt.)      |
| <b>National Institute for Occupational Safety &amp; Health</b> ..... | R.G. Dong<br>N.K. Kittusamy (Alt.)  |
| <b>National Institute of Standards &amp; Technology</b> .....        | D.J. Evans<br>S. Fick (Alt.)        |
| <b>PCB Group</b> .....                                               | R.D. Sill<br>D. Lally (Alt.)        |
| <b>Power Tool Institute, Inc.</b> .....                              | W.D. Spencer<br>M. Hickok (Alt.)    |
| <b>Quest Technologies, Inc.</b> .....                                | M. Wurm<br>P. Battenberg (Alt.)     |
| <b>Sandia National Laboratory</b> .....                              | V.I. Bateman<br>T.S. Edwards (Alt.) |
| <b>Shock and Vibration Information and Analysis Center</b> .....     | J. Leifer                           |
| <b>Scantek</b> .....                                                 | R.J. Peppin<br>M. Buzduga (Alt.)    |
| <b>Schenck Trebel Corp.</b> .....                                    | B. Dittmar                          |
| <b>Snell Infrared</b> .....                                          | J. Snell                            |

|                                                                  |                       |
|------------------------------------------------------------------|-----------------------|
| <b>Society for Machinery Failure Prevention Technology</b> ..... | A.J. Hess             |
| .....                                                            | H.A. Gaberson (Alt.)  |
| <b>T Solutions</b> .....                                         | H. Penrose            |
| <b>U.S. Air Force</b> .....                                      | S.D. Smith            |
| <b>U.S. Department of Transportation</b> .....                   | B. Marquis            |
| .....                                                            | T. Raslear (Alt.)     |
| <b>U.S. Naval Sea Systems Command</b> .....                      | R. Taddeo             |
| .....                                                            | M.T. McGown (Alt.)    |
| <b>U.S. Naval Surface Warfare Center</b> .....                   | P. Shang              |
| .....                                                            | S. Antonides (Alt.)   |
| <b>UE Systems, Inc.</b> .....                                    | M. Goodman            |
| <b>Vibration Institute</b> .....                                 | R. Eshleman           |
| .....                                                            | D.J. Vendittis (Alt.) |
| <b>Waukesha Magnetic Bearings</b> .....                          | K. Bornstein          |
| .....                                                            | R. Shultz (Alt.)      |

Individual Experts of Accredited Standards Committee S2, Mechanical Vibration and Shock, were:

L.A. Herstein

D.F. Muster

Working Group S2/WG 39, Human Exposure to Mechanical Vibration and Shock, which assisted Accredited Standards Committee S2, Mechanical Vibration and Shock, in the development of this standard, had the following membership.

D.D. Reynolds, Chair  
R.G. Dong, Vice Chair

N. Alem  
M. Cherniack  
N. Cooperrider  
L. DeVries  
T. Jetzer

B. Marquis  
W. Pielemeier  
D. Roley  
S.D. Smith  
E.D. Sussman

D.E. Wasserman  
J. Wasserman  
D. Wilder

Suggestions for improvements of this standard will be welcomed. They should be sent to Accredited Standards Committee S2, Mechanical Vibration and Shock, in care of the Standards Secretariat of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: 631-390-0215; FAX: 631-390-0217; E-mail: [asastds@aip.org](mailto:asastds@aip.org)