

TO: API Specification 6H Monogram Licensees  
API Specification 6H Monogram Applicants  
API Auditors

FROM: Don Whittaker, Manager – Monogram Program/APIQR

DATE: August 3, 2012

RE: API Spec 6H

As of August 3<sup>rd</sup> 2012, API Subcommittee 6, Valves & Wellhead Equipment, unanimously approved the withdrawal of API Spec 6H. The document will no longer be maintained and considered as active within the API Standards document list. It will remain available only as a historical document.

Effective February 4<sup>rd</sup>, 2013, all API Spec 6H licenses/applications will be withdrawn. All manufacturers of monogrammed API Spec 6H equipment shall cease applying the API Monogram on any API Spec 6H products manufactured. All previously issued API Spec 6H Monogram Certificates should be destroyed. Please note that this does not preclude the manufacturing of products meeting the requirements within API Spec 6H; however, the API Monogram cannot be applied to any API Spec 6H products.

Current API Spec 6H Licensees have the following options:

1. Transition to a registration under API Q1, 8<sup>th</sup> Edition, ISO 9001:2008, and/or ISO/TS 2900:2010. You may apply for a QMS Registration that includes a scope to design and manufacture existing API Spec 6H products as applicable. Please follow the instructions found on API's website for completing the application package for APIQR Registration: (<http://www.api.org/certification-programs/api-monogram-program-and-apiqr/applications-forms.aspx>). There will be no application fees, but audit fees apply.

2. Take no further action, resulting in withdrawal of the API Spec 6H license on February 4, 2013.

API will cease accepting API Spec 6H applications effective August 3, 2012. All current API Spec 6H applicants will be contacted with further details concerning fees paid for an API Spec 6H application.

**Please note: If you are currently in the application phase for API Spec 6H and have not been audited, your application will be withdrawn.**

Should you have technical questions regarding the retiring of API Spec 6H, please send all inquiries to [standards@api.org](mailto:standards@api.org)

For Monogram related questions regarding the retiring of API Spec 6H, please send all inquiries to [certification@api.org](mailto:certification@api.org)

# Specification on End Closures, Connectors and Swivels

API SPECIFICATION 6H  
SECOND EDITION, MAY 1, 1998

EFFECTIVE DATE: NOVEMBER 1, 1998  
REAFFIRMED, JULY 2006

ERRATA, DECEMBER 2008





# Specification on End Closures, Connectors and Swivels

**Exploration and Production Department**

API SPECIFICATION 6H  
SECOND EDITION, MAY 1, 1998

EFFECTIVE DATE: NOVEMBER 1, 1998  
REAFFIRMED, JULY 2006

ERRATA, DECEMBER 2008



## SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication date as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Exploration and Production Department [telephone (202) 682-8000]. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the director of the Exploration and Production Department, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

*All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.*

Copyright © 1998 American Petroleum Institute

## FOREWORD

This specification is under the jurisdiction of the API Subcommittee on Standardization of Valves and Well-head Equipment.

American Petroleum Institute (API) Specifications are published as aids to the procurement of standardized equipment and materials, as well as instructions to manufacturers of equipment or materials covered by an API Specification. These Specifications are not intended to obviate the need for sound engineering, nor to inhibit in any way anyone from purchasing or producing products to other specifications.

The formulation and publication of API Specifications and the API monogram program is not intended in any way to inhibit the purchase of products from companies not licensed to use the API monogram.

API Specifications may be used by anyone desiring to do so, and diligent effort has been made by the Institute to assure the accuracy and reliability of the data contained therein. However, the Institute makes no representation, warranty, or guarantee in connection with the publication of any API Specification and hereby expressly disclaims any liability or responsibility for loss or damage resulting from their use, for any violation of any federal, state, or municipal regulation with which an API Specification may conflict, or for the infringement of any patent resulting from the use of an API Specification.

Any manufacturer producing equipment or materials represented as conforming with an API Specification is responsible for complying with all the provisions of that Specification. The American Petroleum Institute does not represent, warrant or guarantee that such products do in fact conform to the applicable API standard or specification.

This standard shall become effective on the date printed on the cover but may be used voluntarily from the date of distribution.

Suggested revisions are invited and should be submitted to the Director of the Exploration and Production Department, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005.



## CONTENTS

|                                               | Page |
|-----------------------------------------------|------|
| 1 SCOPE.....                                  | 1    |
| 2 REFERENCES .....                            | 1    |
| 3 DEFINITIONS.....                            | 2    |
| 4 GENERAL.....                                | 2    |
| 4.1 Fitting Classes .....                     | 2    |
| 4.2 Pressure Ratings .....                    | 3    |
| 4.3 Temperature Ratings .....                 | 3    |
| 4.4 Manufacturer's Hydrostatic Test.....      | 3    |
| 4.5 Dimensions.....                           | 3    |
| 4.6 Welding Ends.....                         | 3    |
| 4.7 Flanged Ends .....                        | 3    |
| 4.8 Bolting .....                             | 3    |
| 5 DESIGN.....                                 | 3    |
| 5.1 Design Methods .....                      | 3    |
| 5.2 Design Documentation .....                | 4    |
| 5.3 Design Review.....                        | 4    |
| 5.4 Design Verification .....                 | 4    |
| 6 MATERIAL.....                               | 4    |
| 6.1 Fitting Material .....                    | 4    |
| 6.2 Nonmetallic Parts.....                    | 4    |
| 6.3 Welding Qualifications .....              | 4    |
| 6.4 Sulfide Stress Cracking—Sour Service..... | 4    |
| 6.5 Low Temperature Requirements.....         | 4    |
| 6.6 Welding Requirements.....                 | 5    |
| 7 MARKING—FITTING MARKING .....               | 5    |
| 8 PIPELINE CLOSURES .....                     | 5    |
| 8.1 Scope .....                               | 5    |
| 8.2 Definition .....                          | 5    |
| 8.3 Description.....                          | 5    |
| 8.4 Common Applications.....                  | 5    |
| 8.5 Other Names .....                         | 5    |
| 8.6 Design .....                              | 6    |
| 8.7 Closure Configurations .....              | 6    |
| 8.8 Materials.....                            | 6    |
| 8.9 Pressure Warning Device.....              | 6    |
| 8.10 Corrosive Service Environment .....      | 6    |
| 8.11 End Configuration .....                  | 6    |
| 9 CONNECTORS.....                             | 8    |
| 9.1 General.....                              | 8    |
| 9.2 Definition .....                          | 8    |
| 9.3 Common Applications.....                  | 8    |

## CONTENTS

|                                                         | Page |
|---------------------------------------------------------|------|
| 9.4 Other Names . . . . .                               | 8    |
| 9.5 Design . . . . .                                    | 8    |
| 9.6 End Configurations . . . . .                        | 8    |
| 9.7 Materials. . . . .                                  | 8    |
| 10 COUPLINGS . . . . .                                  | 8    |
| 10.1 General . . . . .                                  | 8    |
| 10.2 Definition . . . . .                               | 8    |
| 10.3 Description . . . . .                              | 8    |
| 10.4 Common Applications . . . . .                      | 9    |
| 10.5 Other Names . . . . .                              | 9    |
| 10.6 Design . . . . .                                   | 9    |
| 10.7 Materials. . . . .                                 | 9    |
| 10.8 Field Welding. . . . .                             | 9    |
| 11 MISALIGNMENT DEVICES . . . . .                       | 9    |
| 11.1 General . . . . .                                  | 9    |
| 11.2 Definition . . . . .                               | 9    |
| 11.3 Description . . . . .                              | 9    |
| 11.4 Common Applications . . . . .                      | 9    |
| 11.5 Design . . . . .                                   | 10   |
| 11.6 End Configurations . . . . .                       | 10   |
| 11.7 Materials. . . . .                                 | 10   |
| 12 SPLIT MECHANICAL FITTINGS . . . . .                  | 10   |
| 12.1 General . . . . .                                  | 10   |
| 12.2 Definition . . . . .                               | 10   |
| 12.3 Description . . . . .                              | 10   |
| 12.4 Common Applications . . . . .                      | 10   |
| 12.5 Other Names . . . . .                              | 10   |
| 12.6 Design . . . . .                                   | 11   |
| 12.7 Materials. . . . .                                 | 11   |
| 13 QUALITY CONTROL REQUIREMENTS. . . . .                | 11   |
| 13.1 General . . . . .                                  | 11   |
| 13.2 Measuring And Testing Equipment. . . . .           | 11   |
| 13.3 Quality Control Personnel Qualifications . . . . . | 13   |
| 13.4 General Quality Control Requirements. . . . .      | 13   |
| 13.5 Records Requirements . . . . .                     | 13   |
| 14 STORING AND SHIPPING . . . . .                       | 13   |
| 14.1 Painting . . . . .                                 | 13   |
| 14.2 Drawing . . . . .                                  | 13   |
| 14.3 Corrosion Prevention. . . . .                      | 13   |
| 14.4 Sealing Surface Protection. . . . .                | 13   |
| 14.5 Instructions. . . . .                              | 13   |

## CONTENTS

|                                                             | Page |
|-------------------------------------------------------------|------|
| APPENDIX A PURCHASE GUIDELINES . . . . .                    | 15   |
| APPENDIX B PURCHASER INSPECTION . . . . .                   | 17   |
| APPENDIX C METRIC CONVERSIONS . . . . .                     | 19   |
| APPENDIX D MARKING INSTRUCTIONS FOR API LICENSEES . . . . . | 21   |

### Tables

|     |                                                                  |    |
|-----|------------------------------------------------------------------|----|
| 1   | Maximum Operating Pressure Ratings . . . . .                     | 3  |
| 2   | Charpy V Notch Impact Requirements . . . . .                     | 5  |
| 3   | Fitting Marking . . . . .                                        | 5  |
| 4   | Material Specifications—Closures . . . . .                       | 6  |
| 5   | Material Specifications—Connectors . . . . .                     | 9  |
| 6   | Material Specification—Couplings Only . . . . .                  | 10 |
| 7   | Material Specifications—Misalignment Devices Only . . . . .      | 11 |
| 8   | Material Specifications—Split Mechanical Fittings Only . . . . . | 12 |
| D.1 | Fitting Marking for API Licensees . . . . .                      | 21 |