

AHRI Standard 1241 (SI)

2014 Standard for Performance Rating of Active Chilled Beams



we make life better™

2111 Wilson Boulevard, Suite 500
Arlington, VA 22201, USA
www.ahrinet.org
PH 703.524.8800
FX 703.562.1942



Documents
Document Sharing Hub

IMPORTANT

SAFETY RECOMMENDATIONS

AHRI does not set safety standards and does not certify or guarantee the safety of any products, components or systems designed, tested, rated, installed or operated in accordance with this standard/guideline. It is strongly recommended that products be designed, constructed, assembled, installed and operated in accordance with nationally recognized safety standards and code requirements appropriate for products covered by this standard/guideline.

AHRI uses its best efforts to develop standards/guidelines employing state-of-the-art and accepted industry practices. AHRI does not certify or guarantee that any tests conducted under its standards/guidelines will be non-hazardous or free from risk.

Note:

This is a new standard.
For I-P ratings, see AHRI Standard 1240 (I-P)-2014.

TABLE OF CONTENTS

SECTION	PAGE
Section 1. Purpose.....	1
Section 2. Scope.....	1
Section 3. Definitions.....	1
Section 4. Classifications.....	2
Section 5. Standard Equipment.....	3
Section 6. Test Requirements	3
Section 7. Rating Requirements.....	3
Section 8. Minimum Data Requirements for Published Ratings	4
Section 9. Marking and Nameplate Data	6
Section 10. Conformance Conditions	6

TABLES

Table 1. Sound Power Level Rating Tolerances.....	4
---	---

APPENDICES

Appendix A. References – Normative.....	7
Appendix B. References – Informative.....	7