

AS 60870.1.3—1998
IEC 60870-1-3:1997
Reconfirmed 2015

Australian Standard[®]

Telecontrol equipment and systems

Part 1.3: General considerations— Glossary

[IEC title: Telecontrol equipment and systems, Part 1: General considerations, Section Three: Glossary]

This Australian Standard was prepared by Committee IT/24, Supervisory Control and Data Acquisition. It was approved on behalf of the Council of Standards Australia on 23 September 1997 and published on 5 January 1998.

The following interests are represented on Committee IT/24:

Association of Consulting Engineers Australia
AUSTEL
Australasian Railway Association
Australian Electrical and Electronic Manufacturers Association
Australian Fire Authorities Council
Australian Gas Association
Australian Pipeline Industry Association
Australian Security Industry Association
AUSTROADS
CIGRE AP35
Electricity Supply Association of Australia
Fire Protection Association of Australia
Institution of Engineers Australia
Telstra Corporation
Water Services Association of Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 97095.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 60870.1.3—1998

Telecontrol equipment and systems

Part 1.3: General considerations—Glossary

RECONFIRMATION NOTICE

Technical Committee EL-050 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Reconfirmed documents cannot be amended, but may be formally revised and a new edition published.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 31 May 2015.

Reconfirmed documents cannot be amended, but may be formally revised and a new edition published.

The following are represented on Technical Committee EL-050:

Australian Industry Group
Chamber of Commerce and Industry Queensland
Energy Networks Association
Victoria University

NOTES

Australian Standard[®]

Telecontrol equipment and systems

Part 1.3: General considerations— Glossary

First published as AS 60870.1.3—1998.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

PREFACE

This Standard was prepared by the Standards Australia Committee IT/24, Supervisory Control and Data Acquisition.

The Standard is identical with and has been reproduced from IEC 60870-1-3:1997, *Telecontrol equipment and systems*, Part 1: *General considerations* —Section Three:*Glossary*.

IEC has decided to apply a new numbering system, the 60000 series, to all its existing and future publications, including amendments to existing Standards. As a consequence, IEC has modified the bibliographic references in its databases to accord with the new numbering system. All IEC publications issued since the beginning of 1997 will carry references in terms of the 60000 series numbering. Publications printed earlier than 1997 will continue to carry the old series of numbers. For example, a reference to the IEC 60870 series of Standards will be to IEC 870 if the current edition of the Standard was printed prior to 1997.

The objective of this Standard is to provide manufacturers and users of telecontrol equipment and systems with a glossary of telecontrol terms in order to obtain consistency in their usage in Australia.

As this Standard is reproduced from an international Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

The references to international Standards should be replaced by references to the following Australian or Joint Australian/New Zealand Standards.

<i>Reference to International Standard or other Publication</i>		<i>Australian or Joint Australian/New Zealand Standard</i>	
IEC		AS	
60050	International Electrotechnical Vocabulary (IEV)	1852	International Electrotechnical Vocabulary
60050(191)	Chapter 191: Dependability and quality of service	—	
60050(351)	Chapter 351: Automatic Control	—	
60050(371)	Chapter 371: Telecontrol	1852.371	Part 371: Telecontrol
60050(721)	Chapter 721: Telegraphy, facsimile and data communication	—	
60870	Telecontrol equipment and systems	60870	Telecontrol equipment and systems
60870-1-4	Part 1: General considerations Section 4: Basic aspects of telecontrol data transmission and organization of standards IEC 60870-5 and IEC 60870-6	60870.1.4	Part 1.4: General considerations— Basic aspects of telecontrol data transmission and organization of standards IEC 60870-5 and IEC 60870-6
60870-2-1	Part 2: Operating conditions— Section 1: Power supply and electromagnetic compatibility	60870.2.1	Part 2.1: Operating conditions— Power supply and electromagnetic compatibility

IEC		AS	
60870-5-3	Part 5: Transmission protocols— Section 3: General structure of application data	60870.5.3	Part 5.3: Transmission protocols— General structure of application data
60870-5-4	Part 5: Transmission protocols— Section 4: Definition and coding of application information elements	60870.5.4	Part 5.4: Transmission protocols— Definition and coding of application information elements
60870-5-5	Part 5: Transmission protocols— Section 5: Basic application functions	60870.5.5	Part 5.5: Transmission protocols— Basic application functions
60870-5-101	Part 5: Transmission protocols— Section 101: Companion standard for basic telecontrol tasks	—	
60870-6-501	Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations— Section 501: TASE.1 Service definitions	—	
60870-6-502	Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations— Section 502: TASE.1 Protocol definitions	—	
ISO		AS/NZS	
7498	Information technology— Open Systems Interconnection— Basic Reference Model	2777	Information processing systems— Open Systems Interconnection— Basic reference model
7498-1	The Basic Model	2777.1	Part 1: The basic model
7498-2	Part 2: Security Architecture	AS 2777.2	Part 2: Security architecture
8326	Information processing systems— Open Systems Interconnection— Basic connection oriented session service definition	3591	Information processing systems— Open Systems Interconnection— Basic connection oriented session service definition
TR 8509	Information processing systems— Open Systems Interconnection— Service Conventions	3620	Information processing systems— Open Systems Interconnection— Service conventions
8648	Information processing systems— Open Systems Interconnection— Internal organization of the Network Layer	3622	Information processing systems— Open Systems Interconnection— Internal organization of the network layer
ISO/IEC		AS/NZS	
2382	Information technology— Vocabulary	1189	Data processing—Vocabulary
2382-9	Part 9: Data communication	1189.9	Part 9: Data communication
3309	Information technology— Telecommunications and information exchange between systems—High-level data link control (HDLC) procedures— Frame structure	2572	Information technology— Telecommunications and information exchange between systems—High-level data link control (HDLC)—Frame structure

ISO/IEC 4335	Information technology— Telecommunications and information exchange between systems—High-level data link control (HDLC) procedures— Elements of procedures	AS/NZS 2571	Information technology— Telecommunications and information exchange between systems—High-level data link control procedures—Elements of procedures
8824	Information technology— Open Systems Interconnection— Specification of Abstract Syntax Notation One (ASN.1)	AS 3625	Information technology— Open Systems Interconnection— Specification of Abstract Syntax Notation One (ASN.1)
9545	Information technology— Open Systems Interconnection— Application Layer structure	4021	Information technology— Open Systems Interconnection— Application layer structure
9646	Information technology— Open Systems Interconnection— Conformance testing methodology and framework	AS/NZS 4103	Information technology— Open Systems Interconnection— Conformance testing methodology and framework
9646-1	Part 1: General concepts	4103.1	Part 1: General concepts
TR 10000	Information technology— Framework and taxonomy of International Standardized Profiles	3966	Information technology— Framework and taxonomy of international standardized profiles
TR 10000-1	Part 1: General principles and documentation	3966.1	Part 1: Framework
TR 10000-2	Part 2: Principles and Taxonomy for OSI Profiles	3966.2	Part 2: Taxonomy of profiles
ITU-T X.15	Definition of terms concerning public data networks	—	

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
Clause	
1 Scope and object	1
2 Reference documents	1
3 Definitions	3 to 33

NOTES

AUSTRALIAN STANDARD

Telecontrol equipment and systems

Part 1.3: General considerations—Glossary

1 Scope and object

This technical report applies to telecontrol equipment and systems with coded bit serial data transmission for monitoring and control of geographically widespread processes.

This section of IEC 60870-1 covers those terms which are specifically relevant to telecontrol techniques as well as other terms which are necessary for the understanding of telecontrol standards.

This report also gives, where applicable, references to other dictionaries of electrical and electronic terms.

Terms which are considered to be well known by readers of telecontrol standards are not included in this report. This applies particularly in the field of communications where such terms as, for example, “information” and “bit” are commonplace and well understood.

2 Reference documents

The following standards contain provisions which, through reference in this text, constitute provisions of this section of the IEC 60870 series. At the time of publication, the editions of the reference documents indicated were valid. All standards are subject to revision, so readers are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050(191): 1990, *International Electrotechnical Vocabulary (IEV) — Chapter 191: Dependability and quality of service*

IEC 60050(351): 1997, *International Electrotechnical Vocabulary (IEV) — Chapter 351: Automatic control*

IEC 60050(371): 1984, *International Electrotechnical Vocabulary (IEV) — Chapter 371: Telecontrol*

IEC 60050(721): 1992, *International Electrotechnical Vocabulary (IEV) — Chapter 721: Telegraphy, facsimile and data communication*

IEC 60870-1-4: 1994, *Telecontrol equipment and systems — Part 1: General considerations — Section 4: Basic aspects of telecontrol data transmission and organization of standards IEC 60870-5 and IEC 60870-6*

IEC 60870-2-1: 1995, *Telecontrol equipment and systems — Part 2: Operating conditions — Section 1: Power supply and electromagnetic compatibility*

IEC 60870-5-3: 1992, *Telecontrol equipment and systems — Part 5: Transmission protocols — Section 3: General structure of application data*

IEC 60870-5-4: 1993, *Telecontrol equipment and systems — Part 5: Transmission protocols — Section 4: Definition and coding of application information elements*

IEC 60870-5-5: 1995, *Telecontrol equipment and systems — Part 5: Transmission protocols — Section 5: Basic application functions*

IEC 60870-5-101: 1995, *Telecontrol equipment and systems — Part 5: Transmission protocols — Section 101: Companion standard for basic telecontrol tasks*

IEC 60870-6-501: 1995, *Telecontrol equipment and systems — Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations — Section 501: TASE.1 Service definitions*

IEC 60870-6-502: 1995, *Telecontrol equipment and systems — Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations — Section 502: TASE.1 Protocol definitions*

ISO/IEC 2382-9: 1995, *Information technology — Vocabulary — Part 9: Data communication*

ISO/IEC 3309: 1993, *Information technology — Telecommunications and information exchange between systems — High-level data link control (HDLC) procedures — Frame structure*

ISO/IEC 4335: 1993, *Information technology — Telecommunications and information exchange between systems — High-level data link control (HDLC) procedures — Elements of procedures*

ISO 7498-1: 1994, *Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model*

ISO 7498-2: 1989, *Information processing systems — Open Systems Interconnection — Basic Reference Model — Part 2: Security Architecture*

ISO 8326: 1987, *Information processing systems — Open Systems Interconnection — Basic connection oriented session service definition*

ISO TR 8509: 1987, *Information processing systems — Open Systems Interconnection — Service conventions*

ISO 8648: 1988, *Information processing systems — Open Systems Interconnection — Internal organization of the Network Layer*

ISO/IEC 8824: 1990, *Information technology — Open Systems Interconnection — Specification of Abstract Syntax Notation One (ASN.1)*

ISO/IEC 9545: 1994, *Information technology — Open Systems Interconnection — Application Layer structure*

ISO/IEC 9646-1: 1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 1: General concepts*

ISO/IEC TR 10000-1: 1995, *Information technology — Framework and taxonomy of International Standardized Profiles — Part 1: General principles and documentation*

ISO/IEC TR 10000-2: 1995, *Information technology — Framework and taxonomy of International Standardized Profiles — Part 2: Principles and Taxonomy for OSI Profiles*

ITU-T X.15: 1984, *Definition of terms concerning public data networks*

3 Definitions

absolute chronology; time tagging: Method of transmission of changes-of-state so that transmitted information is accompanied by data giving the registered time at which the change occurred, within the time resolution. [IEV 371-05-02]

acknowledgement: See **positive acknowledgement; negative acknowledgement**

acquisition time: Minimum time for correct detection and processing of a change-of-state.

address: Part of a message identifying the source or its destination.

adjusting command: Command used to change the state of operational equipment having more than two states. [IEV 371-03-10]

alarm: Information for attracting attention to some abnormal state.

NOTE — A transition from a normal into an abnormal state causes a visual and/or audible warning which has to be acknowledged. A transition from an abnormal into a normal state usually causes a change of indication and, in some applications, also causes a visual and/or audible warning which has to be acknowledged.

analogue signal: Signal in the form of a continuously variable value.

application association: Co-operative relationship between two application-service-object-invocations which govern their bilateral use of the Presentation Service for communication of information and co-ordination of their joint operation. [ISO/IEC 9545]

application entity (AE): Aspects of an application-process pertinent to Open Systems Interconnection (OSI). [ISO 7498]

application functions: Functions covering the special needs of the process to which a telecontrol or SCADA system is applied.

The application functions are divided into basic functions and extended processing functions.

application functions (in the sense of the basic reference model): Part of application-processes which performs the remote communications procedures between application-processes. [ISO 7498]

application-process: Element within a real open system which performs the information processing for a particular application. [ISO 7498]

application profile: Profile defining the use of protocol standards from Open Systems Interconnection (OSI) layers 5 to 7, to provide for the structured transfer of information between systems.

application service element: That part of an application-entity which provides an Open Systems Interconnection (OSI) environment capability, using underlying services when appropriate. [ISO 7498]

association control service element: Application service element that provides the exclusive means for establishing and terminating all application-associations. [ISO/IEC 9545]

asynchronous telecontrol transmission: See **start-stop telecontrol transmission**.

asynchronous transmission: Data transmission in which the time of occurrence of the start of each character or block of characters is arbitrary; once started, the time of occurrence of each signal representing a bit within the character or block, has the same relationship to significant instants of a fixed time base. [ISO 2382-9]

automatic generation control (AGC): See **load-frequency control**.

auxiliary information: Information used in order to control the operation of a telecontrol system.

availability: Ability of a unit or system to perform its required function at any given moment.

average transfer time: Average of the transfer time for every case of input of the primary signal with respect to the telecontrol system. [IEV 371-08-18]

balanced circuit; balanced line; balanced signal pair: Transmission line consisting of two conductors in the presence of ground, capable of being operated in such a way that, when the voltages of the two conductors at all transverse planes are equal in magnitude and opposite in polarity with respect to ground, the currents in the two conductors are equal in magnitude and opposite in direction.

balanced transmission: Transmission method by which either Data Terminal Equipment (DTE) of two connected stations may initiate a message transmission at any time. [IEC 60870-1-4]

barrier device: Device for galvanic isolation of telecontrol equipment and the operational equipment (e.g. a relay, optocoupler or transformer).

base standard: Approved international standard, technical report or ITU-T Recommendation which is used in the definition of a Profile. [ISO/IEC TR 10000-1]

basic application function (in telecontrol): Transmission procedure that performs a supervisory or control function that is generally used in telecontrol systems. [IEC 60870-5-5]

Examples: command transmission, event transmission, cyclic transmission, etc.

basic functions: Functions dealing with all types of individual information from and to the operational equipment and the operator.

basic reference model: See **open system interconnection**

baud (Bd): Unit of modulation rate or unit of transfer rate of signal elements of constant duration in a discretely timed or digital signal; the number of baud is equal to the reciprocal of the duration in seconds of the shortest signal element or of the unit interval in such a signal. [IEV 721-03-27]

NOTE — For example, if the duration of the unit interval is 20 ms, the modulation rate is 50 Bd.

binary state information: Monitored information of the status of operational equipment which is characterized by one of two states, for example on/off. [IEV 371-02-03]

bit erasure probability: Probability that a received signal variable used to represent the value of a bit exceeds specified limits of tolerated signal quality.

bit erasure rate: Ratio of the number of bits received with signals exceeding specified limits of tolerated signal quality to the total number of bits sent.

bit error probability: Probability that a received bit will be inverted with respect to the corresponding bit sent. [IEV 371-08-02]

bit error rate: Ratio of the number of bits received inverted to the total number of bits sent. [IEV 371-08-01]

bit oriented data transmission: See **code transparent data transmission**

bit oriented code: See **transparent code**

bit rate: Speed at which bits are transmitted, usually expressed in bits per second (bits/s).

block: Sequence of bits transmitted as a unit, generally subdivided into fields for conveying information bits and error check bits.

block code: Sequence of information bits completed by bits used for error detection or error correction.

block error probability: Probability that a block will be incorrectly received. [IEV 371-08-04]

block error rate: Ratio of the number of blocks incorrectly received to the total number of blocks sent. [IEV 371-08-03]

blocked: When the value of the information object is blocked for transmission, the value remains in the state that was acquired before it was blocked. Blocking and deblocking may be initiated e.g by a local lock or a local automation cause.

blocked spontaneous data transfer: Similar to “spontaneous data transfer”, but the initiating application process waits a certain time for more spontaneous data before transmission to allow a more efficient data transfer in the case of bursts of spontaneous data.

blocking: Function performed by an (N)-entity to map multiple (N)-service-data-units into one (N)-protocol-data-unit. [ISO 7498]

Bose Chaudhuri Hocquenghem-code (BCH-code): Cyclic code that can be defined by a generator polynomial; every code word is a multiple of that polynomial.

breaking capability: Current that a device is capable of breaking at a stated recovery voltage under prescribed conditions of use and behaviour.

bridge: Relay node of a data network in which transmission paths with different protocol definitions of the physical layer are interconnected.