



Document management—Engineering document format using PDF

Part 1: Use of PDF 1.6 (PDF/E-1)



This Australian Standard® was prepared by Committee IT-021, Records and Document Management Systems. It was approved on behalf of the Council of Standards Australia on 20 March 2017.

This Standard was published on 27 April 2017.

The following are represented on Committee IT-021:

- AMS Imaging
 - Australian Computer Society
 - Australian Industry Group
 - Australian Society of Archivists
 - City of Boroondara
 - Department of Defence (Australian Government)
 - Monash University
 - National Archives of Australia
 - Public Record Office Victoria
 - Queensland State Archives
 - Records and Information Management Professionals Australasia
 - State Archives and Records Authority of New South Wales
 - State Records Office of Western Australia
 - University of Sydney
-

This Standard was issued in draft form for comment as DR AS ISO 24517.1:2017.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard®

Document management—Engineering document format using PDF

Part 1: Use of PDF 1.6 (PDF/E-1)

First published as AS ISO 24517.1:2017.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 76035 728 3

PREFACE

This Standard was prepared by the Standards Australia Committee IT-021, Records and Document Management Systems.

The objective of this Standard is specify the use of the portable document format (PDF) Version 1.6 for electronic documents used in engineering workflows.

This Standard is identical with, and has been reproduced from ISO 24517-1:2008, *Document management—Engineering document format using PDF*, Part 1: *Use of PDF 1.6 (PDF/E-1)*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) In the source text ‘this part of ISO 24517’ should read ‘this Australian Standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

None of the normative references in the source document have been adopted as Australian or Australian/New Zealand Standards.

The term ‘informative’ has been used in this Standard to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Notations	3
5	PDF/E-1 conforming files and readers	3
6	Syntax	4
6.1	File header	4
6.2	File trailer	4
6.3	Document ID	4
6.4	Cross-reference tables and cross-reference streams	4
6.5	Document information dictionary	4
6.6	String objects	4
6.7	Stream objects	4
6.8	Linearized PDF	5
6.9	Implementation limits	5
7	Graphics	5
7.1	General	5
7.2	Output intent	5
7.3	Colour spaces	5
7.4	Images	7
7.5	Form XObjects	7
7.6	Reference XObjects	7
7.7	PostScript XObjects	7
7.8	Shading operator	7
7.9	Extended graphics state	7
7.10	Rendering intents	7
7.11	Content streams	8
7.12	Optional content	8
7.13	Print scaling	8
8	Fonts	8
8.1	General	8
8.2	Font types	9
8.3	Composite fonts	9
8.4	Embedded font programs	9
8.5	Font subsets	10
8.6	Character encodings	10
9	Annotations	10
9.1	General	10
9.2	Annotation types	11
9.3	Annotation dictionaries	11
10	Interactive forms	11
11	Actions	11
11.1	General	11
11.2	Hypertext links	12

12	Presentations	12
13	Metadata	12
13.1	General.....	12
13.2	Version Identification	12
13.3	Document information dictionary	13
13.4	XMP header	14
13.5	File identifiers.....	14
13.6	File provenance information.....	14
13.7	Validation.....	14
14	Embedded files	14
15	Multimedia	15
15.1	General.....	15
15.2	Self-contained	15
15.3	Handling of multimedia	15
15.4	Must-have parameters.....	15
15.5	Alternate presentations.....	15
16	3D	15
16.1	General.....	15
16.2	Display of 3D annotations.....	15
16.3	Supported 3D formats	15
16.4	3D JavaScript	16
17	Unrecognized data.....	16
17.1	Extensions to the PDF format	16
18	Encryption	16
18.1	General.....	16
18.2	Encryption version	16
18.3	Direct objects in the encryption dictionary.....	17
18.4	User access permissions.....	17
19	Digital signatures.....	17
19.1	General.....	17
19.2	Declaring the presence of signatures	17
19.3	Signature dictionaries	17
19.4	Signature reference dictionaries.....	17
19.5	Document permissions dictionary.....	18
19.6	Detection and notification.....	18
19.7	Display of signature fields	18
19.8	Detection of changes	18
19.9	Prevention of changes	18
19.10	Verification of the identity of signer	18
	Annex A (informative) PDF/E use cases	19
	Bibliography	26

INTRODUCTION

The ISO 24517 series defines a file format for the exchange of engineering documents based on the PDF format for various communities working with engineering documentation. It is a multi-part standard with subsequent parts expected to address future workflow and data requirements. The ISO 24517 series improves document exchange, collaboration, and print accuracy within engineering workflows, both inside companies and with extended enterprises of partners, suppliers, customers, government organizations and citizens. It will enable organizations to streamline engineering workflows that incorporate diverse sets of complex documents, resulting in improved productivity and the ability to more quickly deliver better products to market. It defines the features of PDF that are required, recommended, restricted, or prohibited when creating, viewing, marking up, printing, analysing, and distributing engineering documents. It takes into consideration the differing needs of both interactive and non-interactive readers.

The ISO 24517 series specifies the proper use of PDF for on-screen display and printing of engineering documents. Printed engineering documents are assemblies of a page (or pages) created by different organizations which can be inter-departmental or inter-company. It also defines a framework for representing the logical structure and other semantic information of engineering documents within conforming files.

The ISO 24517 series is intended to provide a format for the development of various applications, such as products that read, render, write, print, and validate PDF conforming documents. Different products will incorporate various capabilities to prepare, interpret, and process conforming objects. Adobe Systems Incorporated makes the PDF specification publicly available. However, the inclusive, feature-rich nature of the format requires that additional constraints be placed on its use to make it suitable for engineering workflow documents.

PDF/E allows engineering professionals to reliably create, exchange, and review engineering documentation, including large format documents. PDF/E enables organizations to work more effectively when creating or exchanging engineering documentation.

AIIM, an accredited standards developing organization, maintains an ongoing series of application notes for guiding developers and users of this part of ISO 24517. These application notes are available at <http://www.aiim.org/>. AIIM will also retain copies of the specific non-ISO normative references of this part of ISO 24517 which are publicly available electronic documents.

NOTES

AUSTRALIAN STANDARD

Document management—Engineering document format using PDF**Part 1:
Use of PDF 1.6 (PDF/E-1)****1 Scope**

This part of ISO 24517 specifies the use of the Portable Document Format (PDF) Version 1.6 for the creation of documents used in engineering workflows.

This part of ISO 24517 does not define the following:

- method of electronic distribution;
- method of creation or conversion from paper or electronic documents to the PDF/E format;
- specific technical design, user interface, or implementation;
- required computer hardware and/operating systems; or
- methods for validating the conformance of PDF/E files or readers.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19005-1:2005, *Document management — Electronic document file format for long-term preservation — Part 1: Use of PDF 1.4 (PDF/A-1)*

ICC.1:2004-10 (Profile version 4.2.0.0), *Image technology colour management — Architecture, profile format, and data structure*, International Color Consortium (available from www.color.org)

Adobe PDF Reference, fifth edition version 1.6, ISBN 0-321-30474-8 (available from <http://www.npes.org/standards/toolspdfx.html>)

Errata for Adobe PDF Reference, fifth edition version 1.6, 31 August 2005 (available from <http://www.npes.org/standards/toolspdfx.html>)

Addendum on Blend Modes. Adobe Systems Incorporated, January 23, 2006 (available from <http://www.npes.org/standards/toolspdfx.html>)

XMP Specification, XMP™: Adding Intelligence to Media, Adobe Systems Incorporated, September 2005 (available from <http://partners.adobe.com/public/developer/en/xmp/sdk/xmpspecification.pdf>)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

reader

software application that is able to read and process files

3.2

PDF/E-1 conforming reader

software application that is able to read and process PDF/E-1 files in accordance with this part of ISO 24517

3.3

interactive PDF/E-1 conforming reader

PDF/E-1 conforming reader that provides an enhanced level of functionality for some or all of the interactive features of PDF/E-1

3.4

non-interactive PDF/E-1 conforming reader

PDF/E-1 conforming reader that provides no enhanced level of functionality for the interactive features of PDF/E-1

3.5

electronic document

electronic representation of a page-oriented aggregation of text and graphic data, and metadata useful to identify, understand, and render that data, that can be reproduced on paper or optical microform without significant loss of its information content

3.6

EOF marker

end-of-file marker

five character sequence denoted as “%%EOF” marking the end of a PDF file

3.7

EOL marker

end-of-line marker

one or two character sequence marking the end of a line of text, consisting of a **CARRIAGE RETURN** character (0Dh) or a **LINE FEED** character (0Ah) or a **CARRIAGE RETURN** followed immediately by a **LINE FEED**

3.8

PDF

Portable Document Format

file format defined in *Portable Document Format Version 1.6* and its *Errata*

3.9

writer

software application that is able to write files

3.10

PDF/E-1 conforming file

PDF/E-1 file

file encompassing all requirements of this part of ISO 24517

4 Notations

For the purposes of this part of ISO 24517, references to “*PDF Reference*” are to the *Adobe PDF Reference, fifth edition version 1.6*, as modified by *Errata for PDF Reference, fifth edition version 1.6*, and by *Addendum on Blend Modes* as identified in Clause 2.

PDF operators, PDF keywords, the names of keys in PDF dictionaries, and other predefined names are written in bold sans serif font; operands of PDF operators or values of PDF dictionary keys are written in italic sans serif font.

EXAMPLE 1 The *Default* value for the **TR2** key.

Token characters used to delimit objects and describe the structure of PDF files, as defined in *PDF Reference*, 3.1, may be identified by their ISO/IEC 10646 character name written in uppercase in bold sans serif font followed by a parenthetic two digit hexadecimal character value with the suffix “h”.

EXAMPLE 2 **CARRIAGE RETURN** (0Dh).

Text string characters in content streams, as defined by *PDF Reference*, 3.8.1, may be identified by their ISO/IEC 10646 character name written in uppercase in bold sans serif font followed by a parenthetic four-digit hexadecimal character code value with the prefix “U+”.

EXAMPLE 3 **EN SPACE** (U+2002).

5 PDF/E-1 conforming files and readers

This part of ISO 24517 specifies the use of the PDF file format for the exchange of digital data representing a compound entity.

A PDF/E-1 conforming file is a PDF file in which those features necessary for the exchange of a compound entity are in accordance with this part of ISO 24517. A PDF/E-1 conforming file may also include other valid PDF features that do not affect display or function of the compound entity.

PDF/E-1 conformance is identified by use of the **pdf:ISO_PDFEVersion** property as defined in 13.3. The value of the **ISO_PDFEVersion** key in the document information dictionary shall be *PDF/E-1* for a PDF/E-1 conforming file. Neither the version number in the header of a PDF file, nor the value of the **Version** key in the **Catalog** of a PDF file indicates that a file is in accordance with this part of ISO 24517.

NOTE 1 These values are specified in Table 1 of 13.3.

Although *PDF Reference* permits compliance with earlier versions of PDF, features described in versions of the PDF specification earlier than 1.6, but not described in *PDF Reference*, shall not be used in a PDF/E-1 conforming file.

A PDF/E-1 conforming writer is a software application that is able to write files in accordance with the requirements of this part of ISO 24517.

A PDF/E-1 conforming reader is a software application that shall be able to read and appropriately process all PDF/E-1 files in a manner conforming to the requirements for PDF/E-1 files as defined in this part of ISO 24517.

A PDF/E-1 conforming reader may parse PDF files that are not PDF/E-1 conforming files. The behaviour of a PDF/E-1 conforming reader on non-conforming files is beyond the scope of this part of ISO 24517.

Rendering of PDF/E-1 conforming files shall be performed as defined in the *PDF Reference* and as restricted by this part of ISO 24517. To the extent that the *PDF Reference* and this part of ISO 24517 permit more than one rendering of a PDF/E-1 conforming file, a PDF/E-1 conforming reader may use embedded job ticket or metadata information to control the rendering of the file more precisely. Furthermore, interactive PDF/E-1

conforming readers may provide user interface elements to control dynamic features of PDF/E-1 such as optional content, three dimensional (3D) and multimedia.

NOTE 2 A PDF/E-1 conforming file is not obligated to use any PDF feature other than those explicitly required by the *PDF Reference* or this part of ISO 24517.

6 Syntax

6.1 File header

The % character of the file header shall occur at byte offset 0 of the file.

6.2 File trailer

The file trailer dictionary shall contain the **ID** keyword. The value for the **ID** entry shall be an array of length two, containing two non-empty string objects.

6.3 Document ID

If the document catalog contains an **Encrypt** entry, the value for the **ID** entry in the document trailer and the strings contained in the **ID** array shall be direct.

NOTE This provision ensures that the **ID** entry can always be located and read when the document is encrypted. A circular dependency condition arises when encryption algorithms use the document **ID** strings and those strings are indirect, because the *PDF Reference* states that all indirect objects outside the encryption dictionary itself require encryption. These problems are further compounded when object streams are present in the file, because the **ID** strings could be embedded inside an encrypted object stream.

6.4 Cross-reference tables and cross-reference streams

Any indirect object whose offset is not referenced in a cross-reference table or cross-reference stream shall be exempt from all requirements of this part of ISO 24517. A PDF/E-1 conforming reader shall not use any such objects in any sort of processing or presentation of a PDF/E document.

6.5 Document information dictionary

A document information dictionary may be defined in a PDF/E-1 conforming file. If defined, its elements shall be consistent with analogous XMP metadata properties defined in the *XMP Specification* as specified in Clause 13.

6.6 String objects

Hexadecimal strings shall contain an even number of non-white-space characters, each in the range **0** to **9**, **A** to **F**, or **a** to **f**.

6.7 Stream objects

The value of the **Length** key specified in the stream dictionary shall match the number of bytes in the file following the **LINE FEED** character after the **stream** keyword and preceding the EOL marker before the **endstream** keyword.

NOTE 1 These requirements remove potential ambiguity regarding the ending of stream content.

A stream object dictionary shall not contain the **F**, **FFilter**, or **FDecodeParams** keys.

NOTE 2 These keys are used to point to document content external to the file. The explicit preclusion of these keys has the implicit effect of disallowing external content that can create external dependencies and hinder portability efforts.