

AS/NZS 4197.2:1999

ISO 10161-2:1997

AS/NZS 4197.2

Australian/New Zealand Standard™

**Information and documentation—
Open Systems Interconnection—
Interlibrary loan application
protocol specification**

**Part 2: Protocol implementation
conformance statement (PICS)
proforma**

STANDARDS AUSTRALIA

STANDARDS NEW ZEALAND



Documents

Document Sharing Hub

AS/NZS 4197.2:1999

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee IT/19, Computer Applications—Information and Documentation. It was approved on behalf of the Council of Standards Australia on 7 October 1998 and on behalf of the Council of Standards New Zealand on 20 October 1998. It was published on 5 January 1999.

The following interests are represented on Committee IT/19:

Australian Council of Libraries and Information Services
 Australian Information Industry Association
 Australian Library and Information Association
 Australian Publishers Association
 Australian Z39 Implementors
 Council of Australian State Libraries
 Council of Australian University Librarians
 CSIRO—Corporate Information Management
 National Library of Australia
 National Library of New Zealand
 National University Librarians Association, New Zealand
 New Zealand Department for Courts
 New Zealand Library and Information Association
 Tertiary Library Networks, Australia
 Vendor interests, New Zealand
 Victoria University, New Zealand
 Victorian Association for Library Automation, Australia

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 98346.

AS/NZS 4197.2:1999

Australian/New Zealand Standard™

Information and documentation— Open Systems Interconnection— Interlibrary loan application protocol specification

Part 2: Protocol implementation conformance statement (PICS) proforma

First published as AS/NZS 4197.2:1999.

Published jointly by:

Standards Australia
1 The Crescent,
Homebush NSW 2140 Australia

Standards New Zealand
Level 10, Radio New Zealand House,
155 The Terrace,
Wellington 6001 New Zealand

ISBN 0 7337 2347 0



Documents

Document Sharing Hub

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee IT/19, Computer Applications—Information and Documentation. It is identical with, and has been reproduced from, ISO 10161-2:1997, *Information and documentation—Open Systems Interconnection—Interlibrary loan application protocol specification*, Part 2: *Protocol implementation conformance statement (PICS) proforma*.

The objective of this Standard is to provide libraries with definitions of PICS proforma in order that they may comply with the requirements of AS/NZS 4196, *Information and documentation—Open Systems Interconnection—Interlibrary loan application service definition*.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the annex to which they apply. A 'normative' annex is an integral part of a Standard, whereas an 'informative' annex is only for information and guidance.

As this Standard is reproduced from an international Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'this part of ISO 10161' should read 'this Australian/New Zealand Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard or other publication</i>		<i>Australian or Australian/New Zealand Standard</i>	
ISO		AS/NZS	
9735	Electronic data interchange for administration, commerce and transport (EDIFACT)—Application level syntax rules	3801	Electronic data interchange for administration, commerce and transport (EDIFACT)—Application level syntax rules
10161	Information and documentation—Open Systems Interconnection—Interlibrary Loan Application Protocol Specification	4197	Information and documentation—Open Systems Interconnection—Interlibrary loan application protocol specification
10161-1	Part 1: Protocol specification	4197.1	Part 1: Protocol specification
ISO/IEC		AS	
8825	Information technology—Open Systems Interconnection—Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)	3626	Information technology—Open Systems Interconnection—Specification of basic encoding rules for Abstract Syntax Notation One (ASN.1)
		AS/NZS	
9646	Information technology—Open Systems Interconnection—Conformance testing methodology and framework	4103	Information technology—Open Systems Interconnection—Conformance testing methodology and framework
9646-1	Part 1: General concepts	4103.1	Part 1: General concepts
9646-2	Part 2: Abstract Test Suite specification	4103.2	Part 2: Abstract test suite specification

CONTENTS

	<i>Page</i>
1 SCOPE.....	1
2 NORMATIVE REFERENCES	1
3 DEFINITIONS.....	1
4 ABBREVIATIONS	1
5 LAYOUT.....	2
6 CONFORMANCE.....	2
7 NOTATIONS DEFINED IN THE PROFORMA	2
8 PICS NUMBERS.....	2
9 COMPLETION OF THE PICS	3
ANNEXES	
A PICS PROFORMA FOR THE INTERLIBRARY LOAN PROTOCOL	4
A.1 IMPLEMENTATION DETAILS	4
A.1.1 Date of Statement	4
A.1.2 Identification of the Implementation	4
A.2 GLOBAL STATEMENT OF CONFORMANCE	4
A.3 ISO 10161-1 DETAILS.....	5
A.4 APPLICATION-CONTEXT NAMES.....	5
A.5 ROLES SUPPORTED.....	5
A.6 ILL SERVICE TYPES SUPPORTED.....	5
A.7 TRANSACTION TYPES SUPPORTED.....	6
A.8 SYNTAXES.....	7
A.8.1 Abstract Syntaxes Supported.....	7
A.8.2 Transfer Syntaxes	8
A.9 INTERLIBRARY LOAN APPLICATION SERVICES	9
A.9.1 Support for Services	9
A.9.2 Optional APDUs	10
A.10 SUPPORT FOR APDU PARAMETERS.....	12
A.10.1 ILL-Request-APDU	13
A.10.2 Forward-Notification APDU	16
A.10.3 Shipped APDU	17
A.10.4 Ill-Answer APDU	18
A.10.5 Conditional-Reply APDU	19
A.10.6 Cancel APDU	19
A.10.7 Cancel-Reply APDU.....	20
A.10.8 Received APDU.....	20
A.10.9 Recall APDU	21
A.10.10 Returned APDU	21
A.10.11 Checked-In APDU	22
A.10.12 Overdue APDU.....	22
A.10.13 Renew APDU	23
A.10.14 Renew-Answer APDU.....	23
A.10.15 Lost APDU	24
A.10.16 Damaged APDU	24
A.10.17 Message APDU.....	25
A.10.18 Status-Query APDU.....	25
A.10.19 Status-Or-Error-Report	26
A.10.20 Expired APDU	27
A.11 COMMON PARAMETERS	28
A.12 SUPPORT FOR CHOICE TYPES	31
A.13 ENUMERATED TYPES	33
B BIBLIOGRAPHY	38

© Copyright - STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

AUSTRALIAN/NEW ZEALAND STANDARD

**Information and documentation — Open Systems Interconnection —
Interlibrary Loan Application Protocol Specification —
Part 2: Protocol implementation conformance statement (PICS) proforma**

1 Scope

This part of ISO 10161 defines the PICS proforma for the ILL protocol as specified in ISO 10161-1, in compliance with the relevant requirements, and in accordance with the relevant guidance for a PICS proforma, given in ISO 9646-2. Implementors claiming conformance to ISO 10161-1 shall complete the proforma as part of the conformance requirements.

2 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 10161. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 10161 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 8825:1990, *Information technology - Open Systems Interconnection - Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)*.

ISO/IEC 9646-1:1994, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts*.

NOTE - ISO/IEC 9646-1:1994 supersedes ISO 9646-1:1991. However, when this part of ISO 10161 was under development, the previous edition was valid and this part of ISO 10161 is therefore based on this edition, which is given below.

ISO/IEC 9646-1:1991, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts*.

ISO/IEC 9646-2:1994, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification*.

NOTE - ISO/IEC 9646-2:1994 supersedes ISO 9646-2:1991. However, when this part of ISO 10161 was under development, the previous edition was valid and this part of ISO 10161 is therefore based on this edition, which is given below.

ISO/IEC 9646-2:1991, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification*.

ISO 9735:1988, *Electronic data interchange for administration, commerce and transport (EDIFACT) - Application level syntax rules*.

ISO 10161-1:1997, *Information and documentation - Open Systems Interconnection - Interlibrary Loan Application Protocol Specification - Part 1: Protocol specification*.

3 Definitions

This part of ISO 10161 uses the following terms defined in ISO 9646-1:1990.

3.1 PICS proforma: A document, in the form of a questionnaire, designed by the protocol specifier or conformance test suite specifier, which when completed for an OSI implementation or system becomes the PICS.

3.2 protocol implementation conformance statement [PICS]: A statement made by the supplier of an OSI implementation or system, stating which capabilities have been implemented, for a given OSI protocol.

4 Abbreviations

This part of ISO 10161 uses the following abbreviations:

APDU - Application Protocol Data Unit

ASN.1 - Abstract Syntax Notation One

EDIFACT - Electronic Data Interchange for Administration, Commerce and Transport

IEC - International Electrotechnical Commission

ILL - Interlibrary Loan

ISO - International Organization for Standardization

OSI - Open Systems Interconnection

PICS - Protocol Implementation Conformance Statement

TC - Technical Committee

5 Layout

Annex A contains the actual proforma to be filled in by an implementor claiming conformance to ISO 10161-1. The PICS proforma has been designed to be a self-contained section of this part of ISO 10161, for use in testing and procurement.

6 Conformance

A conforming PICS shall:

- a. be technically equivalent to the ISO published PICS proforma and shall preserve the numbering and ordering of the items in the ISO PICS proforma.
- b. include the information necessary to uniquely identify both the supplier and the implementation.

A supplier shall complete this PICS proforma in accordance with the instructions for completion given in clauses 7 and 9.

7 Notations Defined in the Proforma

In order to reduce the size of the tables in the proforma, a number of abbreviations have been introduced. The definition of each of these follows:

For column headings:

- 'D': Defined in ISO 10161-1. This column indicates the level of support required for conformance to ISO 10161-1.
- 'I': Implementation indicator. This column shows which parameters or other details have or have not been implemented.

7.1 'D' Column

- 'm': mandatory: support for this feature is required for conformance to ISO 10161-1.
- 'o': optional: support for this feature is permitted, but is not required for conformance to ISO 10161-1. However, if this feature is implemented, it must conform to the specifications and restrictions contained in ISO 10161-1. These restrictions may affect the optionality of other features.

'c': conditional: support for this feature is mandatory if certain conditions as specified in ISO 10161-1 are met. The conditions to be met are indicated by an integer referencing a table of conditions at the end of each proforma section.

'cc': conditional on supporting communication service: support for this feature is mandatory if the supporting communication service is store-and-forward service; support is optional if the supporting communication service is connection-oriented.

'-': not applicable.

7.2 'I' Column

The 'I' column shall be completed by the supplier or implementor to indicate the level of implementation of each feature. The Proforma has been designed such that the only entries required in the 'I' column are:

- 'Y': Yes, the feature has been implemented
- 'N': No, the feature has not been implemented
- '-': Not applicable to this implementation

7.3 'Reference, Usage or Range of Values' Column

The 'Reference, Usage or Range of Values' column requires the specification of information pertaining to the usage or range of values implemented for a feature, where relevant and/or where the implementation has restrictions or limits not present in ISO 10161-1.

If the proforma has insufficient room for a complete description of the usage or range of values for any particular feature, a reference to an attachment on a separate page may be given here.

8 PICS Numbers

Each line in the PICS proforma which requires implementation detail to be supplied is numbered at the left-hand edge of the line. This numbering is included as a means of uniquely identifying all possible implementation details within the proforma. The need for such unique referencing has been identified by testing bodies.

The means of referencing individual responses shall be to specify the smallest subclause enclosing the relevant item and the reference number of the row in which the response appears.

9 Completion of the PICS

The implementor shall complete all “[]” entries in the proforma, in addition to other specifically identified sections. In certain clauses, further guidance for completion is included. Such guidance supplements the guidance given in this clause

and its scope is restricted to the clause in which it appears.

Other specifically identified information shall be provided by the implementor where requested.

No changes shall be made to the proforma except the addition of responses as required. Recognizing that the level of detail required may, in some instances, exceed the space available for responses, the implementor may continue the response on separate paper (so indicating this in the space provided) and provide a reference (see clause 8).

Annex A

(normative)

Protocol Implementation Conformance Statement (PICS)

Proforma for the Interlibrary Loan Protocol¹⁾

Section One - General Information

A.1 Implementation Details

A.1.1 Date of Statement

1	Date of Statement(YYYY-MM-DD):	
---	--------------------------------	--

A.1.2 Identification of the Implementation

1	Implementation Supplier:	
2	Implementation Name:	
3	Implementation Version Number:	
4	Machine Name:	
5	Machine Version Number:	
6	Operating System Name:	
7	Operating System Version Number:	
8	Other Operating Systems:	
9	Other Hardware:	
10	System Name (if different):	
11	Resources Required:	
12	Contact Name:	
13	Contact Address:	
14	Contact Telephone:	

A.2 Global Statement of Conformance

1	Are all mandatory features of ISO 10161-1 implemented?	()
---	--	--------

¹⁾ Copyright release for PICS proforma: Users of this part of ISO 10161 may freely reproduce this PICS proforma so that it can be used for its intended purpose and may further publish the completed PICS.

Section Two - General Details

A.3 ISO 10161-1 Details

1	Protocol Version Number(s) that this PICS describes:	
2	Other Version Number(s) supported:	
3	Defect Report Number(s) implemented:	
4	Amendment(s) implemented:	

A.4 Application-Context Names

List the names and object identifiers of the application-contexts recognized or provided by this implementation.

Ref.	Application-Context Name	Object Identifier

A.5 Roles Supported

Ref.		D	I
1	Requester	☐	☐
2	Responder	☐	☐
3	Intermediary	☐	☐

NOTE — At least one role must be supported by an implementation.

A.6 ILL Service Types Supported

Ref.	Service Type	Requester		Responder		Intermediary	
		D	I	D	I	D	I
1	Loan	☐	☐	☐	☐	☐	☐
2	Copy/Non-returnable	☐	☐	☐	☐	☐	☐
3	Locations	☐	☐	☐	☐	☐	☐
4	Estimate	☐	☐	☐	☐	☐	☐
5	Responder-specific	☐	☐	☐	☐	☐	☐

A.7 Transaction Types Supported

Ref.	Transaction Type	Requester		Responder		Intermediary	
		D	I	D	I	D	I
1	Simple	m	()	m	()	—	()
2	Chained	o	()	o	()	o	()
3	Partitioned	o	()	o	()	o	()

NOTES

- 1 For chained transactions, requester support implies the ability to permit chained transactions; responder support implies the ability to send the SHIPPED message; intermediary support implies the ability to initiate chained subtransactions.
- 2 For partitioned transactions, requester support implies the ability to permit partitioned transactions and to interact with different parties for the processing and tracking phases of a transaction; responder support implies the ability to send the SHIPPED message and to interact directly with the requester during the tracking phase of the transaction; intermediary support implies the ability to initiate partitioned sub-transactions.
- 3 Implementation of the intermediary role implies support for at least one of the chained or partitioned transaction types.

Section Three - Syntaxes

A.8 Syntaxes

This section identifies the requirements for support of the various possible syntaxes associated with the ILL protocol. Support for a particular syntax implies that an implementation is capable of generation and reception of information defined by that syntax.

A.8.1 Abstract Syntaxes Supported

Indicate below what abstract syntaxes are supported by the implementation. Registered syntaxes may be identified by citing the assigned object identifier; other syntaxes should be fully defined using ASN.1 notation, if appropriate, in an attachment.

Ref.	Parameter	D	I	Abstract-Syntax Name	Object Identifier
1	ILL-APDU	m	()	ill-apdus	1 0 10161 2 1
2	responder-specific-service	o	()		
3	national-bibliography-no	o	()		
4	system-no	o	()		
5	responder-specific-results (for reason-unfilled)	o	()		
6	responder-specific-results (for reason-locs-provided)	o	()		
7	responder-specific-results (for reason-not-available)	o	()		
8	responder-specific-results (for conditions)	o	()		
9	responder-specific-results (for reason-will-supply))	o	()		
10	supplemental-item- description	o	()		

Section Four - Interlibrary Loan Protocol

A.9 Interlibrary Loan Application Services

Except for optional APDUs, addressed in section A.9.2, support for an ILL service implies support for sending and/or receiving the corresponding APDUs as appropriate.

NOTE — This section is cast in terms of services rather than APDUs because some mandatory services do not necessarily result in the transfer of an APDU. For instance, it is mandatory for a responder to support the SHIPPED service, but sending a Shipped APDU is optional. The protocol allows the most recent service and the current state to be determined at any time by means of the Status-Query and Status-Or-Error-Report APDUs.

A.9.1 Support for Services

Ref.	Service	Requester		Responder		Intermediary	
		D	I	D	I	D	I
1	ILL-REQUEST	m	()	m	()	m	()
2	FORWARD	—	—	o	()	o	()
3	FORWARD-NOTIFICATION	c1	()	—	—	c1	()
4	SHIPPED	m	()	m	()	m	()
5	ILL-ANSWER	m	()	m	()	m	()
6	CONDITIONAL-REPLY	m	()	c2	()	m	()
7	CANCEL	o	()	m	()	m	()
8	CANCEL-REPLY	c3	()	m	()	m	()
9	RECEIVED	m	()	m	()	m	()
10	RECALL	c4	()	c4	()	c4	()
11	RETURNED	c4	()	c4	()	c4	()
12	CHECKED-IN	c4	()	c4	()	c4	()
13	OVERDUE	c4	()	c4	()	c4	()
14	RENEW	c5	()	c4	()	c4	()
15	RENEW-ANSWER	c6	()	c4	()	c4	()
16	LOST	m	()	m	()	m	()
17	DAMAGED	o	()	o	()	m	()
18	MESSAGE	o	()	o	()	m	()
19	STATUS-QUERY	o	()	o	()	m	()
20	STATUS-OR-ERROR-REPORT	m	()	m	()	m	()
21	EXPIRY	o	()	o	()	m	()

Conditions

- c1 Support for the FORWARD-NOTIFICATION service is mandatory for requesters and intermediaries that support permission-to-forward with the value "TRUE"; otherwise it is not applicable. See section A.10.1, ref. 21.1.
- c2 Support for the CONDITIONAL-REPLY service is mandatory for responders that support transaction-results with the value "CONDITIONAL"; otherwise it is not applicable.