

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Amendment No. 1
to
AS/NZS 4357.3:2006
Structural laminated veneer lumber (LVL)
Part 3: Determination of structural properties—Evaluation methods

REVISED TEXT

The 2006 edition of AS/NZS 4357.3 is amended as follows; the amendments should be inserted in the appropriate places.

SUMMARY: This Amendment applies to Clause 1 and Appendix A.

Published on 25 May 2007.

Approved for publication in New Zealand on behalf of the Standards Council of New Zealand on 23 May 2007.

Clause 1

Delete the paragraph and Note, and *replace* with the following:

This Standard specifies a parametric method of calculation based on lognormal distribution for determining the mean and 5th percentile values for structural laminated veneer lumber (LVL) from test results generated in accordance with AS/NZS 4357.2. Non-parametric methods may also be used.

NOTE: This Standard does not provide design values. In the case of Australia and New Zealand, the values obtained in this Standard should be processed in accordance with AS/NZS 4063 for characteristic properties and AS 1720.1 or NZS 3603 for design values.

Table A1, Appendix A

Delete the Note, and *replace* with the following:

* The test values in this example have been ranked. Ranking is not a mandatory requirement.

AMDT
No. 1
MAY
2007

AMDT
No. 1
MAY
2007

This page has been left intentionally blank.