

Australian/New Zealand Standard™

Guide to long-life coatings for concrete and masonry

Part 4: Latex—Textured coatings— Aggregate-filled

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CH/3, Paints and Related Materials. It was approved on behalf of the Council of Standards Australia on 26 February 1999 and on behalf of the Council of Standards New Zealand on 24 February 1999. It was published on 5 April 1999.

The following interests are represented on Committee CH/3:

Australian Paint Approval Scheme
Australian Paint Manufacturers Federation
Australian Railway Association
AUSTROADS
Building Research Association of New Zealand
Institution of Professional Engineers New Zealand
Master Painters Australia
National Association of Testing Authorities Australia
New Zealand Abrasive Blasting Association
New Zealand Manufacturers Federation
New Zealand Painting Contractors Association
Surface Coatings Association of Australia
Telarc New Zealand
Telstra Corporation
Water Corporation Western Australia

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

RECONFIRMATION

OF

AS/NZS 4548.4:1999

**Guide to long-life coatings for concrete and masonry
Part 4: Latex—Textured coatings—Aggregate-filled**

RECONFIRMATION NOTICE

Technical Committee CH-003 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 30 May 2013.

Approved for reconfirmation in New Zealand on behalf of the Standards Council of New Zealand on 26 August 2013.

The following are represented on Technical Committee CH-003:

Australasian Corrosion Association
Australian Paint Approval Scheme
Australian Paint Manufacturers' Federation
Australian Pipeline Industry Association
Institution of Professional Engineers New Zealand
Master Painters New Zealand Association
Water Corporati

NOTES

Australian/New Zealand Standard™

Guide to long-life coatings for concrete and masonry

Part 4: Latex—Textured coatings— aggregate-filled

First published as AS/NZS 4548.4—1999.

Published jointly by:

Standards Australia
1 The Crescent,
Homebush NSW 2140 Australia

Standards New Zealand
Level 10, Radio New Zealand House,
155 The Terrace,
Wellington 6001 New Zealand

PREFACE

This Guide was prepared by the Joint Standards Australia/Standards New Zealand Committee CH/3, Paints and Related Materials, to augment the range of Standards dealing with paints for buildings.

The AS/NZS 4548 series has been prepared as a guide for information on the properties that could be expected from long-life exterior coatings applied to concrete and masonry surfaces. These product characteristics are to be taken as a guide only, i.e. it is not mandatory for a product to have these characteristics.

The objective of this Standard is to provide a guide to the properties that might characterize latex-textured coatings that are aggregate filled.

Because a product is used as part only of an overall painting system, the AS 4548 guides should not be used as substitutes for a detailed painting specification from the manufacturer, based on AS 2311, *The painting of buildings*. Successful specifications are based on the proven performance of the total paint system, and not on the characteristics of individual paint products.

© Copyright — STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

CONTENTS

	<i>Page</i>
FOREWORD	4
1 SCOPE	5
2 REFERENCED DOCUMENTS	5
3 DEFINITIONS	5
4 TYPICAL PROPERTIES AND CHARACTERISTICS	6
5 PACKAGING	7
6 LABELLING	7
APPENDICES	
A GUIDANCE ON AND APPLICATION OF AGGREGATE-FILLED, TEXTURED LATEX COATINGS	10
B LIST OF REFERENCED DOCUMENTS	12