

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Amendment No. 1
to
AS/NZS 7671:2010
Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings—Polypropylene (PP) (ISO 7671:2003, MOD)

REVISED TEXT

The 2010 edition of AS/NZS 7671 is amended as follows; the amendments should be inserted in the appropriate places.

SUMMARY: This Amendment applies to the Preface and Appendix ZZ.

Published on 9 April 2013.

Approved for publication in New Zealand on behalf of the Standards Council of New Zealand on 4 February 2013.

AMDT
No. 1
APR
2013

Appendix ZZ, variation to Clause 2

Add the following to the list of additional normative references:

AS/NZS

3500 Plumbing drainage (all parts)

AMDT
No. 1
APR
2013

Appendix ZZ, variation to Clause 6.3.2

Add the following after the variation to Clause 4.3:

Delete existing Clause 6.3.2 and Note and *replace* with:

6.3.2 z-lengths

The design length(s) [z-length(s)] of fittings (see Figure 6 to Figure 19) shall be as given in ISO 265-1, Tables 1, 2, 3, 4, 5, 6 and 7.

AMDT
No. 1
APR
2013

Appendix ZZ, variation, new Clause 13

Add the following at the end of the variations list:

Add new Clause as follows:

13 Product documentation**13.1 Product data**

Product data that identifies critical product characteristics shall be available. These shall include pressure/temperature or other limitations.

13.2 Installation instructions

Detailed installations instructions shall be provided, which shall include the following:

- (a) Reference to installation in accordance with AS/NZS 3500 series and excluding the installation of unswept bends and elbows.
- (b) Step-by-step instructions.
- (c) Commissioning procedure and adjustment as required.
- (d) Troubleshooting guide.
- (e) Contact information for after sales service.

This page has been left intentionally blank.