

Australian/New Zealand Standard™

**Information technology—Learning,
education and training—Metadata for
learning resources**

Part 5: Educational elements



AS/NZS ISO/IEC 19788.5:2013

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee IT-019, Information and Documentation, Information Technology—Learning, Education, Training and Research. It was approved on behalf of the Council of Standards Australia on 19 April 2013 and on behalf of the Council of Standards New Zealand on 8 April 2013.

This Standard was published on 13 May 2013.

The following are represented on Committee IT-019:

Australian Computer Society
Australian Library and Information Association
Council of Australian University Librarians
CSIRO Information and Communication Technologies Centre
Department of Education and Training, NSW
Education Services Australia
Institute of Metadata Management
La Trobe University
Macquarie E-Learning Centre of Excellence
National Library of Australia
National Library of New Zealand
Tertiary Library Networks
University of New South Wales
Victoria University
Waikato Institute of Technology

Additional Interests:

Sybis

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS ISO/IEC 19788.5.

Australian/New Zealand Standard™

Information technology—Learning, education and training—Metadata for learning resources

Part 5: Educational elements

First published as AS/NZS ISO/IEC 19788.5:2013.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN 978 1 74342 438 4

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee IT-019, Information and Documentation, Information Technology—Learning, Education, Training and Research.

The objective of this Standard is to specify, in a rule-based manner, metadata elements and their attributes for the description of learning resources. This includes the rules governing the identification of metadata elements and the specification of metadata attributes.

This Standard is identical with, and has been reproduced from ISO/IEC 19788-5:2012, *Information technology—Learning, education and training—Metadata for learning resources, Part 5: Educational elements*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) In the source text ‘this part of ISO/IEC 19788’ should read ‘this Australian/New Zealand Standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
ISO/IEC		AS/NZS ISO/IEC	
19788	Information technology—Learning, education and training—Metadata for learning resources	19788	Information technology—Learning, education and training—Metadata for learning resources
19788-1	Part 1: Framework	19788.1	Part 1: Framework
19788-2	Part 2: Dublin Core elements	19788.2	Part 2: Dublin Core elements

The term ‘informative’ has been used in this Standard to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms	3
5	Data element specifications	4
5.1	Annotation date (DES0100)	4
5.2	Annotation text (DES0200)	5
5.3	Annotation type (DES0300)	5
5.4	Audience language (DES0400)	6
5.5	Audience level (DES0500)	7
5.6	Audience role (DES0600)	7
5.7	Contribution date (DES0700)	8
5.8	Contributor role (DES0800)	8
5.9	Curriculum assessment (DES0900)	9
5.10	Curriculum level (DES1000)	10
5.11	Curriculum specification (DES1100)	10
5.12	Curriculum topic (DES1200)	11
5.13	Has annotation (DES1300)	11
5.14	Has annotator (DES1400)	12
5.15	Has audience (DES1500)	12
5.16	Has audience (DES1600)	13
5.17	Has contribution (DES1700)	14
5.18	Has contributor (DES1800)	14
5.19	Has curriculum (DES1900)	15
5.20	Has learning activity (DES2000)	15
5.21	Induced activity (DES2100)	16
5.22	Learning activity occurrence (DES2200)	16
5.23	Learning method (DES2300)	17
5.24	Learning method (DES2400)	17
5.25	Maximum age (DES2500)	18
5.26	Minimum age (DES2600)	19
5.27	Pedagogical relation (DES2700)	19
5.28	Pedagogical type (DES2800)	20
5.29	Prerequisite (DES2900)	21
5.30	Typical learning time (DES3000)	21
6	Resource class definitions	22
6.1	The resource class "Learning resource"	22
6.2	The resource class "Person"	22
6.3	The resource class "Annotation"	22
6.4	The resource class "Audience"	23
6.5	The resource class "Contribution"	23
6.6	The resource class "Curriculum"	23
6.7	The resource class "Learning activity"	23
7	Predefined rule sets	24

Annex A (normative) MLR Vocabularies	25
A.1 Vocabulary “Agent role”	25
A.2 Vocabulary “Audience role”	25
A.3 Vocabulary “Induced activity”	26
A.4 Vocabulary “Learning method”	27
A.5 Vocabulary “Annotation type”	29
Annex B (informative) Human interface equivalents: ISO English and ISO French	30
Annex C (informative) Diagram of data element specifications for ISO/IEC 19788-5	31
Annex D (informative) Crosswalks to MLR	32
D.1 Learning Object Metadata (LOM) to MLR crosswalk	32
D.2 DCMI [1] to ISO/IEC 19788 MLR crosswalk	33
Bibliography	34

INTRODUCTION

0.1 Overall purpose of ISO/IEC 19788

The primary purpose of ISO/IEC 19788 is to facilitate: (1) the description of a learning resource by providing a standards-based approach to the identification and specification of the metadata elements required to describe a learning resource, e.g. as a metadata learning resource (MLR) record; and (2) the search, discovery, acquisition, evaluation, and use of learning resources, for instance by learners, instructors or automated software processes. The interoperability of these functions can be achieved through harvesting or federated search processes, among other technologies and solutions. ISO/IEC 19788 is based on identified user requirements.

ISO/IEC 19788 is modularly structured with all subsequent parts corresponding to a specified set of user requirements for the identification and specification of metadata elements having a particular focus and intended use in the description of a learning resource. This includes categories of metadata elements focused on technical perspectives, pedagogical aspects, availability and intellectual property aspects, bindings, etc.

0.2 Purpose and overview of ISO/IEC 19788-5

Educational elements defined in this part of ISO/IEC 19788 provide a means to describe learning resources related to their use in learning activities, their relation to curricula or programs of teaching, their relation to specific target groups, etc.

This part of ISO/IEC 19788 provides a set of data elements to describe the educational use of learning resources. In the Information Technology for Learning Education and Training (ITLET) context, resources are often used to attain a specific educational outcome that can be described in some form of educational framework, for example as part of a curriculum, lesson plan, study program, etc. Information about a resource may include a curriculum topic, often associated with a specific educational level, and sometimes with a related description of a teaching method. Moreover, the achievement of the educational outcome can also be measured or ascertained through some form of assessment.

The data elements defined in this part of ISO/IEC 19788 can be used in combination with elements from other parts of ISO/IEC 19788, and/or in combination with elements from other standards, such as ISO 15836:2009 [5], IEEE 1484.12.1-2002 [3] or other metadata schemas. Accordingly, a great number of refinements of the data elements defined in this part of ISO/IEC 19788 are under the responsibility of communities.

NOTES

AUSTRALIAN/NEW ZEALAND STANDARD

**Information technology—Learning, education and training—
Metadata for learning resources****Part 5:
Educational elements****1 Scope**

ISO/IEC 19788 specifies, in a rule-based manner, metadata elements and their attributes for the description of learning resources. This includes the rules governing the identification of metadata elements and the specification of metadata attributes.

These metadata elements are used to form the description of a learning resource, i.e. as a metadata learning resource (MLR) record.

This part of ISO/IEC 19788 specifies, using the framework specified in ISO/IEC 19788-1, educational aspects of learning resources across various educational, cultural and linguistic settings.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies.

ISO 639-2:1998(E/F)¹, *Codes for the representation of names of languages — Part 2: Alpha-3 code/Codes pour la représentation des noms de langue — Partie 2: Code alpha-3*

ISO 639-3:2007(E), *Codes for the representation of names of languages — Part 3: Alpha-3 code for comprehensive coverage of languages*

ISO/IEC 10646:2011(E), *Information technology — Universal Coded Character Set (UCS)*

ISO/IEC 19788-1(E), *Information technology — Learning, education and training — Metadata for learning resources — Part 1: Framework*

ISO/IEC 19788-2(E), *Information technology — Learning, education and training — Metadata for learning resources — Part 2: Dublin Core elements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1**audience**

set of entities for which the **learning resource** (3.6) is intended or useful

¹ This part of ISO/IEC 19788 uses the ISO 639-2:1998 Table 4 Terminology Code set, hereafter referred to as "ISO 639-2/T" For additional information, see ISO 639-2:1998, 4.1, Form of language codes.

3.2

content value

information recorded as the content of the **data element** (ISO/IEC 19788-1:2011, 3.11), in compliance with its **data element specification** (ISO/IEC 19788-1:2011, 3.14)

[ISO/IEC 19788-1:2011, 3.10]

3.3

definition

representation of a concept by a descriptive statement which serves to differentiate it from related concepts

[ISO 1087-1:2000, 3.3.1]

3.4

domain

<data element> **resource class** (3.10) whose **resources** (ISO/IEC 19788-1:2011, 3.30) are described by the **data element** (ISO/IEC 19788-1:2011, 3.11) under consideration

NOTE A central resource class for ISO/IEC 19788 is *Learning Resource* (the set of all learning resources).

[ISO/IEC 19788-1, 3.16]

3.5

identifier

sequence of characters capable of uniquely identifying an **entity** (ISO/IEC 19788-1:2011, 3.17)

NOTE 1 An identifier is linguistically neutral, with no translation provided.

NOTE 2 An identifier may be of the nature of a composite identifier, i.e. a unique identifier, consisting of two or more identifiers and/or other data elements, whose inter-workings are rule-based and which together serve as a “single” identifier.

[ISO/IEC 19788-1:2011, 3.19]

3.6

learning resource

resource (ISO/IEC 19788-1:2011, 3.30) used for learning, education and training

[ISO/IEC 19788-1:2011, 3.20]

3.7

name

designation of an object by a linguistic expression

[ISO/IEC 11179-1:2004, 3.2.21]

3.8

range

<data element> **resource class** (3.10) to which the **content values** (3.2) of the **data element** (ISO/IEC 19788-1:2011, 3.11) belong, or set of **literals** (ISO/IEC 19788-1:2011, 3.21) comprising the string representations of the permissible values of the data element under consideration

[ISO/IEC 19788-1:2011, 3.28]

3.9

refine

<data element specification> have an associated property which is a sub-property of the property associated with

NOTE 1 This implies that the value of the domain attribute of the first data element specification is identical to or a proper subset of the value of the domain attribute of the second data element specification and that the value of the range attribute of the first data element specification is identical to or a proper subset of the value of the range attribute of the second data element specification.

NOTE 2 Data element instances of the first data element specification are said to refine data element instances of the second data element specification.

EXAMPLE 1 Property “is son of” refines property “is child of”.

EXAMPLE 2 Property “has mother” refines property “has parent”.

[ISO/IEC 19788-1:2011, 3.29]

3.10

resource class

set of **resources** (ISO/IEC 19788-1:2011, 3.30) that can be identified by listing or description of boundaries and meaning and whose properties and behaviour follow the same **rule** (ISO/IEC 19788-1:2011, 3.32)

NOTE 1 A resource class has the following attributes:

- Identifier;
- Name;
- Definition;
- SubclassOf [multiple inheritance];
- Note.

EXAMPLES *Learning Resource* (set of all learning resources), *Person* (set of all Persons), *Rights* (set of all rights objects), and *Document* (set of all documents).

NOTE 2 Adapted from the definition of “object class” in ISO/IEC 11179-1:2004, 3.3.22.

[ISO/IEC 19788-1:2011, 3.31]

3.11

rule set

defined and pre-established set of **rules** (ISO/IEC 19788-1:2011, 3.32) that are used together

[ISO/IEC 19788-1:2011, 3.33]

4 Abbreviated terms

For the purposes of this document, the following abbreviations and acronyms apply.

DCMI	Dublin Core Metadata Initiative
DES	Data Element Specification
LOM	Learning Object Metadata
MLR	Metadata for Learning Resources
PRS	Predefined rule set
RC	Resource class
URI	Uniform Resource Identifier
URN	Uniform Resource Name

5 Data element specifications

All data element specification attributes are introduced in section 6.2 of ISO/IEC 19788-1:2011 *Framework*, including data element specification (DES) identifiers. Examples of such unique identifiers are “ISO_IEC_19788-2:2011::DES0020”, “ISO_IEC_19788-5:2012::DES0100”, etc. Implementing this Standard in a technical application will often require a mapping of the DES identifiers defined in this (and other parts) to a HTTP URI [5], following the rules given in a footnote to rule [R0004] in the framework, for convenience here cited in full:

“For bindings those identifiers will map URI as defined by IETF RFC 5141 (A Uniform Resource Name (URN) Namespace for the International Organization for Standardization (ISO)). Namespace related in this Part of ISO IEC 19788 will be based on IETF RFC 5141 and its proposed process for identifier resolution (clause 2.8). For example, this Part of ISO/IEC 19788 (edition 1) document with identifier urn:iso:std:iso-iec:19788:-1:ed-1:en corresponds to the HTTP URI <http://standards.iso.org/iso-iec/19788/-1/ed-1/en/> (using urn:iso:std:iso-iec:19788:-1:ed-1:en would also be possible).”

As an example, the URI for the MLR 5 Data element ISO_IEC_19788-5:2012::DES0200, Annotation text, will be <http://standards.iso.org/iso-iec/19788/-5/ed-1/en/DES0200>.

The range attribute of data elements can either be a resource class or a set of literals.

Resource classes are defined in Clause 6.

In the following list, data elements specifications are listed in alphabetical order of their property name. A graphical representation -of the data element specifications can be found in Annex C *Diagram of data element specifications for ISO/IEC 19788-5*.

5.1 Annotation date (DES0100)

Data element specification	
Identifier	ISO_IEC_19788-5:2012::DES0100
Data element attributes	
Property name	annotation date
Definition	date this annotation was created
Linguistic indicator	non-linguistic
Domain	<i>Annotation</i> (ISO_IEC_19788-5:2012::RC0001)
Range	<i>literal</i>
Content value rules	ISO_IEC_19788-1:2011::PRS0002 (Date)
Refines	-
Example(s)	2005-08-07
Note(s)	-

5.2 Annotation text (DES0200)

Data element specification	
Identifier	ISO_IEC_19788-5:2012::DES0200
Data element attributes	
Property name	annotation text
Definition	textual comment about the use of the learning resource
Linguistic indicator	linguistic
Domain	<i>Annotation</i> (ISO_IEC_19788-5:2012::RC0001)
Range	<i>literal</i>
Content value rules	ISO_IEC_19788-1:2011::PRS0001 (MLR String)
Refines	-
Example(s)	Found useful as remedial work for first graders (eng)
Note(s)	-

5.3 Annotation type (DES0300)

Data element specification	
Identifier	ISO_IEC_19788-5:2012::DES0300
Data element attributes	
Property name	annotation type
Definition	type of the annotation
Linguistic indicator	non- linguistic
Domain	<i>Annotation</i> (ISO_IEC_19788-5:2012::RC0001)
Range	<i>literal</i>
Content value rules	RS_DES0300
Refines	-
Example(s)	ISO_IEC_19788-5:2012::VA.5:T040 (reliability)
Note(s)	-

ID : RS_DES0300	
Rule_ID	Rule statement / Example(s) & Note(s)
01	Is a MLR String (ISO_IEC_19788-1:2011::PRS0001)
02	Is the identifier of a term from ISO_IEC_19788-5:2012::VA.5 "Annotation type" (see Annex A.5)

5.4 Audience language (DES0400)

Data element specification	
Identifier	ISO_IEC_19788-5:2012::DES0400
Data element attributes	
Property Name	audience language
Definition	human language of the audience
Linguistic indicator	non-linguistic
Domain	<i>Audience</i> (ISO_IEC_19788-5:2012::RC0002)
Range	<i>literal</i>
Content value rules	RS_DES0400
Refines	-
Example(s)	fra (French) eng (English)
Note(s)	-

ID : RS_DES0400	
Rule ID	Rule statement / Example(s) & Note(s)
01	Is a MLR String (ISO_IEC_19788-1:2011::PRS0001)
02	If an entry can be found for a given language, use three letter code ISO 639-2/T, else use three letter code ISO 639-3