



**American Water Works
Association**

The Authoritative Resource for Safe Drinking WaterSM

AWWA B404-03
(Revision of ANSI/AWWA B404-98)

AWWA Standard

Liquid Sodium Silicate



Effective date: Nov. 1, 2003.
First edition approved by AWWA Board of Directors Aug. 5, 1955.
This edition approved Jan. 19, 2003.
Approved by American National Standards Institute Aug. 22, 2003.

6666 West Quincy Avenue
Denver, CO 80235-3098
T 1.800.926.7337
www.awwa.org

Advocacy
Communications
Conferences
Education and Training
► **Science and Technology**
Sections

Copyright © 2003 American Water Works Association, All Rights Reserved.



Documents

Document Sharing Hub

AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. AWWA standards are intended to represent a consensus of the water supply industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed on the first page of the classified advertising section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 W. 43rd St., Fourth Floor, New York, NY 10036; (212) 642-4900.

Science and Technology

AWWA unites the drinking water community by developing and distributing authoritative scientific and technological knowledge. Through its members, AWWA develops industry standards for products and processes that advance public health and safety. AWWA also provides quality improvement programs for water and wastewater utilities.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information or retrieval system, except in the form of brief excerpts or quotations for review purposes, without the written permission of the publisher.

Copyright © 2003 by American Water Works Association
Printed in USA

Committee Personnel

The AWWA Standards Committee on Scale and Corrosion Control Chemicals, which reviewed and approved this standard, had the following personnel at the time of approval:

Robert A. Ryder, *Chair*

Consumer Members

W.F. Maier, Board of Water & Light, Lansing, Mich.	(AWWA)
J.J. Muldowney, Philadelphia Water Department, Philadelphia, Pa.	(AWWA)
R.M. Powell, Pinellas County Utilities, Largo, Fla.	(AWWA)
J.C. Thurrott, City of Daytona Beach, Daytona Beach, Fla.	(AWWA)
T.M. Tucker, Knoxville Utilities Board, Knoxville, Tenn.	(AWWA)
M.M. Vogel, Southeast Morris County Municipal Utilities, Cedar Knolls, N.J.	(AWWA)

General Interest Members

H.T. Belcher, Jr., Environmental Engineering & Technology, Currituck, N.C.	(AWWA)
L.L. Harms, Black & Veatch, Raymore, Mo.	(AWWA)
S.J. Posavec,* Standards Group Liaison, AWWA, Denver, Colo.	(AWWA)
R.A. Ryder, Kennedy Jenks Consultants, San Francisco, Calif.	(AWWA)
Lawrence Thomas,* Baxter & Woodman Inc., Crystal Lake, Ill.	(AWWA)

Producer Members

Rick DeBlois, Carus Chemical Company, Peru, Ill.	(AWWA)
W.F. Mersch, Stiles-Kem Division, Waukegan, Ill.	(AWWA)
Kevin Ripp, Consultant, Rockford, Ill.	(AWWA)

* Liaison, nonvoting

This page intentionally blank.

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC.	PAGE	SEC.	PAGE
<i>Foreword</i>		4	Requirements
I	Introduction..... vii	4.1	Physical Requirements 2
I.A	Background..... vii	4.2	Chemical Requirements 2
I.B	History..... vii	4.3	Impurities 3
I.C	Acceptance. vii	4.4	Uses 3
II	Special Issues..... ix	5	Verification
II.A	Discussion..... ix	5.1	Sampling..... 4
II.B	Safety ix	5.2	Suspended Matter..... 4
III	Use of This Standard. ix	5.3	Test Procedure for Determining Specific Gravity..... 6
III.A	Purchaser Options and Alternatives.. ix	5.4	Test Procedure for Determining Silica (SiO ₂)..... 7
III.B	Modification to Standard..... x	5.5	Test Procedure for Determining Sodium Oxide.....11
IV	Major Revisions. x	5.6	Calculation of Weight Ratio.....12
V	Comments. x	5.7	Basis for Rejection 12
<i>Standard</i>		6	Delivery
1	General	6.1	Marking..... 12
1.1	Scope 1	6.2	Packaging and Shipping..... 13
1.2	Purpose 1	6.3	Affidavit of Compliance..... 13
1.3	Application 1		
2	References 2		
3	Definitions 2		

This page intentionally blank.

Foreword

This foreword is for information only and is not a part of AWWA B404.

I. Introduction.

I.A. *Background.* Sodium silicate solutions have application in the water treatment industry as an ingredient of activated silica coagulant aids, for the control of corrosion, and as a stabilizing agent for iron and manganese.

Sodium silicates are water-soluble glasses, manufactured by fusing soda ash (Na_2CO_3) and specially selected silica sands at high temperatures. These products can be identified by the formula $\text{Na}_2\text{O} \cdot (\text{SiO}_2)_x$, where x can range from 0.5 to 4.0. Sodium silicate solutions (liquid sodium silicates) are usually identified by the weight ratio of their components, which is x in the formula, and their density is frequently reported in degrees Baumé (Bé).*

Commercial liquid sodium silicates include a variety of products ranging in ratio from 1.8 to 3.75, and in density from 35°Bé to approximately 60°Bé (20°C). The most commonly used product for water treatment is a 3.2 weight ratio liquid, usually sold at 40° to 41°Bé, which represents the least expensive source of soluble silica. For use in low pH waters, a lower ratio (more alkaline) silicate is sometimes more useful.

I.B. *History.* The first edition of this standard for liquid sodium silicate was prepared under the direction of the AWWA Water Purification Division. The standard was approved by the Executive Committee of the Water Purification Division and by the Water Works Practice Committee and received the approval of the AWWA Board of Directors on Aug. 5, 1955. The text was approved as tentative on Aug. 5, 1955, and was made standard on Jan. 26, 1958. Subsequent editions were approved by the AWWA Board of Directors on June 15, 1980; June 14, 1987; June 18, 1992; and June 21, 1998. This edition was approved by the AWWA Board of Directors on Jan. 19, 2003.

I.C. *Acceptance.* In May 1985, the US Environmental Protection Agency (USEPA) entered into a cooperative agreement with a consortium led by NSF International (NSF) to develop voluntary third-party consensus standards and a certification program for all direct and indirect drinking water additives. Other members of the original consortium included the American Water Works Association

*The conversion from degrees Baumé to specific gravity is outlined in Sec. 5.3.4 of the standard.

Research Foundation (AWWARF) and the Conference of State Health and Environmental Managers (COSHEM). The American Water Works Association (AWWA) and the Association of State Drinking Water Administrators (ASDWA) joined later.

In the United States, authority to regulate products for use in, or in contact with, drinking water rests with individual states.* Local agencies may choose to impose requirements more stringent than those required by the state. To evaluate the health effects of products and drinking water additives from such products, state and local agencies may use various references, including a standard developed under the direction of NSF, ANSI[†]/NSF[‡] 60, Drinking Water Treatment Chemicals—Health Effects.

Various certification organizations may be involved in certifying products in accordance with ANSI/NSF 60. Individual states or local agencies have authority to accept or accredit certification organizations within their jurisdiction. Accreditation of certification organizations may vary from jurisdiction to jurisdiction.

Annex A, “Toxicology Review and Evaluation Procedures,” to ANSI/NSF 60 does not stipulate a maximum allowable level (MAL) of a contaminant for substances not regulated by a USEPA final maximum contaminant level (MCL). The MALs of an unspecified list of “unregulated contaminants” are based on toxicity testing guidelines (noncarcinogens) and risk characterization methodology (carcinogens). Use of Annex A procedures may not always be identical, depending on the certifier.

AWWA B404-02 addresses additives requirements in Sec. 4 of the standard. The transfer of contaminants from chemicals to processed water or the residual solids is becoming a problem of great concern. The language in Sec. 4.3.2 is a recommendation only for direct additives used in the treatment of potable water to be certified by an accredited certification organization in accordance with ANSI/NSF Standard 60, Drinking Water Treatment Chemicals—Health Effects. However, users of the standard may opt to make this certification a requirement for the product. Users of this standard should also consult the appropriate state or local agency having jurisdiction in order to

1. Determine additives requirements, including applicable standards.

*Persons outside the US should contact the appropriate authority having jurisdiction.

†American National Standards Institute, 25 W. 43rd St., Fourth Floor, New York, NY 10036.

‡NSF International, 789 N. Dixboro Rd., Ann Arbor, MI 48105.