

Status: Currently Official on 13-Feb-2025
Official Date: Official as of 01-Dec-2014
Document Type: USP Monographs
DocId: GUID-863BFA83-E393-4FAA-84E8-E0D0A5CF21ED_1_en-US
DOI: https://doi.org/10.31003/USPNF_M8229_01_01
DOI Ref: 74eti

© 2025 USPC
Do not distribute

Benazepril Hydrochloride Compounded Oral Suspension, Veterinary

DEFINITION

Benazepril Hydrochloride Compounded Oral Suspension, Veterinary contains NLT 90.0% and NMT 110.0% of the labeled amount of benazepril hydrochloride ($C_{24}H_{28}N_2O_5 \cdot HCl$).

Prepare Benazepril Hydrochloride Compounded Oral Suspension, Veterinary, 5 mg/mL, as follows (see [Pharmaceutical Compounding—Nonsterile Preparations \(795\)](#)).

Benazepril Hydrochloride powder	500 mg
Vehicle: a 1:1 mixture of Ora-Plus ^a and Ora-Sweet ^a , a sufficient quantity to make	100 mL

^a Perrigo Pharmaceuticals, Allegan, MI.

Pour the *Benazepril Hydrochloride powder* into a suitable container. Wet the powder with a small amount of *Vehicle*, and triturate to make a smooth paste. Add the *Vehicle* to make the contents pourable. Transfer the contents, stepwise and quantitatively, to a calibrated container using the remainder of the *Vehicle*. Add sufficient *Vehicle* to bring to final volume. Shake to mix well.

ASSAY

• **PROCEDURE**

Solution A: 25 mM sodium phosphate adjusted with phosphoric acid to a pH of 3.0. Pass through a nylon filter of 0.45-µm pore size.
Mobile phase: Acetonitrile and *Solution A* (40:60)
Diluent: Water adjusted with phosphoric acid to a pH of 3.0
Standard stock solution: 5 mg/mL of [USP Benazepril Hydrochloride RS](#) in *Diluent*. Sonicate for 3 min. Mix well, and store at 2°–8°.
Standard solution: 0.01 mg/mL of benazepril hydrochloride prepared with *Standard stock solution* and *Diluent*. Centrifuge for 5 min at 14,000 rpm, and use the supernatant. Protect from light, and store at 2°–8°.
Sample solution: Shake thoroughly each bottle of Oral Suspension, Veterinary. Transfer 2.0 mL of the Oral Suspension, Veterinary into a 1-L volumetric flask, and dilute with *Diluent* to volume. Mix well. Centrifuge for 5 min at 14,000 rpm, and use the supernatant. Protect from light, and store at 2°–8°.

Chromatographic system

(See [Chromatography \(621\), System Suitability](#).)

Mode: LC
Detector: UV 210 nm
Column: 4.6-mm × 25-cm; 5-µm packing L1
Temperatures
Column: 30°
Autosampler: 5°
Flow rate: 1.2 mL/min
Injection volume: 25 µL

System suitability

Sample: *Standard solution*
[NOTE—The retention time for benazepril hydrochloride is about 6.5 min.]
Suitability requirements
Tailing factor: NMT 2.0
Relative standard deviation: NMT 2.0% for replicate injections

Analysis

Samples: *Standard solution* and *Sample solution*
Calculate the percentage of the labeled amount of benazepril hydrochloride ($C_{24}H_{28}N_2O_5 \cdot HCl$) in the portion of Oral Suspension, Veterinary taken:

Result = $(r_U/r_S) \times (C_S/C_U) \times 100$

r_U = peak response of benazepril hydrochloride from the *Sample solution*

r_S = peak response of benazepril hydrochloride from the *Standard solution*

C_S = concentration of benazepril hydrochloride in the *Standard solution* (mg/mL)

C_U = nominal concentration of benazepril hydrochloride in the *Sample solution* (mg/mL)

Acceptance criteria: 90.0%–110.0%

SPECIFIC TESTS

- **pH** (791): 3.8–4.8

ADDITIONAL REQUIREMENTS

- **PACKAGING AND STORAGE:** Package in tight, light-resistant containers. Store at 2°–8° or at controlled room temperature.
- **LABELING:** Label it to indicate that it is to be well-shaken before use, and to state the *Beyond-Use Date*. Label it to state that it is for veterinary use only.
- **BEYOND-USE DATE:** NMT 90 days after the date on which it was compounded when stored at 2°–8° or at controlled room temperature
- **USP REFERENCE STANDARDS** (11).
[USP Benazepril Hydrochloride RS](#)

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
BENAZEPRIL HYDROCHLORIDE COMPOUNDED ORAL SUSPENSION, VETERINARY	Brian Serumaga Science Program Manager	CMP2020 Compounding 2020

Chromatographic Database Information: [Chromatographic Database](#)

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. PF 39(5)

Current DocID: GUID-863BFA83-E393-4FAA-84E8-E0D0A5CF21ED_1_en-US

DOI: https://doi.org/10.31003/USPNF_M8229_01_01

DOI ref: [74eti](#)

OFFICIAL