

Specification for

Aminoplastic moulding materials

UDC 678.652

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/40, upon which the following bodies were represented:

- BEAMA Ltd.
- British Plastics Federation
- EEA (the Association of Electronics, Telecommunications and Business Equipment Industries)
- Electrical Installation Equipment Manufacturers' Association (BEAMA Ltd.)
- European Resin Manufacturer's Association
- Ministry of Defence

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 October 1992

© BSI 07-1999

The following BSI references relate to the work on this standard:
Committee reference PRM/40
Draft for comment 87/38630 DC

ISBN 0 580 21269 6

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
1 Scope	1
2 Normative references	1
3 Definitions	2
4 General requirements	2
5 Test specimens	2
6 Methods of test	2
7 Marking	4
Table 1 — Properties of aminoplastic moulding materials	3
List of references	Inside back cover

National foreword

This British Standard has been prepared under the direction of the Plastics and Rubber Standards Policy Committee and is identical with ISO 2112:1990 *Plastics — Aminoplastic moulding materials — Specification*, published by the International Organization for Standardization (ISO).

It supersedes BS 1322:1981 which is withdrawn.

Cross-references

International standard	Corresponding British Standard
ISO 62:1980	BS 2782 <i>Methods of testing plastics</i> Methods 430A to 430D:1983 <i>Determination of water absorption at 23 °C.</i> <i>Determination of water absorption at 23 °C with allowance for water-soluble matter.</i> <i>Determination of boiling water absorption.</i> <i>Determination of boiling water absorption with allowance for water-soluble matter.</i> (Identical)
ISO 75:1987	Methods 121A and 121B:1991 <i>Determination of temperature of deflection under a bending stress</i> (Identical)
ISO 171:1980	Method 621C:1983 <i>Determination of the bulk factor of moulding materials</i> (Identical)
ISO 178:1975	Method 335A:1978 <i>Determination of flexural properties of rigid plastics</i> (Identical)
ISO 179:1982	Method 359:1984 <i>Determination of Charpy impact strength of rigid materials (Charpy impact flexural test)</i> (Identical)
ISO 180:1982	Method 350:1984 <i>Determination of Izod impact strength of rigid materials</i> (Identical)
ISO 291:1977	Part 0:1992 Introduction (Appendix A is identical)
ISO 295:1974 ^a	Method 902A:1992 <i>Compression moulding test specimens of thermosetting materials</i> (Identical)
ISO 3671:1976	Method 461A:1978 <i>Determination of volatile matter in aminoplastic moulding materials</i> (Identical)
ISO 4614:1977	Methods 462A and 462B:1978 <i>Determination of extractable formaldehyde in melamine — formaldehyde mouldings</i> (Identical)
IEC 112:1979	BS 5901:1980 <i>Method of test for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions</i> (Identical)

^a ISO 295:1974 is now withdrawn. It is superseded by ISO 295:1991 which is identical with BS 2782:Method 902A:1992.