

Please be aware that this PDF has been created from the original hardcopy document, which might not be in good condition and so the PDF might reflect this.

Library

Land

OFFICE COPY.

BRITISH STANDARD 18 : 1950

Superseded by 1956 issue

TENSILE TESTING OF METALS



Price 2/6 net, post free

BRITISH STANDARDS INSTITUTION

Incorporated by Royal Charter

24/28 VICTORIA STREET, LONDON, S.W.1

Telegrams : Standards, Sowest, London. Telephone : Abbey 3333

THIS BRITISH STANDARD, having been approved by the Mechanical Engineering Industry Standards Committee and endorsed by the Chairman of the Engineering Divisional Council, was published under the authority of the General Council on 23rd May, 1950.

First published, June, 1904.

First revision, June, 1907.

Second revision, November, 1910.

Third revision, December, 1938.

Fourth revision, May, 1950.

The Institution desires to call attention to the fact that this British Standard does not purport to include all the necessary provisions of a contract.

In order to keep abreast of progress in the industries concerned, British Standards are subject to periodical review. Suggestions for improvements will be recorded and in due course brought to the notice of the committees charged with the revision of the standards to which they refer.

A complete list of British Standards, numbering over 1600, indexed and cross-indexed for reference, together with an abstract of each standard, will be found in the Institution's Yearbook, price 5s. post free.

British Standards are revised, when necessary, by the issue either of amendment slips or of revised editions. It is important that users of British Standards should ascertain that they are in possession of the latest amendments or edition.

Users wishing to be kept informed of any alteration to this standard should notify Sales and Distribution Department of the Institution, giving the number and title of the Standard.

MEE/37

2

CONTENTS

	Page
Co-operating organizations	4
Foreword	5
SECTION ONE: DEFINITIONS	
1. General	5
2. Limit of proportionality stress	5
3. Yield stress	6
4. Proof stress	6
5. Ultimate tensile stress	7
6. Percentage elongation	7
7. Percentage reduction of area	8
8. Young's modulus of elasticity	8
SECTION TWO: FORMS OF STANDARD TENSILE TEST PIECES	
9. Test piece A	8
10. Test piece A.1	9
11. Test piece B	10
12. Test piece B.1	10
13. Test piece C	11
14. Subsidiary standard round test pieces	11
15. Tensile test pieces for cast iron	12
a. Grey iron castings	12
b. Whiteheart malleable iron castings	14
c. Blackheart malleable iron castings	15
16. Test pieces for wire	15
17. Test pieces for tubes	15
a. Tests on pieces of the tube tested whole	15
b. Tests on strips cut from tubes	16
c. Round test pieces turned from the wall of thick-walled tubes	16
18. Test pieces for steel cylinders	16
SECTION THREE: STANDARD METHODS OF PROCEDURE FOR TENSILE TESTING	
19. Separation of test piece from sample	17
20. Position of turned test piece in samples of various sizes	17
21. Treatment of test piece before finishing	17
22. Finishing of test piece	18
23. Marking the gauge length	18
24. Method of holding	18
25. Determination of percentage elongation	18
26. Rate of loading	19

3

FD 1093

Amendment No. 1 : September, 1950

to B.S. 18 : 1950

Tensile testing of metals

Corrigendum

Page 16. Note. 4th line. Delete formula and substitute

$$\frac{1}{4} \left[W \sqrt{(D^2 - W^2)} + D^2 \sin^{-1} \frac{W}{D} \right] - \frac{1}{4} \left[W \sqrt{(d^2 - w^2)} + d^2 \sin^{-1} \frac{w}{d} \right]$$