

BS 1881-130:2013



BSI Standards Publication

Testing concrete –

Part 130: Method for temperature-matched curing of concrete specimens

bsi.

...making excellence a habit.
AVA Documents™
Document Sharing Hub

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 77926 8

ICS 91.100.30

The following BSI references relate to the work on this standard:

Committee reference B/517

Draft for comment 12/30258720 DC

Publication history

First edition November 1996

Second (present) edition January 2013

Amendments issued since publication

Date	Text affected
------	---------------

Contents

Foreword *ii*

Introduction 1

1	Scope	2
2	Normative References	2
3	Terms and definitions	2
4	Apparatus	2
5	Method	3
6	Report	4

Annexes

Annex A (informative) Recording the temperature history of a concrete element 5

Bibliography 6

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 6, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 1881 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 January 2013. It was prepared by Subcommittee B/517/1, *Concrete production and testing*, under the authority of Technical Committee B/517, *Concrete*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This part of BS 1881 supersedes BS 1881-130:1996, which is withdrawn.

Relationship with other publications

BS 1881 is published in the following parts:

- BS 1881-113, *Method for making and curing no-fines cubes*;
- BS 1881-119, *Method for determination of compressive strength using portions of beams broken in flexure (equivalent cube method)*;
- BS 1881-122, *Method for determination of water absorption*;
- BS 1881-124, *Methods for analysis of hardened concrete*;
- BS 1881-125, *Method for mixing and sampling fresh concrete in the laboratory*;
- BS 1881-128, *Method for analysis of fresh concrete*;
- BS 1881-129, *Method for the determination of density of partially compacted semi-dry fresh concrete*;
- BS 1881-130, *Method for temperature matched curing of concrete specimens*;
- BS 1881-131, *Methods for testing cement in a reference concrete*;
- BS 1881-201, *Guide to the use of non-destructive methods of test for hardened concrete*;
- BS 1881-204, *Recommendations on the use of electromagnetic covermeters*;
- BS 1881-206, *Recommendations for determination of strain in concrete*;
- BS 1881-207, *Recommendations for the assessment of concrete strength by near-to-surface tests*;
- BS 1881-208, *Recommendations for the initial surface absorption of concrete*;
- BS 1881-209, *Recommendations for the measurement of dynamic modulus of elasticity of concrete*;
- DD 216, *Determination of chloride content of fresh concrete*.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its methods are expressed as a set of instructions, a description, or in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.