

Methods of testing

Refractory materials

Part 5. Refractory and thermal properties

Section 5.14 Determination of thermal expansion (temperatures up to 1500 °C) (methods 1902-514)

Confirmed
December 2009

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Refractory Products Standards Policy Committee (RPM/-) to Technical Committee RPM/1, upon which the following bodies were represented:

- British Ceramic Research Ltd.
- British Industrial Ceramic Manufacturers' Association
- British Steel Industry
- Refractories Association of Great Britain
- Refractory Contractors' Association
- Society of Glass Technology

This British Standard, having been prepared under the direction of the Refractory Products Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 June 1992

© BSI 1998

Amendments issued since publication

Amd. No.	Date	Text affected
8740	January 1998	Indicated by a sideline in the margin

The following BSI references relate to the work on this standard:
Committee reference RPM/1
Draft for comment 90/47759 DC

ISBN 0 580 20668 8

Summary of pages

The following table identifies the current issue of each page. Issue 1 indicates that a page has been introduced for the first time by amendment. Subsequent issue numbers indicate an updated page. Vertical sidelining on replacement pages indicates the most recent changes (amendment, addition, deletion).

Page	Issue	Page	Issue
Front cover	2	5	original
Inside front cover	2	6	original
a	1	7	original
b	blank	8	2
1	2	9	1
2	original	10	1
3	2	Inside back cover	original
4	original	Back cover	2

Contents

	Page
Committees responsible	Inside front cover
Foreword	2
Methods	
1 Scope	3
2 Designation	3
3 Definitions	3
4 Principle	3
5 Apparatus	3
6 Test pieces	6
7 Calibration	6
8 Procedure	6
9 Calculation and expression of results	7
10 Test report	7
Appendices	
A Requirement for accuracy	8
B Methods for testing investment casting shell moulds	8
Table	
1 Thermal expansion reference data for polycrystalline alumina relative to 20 °C	5
Figures	
1 Horizontal dilatometer	3
2 Vertical dilatometer	4
B.1 Apparatus for testing investment casting shell moulds	9