


**Please be aware that this PDF has been created from the original hardcopy document, which might not be in good condition and so the PDF might reflect this.**

5/s by 1970 edition + 1 And.

BRITISH STANDARD 215 : Part 1 : 1956

Aluminium Conductors  
For Overhead  
Power Transmission Purposes



BRITISH STANDARDS INSTITUTION

BRITISH STANDARD SPECIFICATION

ALUMINIUM CONDUCTORS

FOR OVERHEAD

POWER TRANSMISSION PURPOSES

B.S. 215 : Part 1 : 1956

4/-  
Price 3/6 net

BRITISH STANDARDS INSTITUTION

INCORPORATED BY ROYAL CHARTER

BRITISH STANDARDS HOUSE, 2 PARK ST., LONDON, W.1

TELEGRAMS: STANDARDS, AUDLEY, LONDON      TELEPHONE: MAYFAIR 9000

This BRITISH STANDARD, having been approved by the Electrical Industry Standards Committee and endorsed by the Chairman of the Engineering Divisional Council, was published under the authority of the General Council on 28th December, 1956.

0

First published, October, 1925.  
First revision, January, 1930.  
Second revision, March, 1934.  
Third revision, December, 1956.

The Institution desires to call attention to the fact that this British Standard does not purport to include all the necessary provisions of a contract.

In order to keep abreast of progress in the industries concerned, British Standards are subject to periodical review. Suggestions for improvements will be recorded and in due course brought to the notice of the committees charged with the revision of the standards to which they refer.

A complete list of British Standards, numbering over 2500, indexed and cross-indexed for reference, together with an abstract of each standard, will be found in the Institution's Yearbook, price 12s. 6d.

This standard makes reference to the following British Standards :

B.S. 18. Tensile testing of metals.  
B.S. 84. Screw threads of Whitworth form.  
B.S. 205. Glossary of terms used in electrical engineering.  
B.S. 2627. Wrought aluminium for electrical purposes. Wire.

*British Standards are revised, when necessary, by the issue either of amendment slips or of revised editions. It is important that users of British Standards should ascertain that they are in possession of the latest amendments or editions.*

The following B.S.I. references relate to the work on this standard :—  
Committee reference ELE/17/1. Draft for comment CR(ELE) 2860.

2

## CONTENTS

|                            | Page |
|----------------------------|------|
| Co-operating organizations | 4    |
| Foreword                   | 5    |

## SPECIFICATION

|                                       |   |
|---------------------------------------|---|
| SECTION ONE : GENERAL                 |   |
| 1. Scope                              | 6 |
| 2. Definitions                        | 6 |
| 3. Standards for hard-drawn aluminium | 7 |

## SECTION TWO : MATERIAL

|                         |   |
|-------------------------|---|
| 4. Material             | 7 |
| 5. Freedom from defects | 7 |

## SECTION THREE : DIMENSIONS AND CONSTRUCTION

|                                                    |   |
|----------------------------------------------------|---|
| 6. Standard sizes of solid wires                   | 7 |
| 7. Tolerances on the standard diameters of wires   | 7 |
| 8. Standard sizes of stranded aluminium conductors | 7 |
| 9. Joints in wires and conductors                  | 8 |
| 10. Stranding                                      | 8 |

## SECTION FOUR : TESTS

|                               |    |
|-------------------------------|----|
| 11. Selection of test samples | 8  |
| 12. Place of testing          | 9  |
| 13. Mechanical tests          | 9  |
| 14. Resistivity test          | 9  |
| 15. Certificate of compliance | 10 |

## TABLES

|                                                                              |    |
|------------------------------------------------------------------------------|----|
| 1. Lay ratios for aluminium conductors                                       | 8  |
| 2. Multiplier constants                                                      | 10 |
| 3. Aluminium wires used in the construction of standard aluminium conductors | 11 |
| 4. Standard aluminium conductors                                             | 12 |
| 5. Increase in length due to stranding                                       | 13 |
| 6. Stranding constants                                                       | 14 |
| 7. Strength of stranded conductors                                           | 14 |

## APPENDICES

|                                                 |    |
|-------------------------------------------------|----|
| A. Notes on the calculation of Table 4          | 13 |
| B. Notes on modulus of elasticity               | 15 |
| C. Code names for stranded aluminium conductors | 15 |

3