

Hot-applied joint sealant systems for concrete pavements —

Part 1: Specification for joint sealants

UDC 625.84.083:691.58

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee B/510, Road Materials, to subcommittee B/510/3, Materials for concrete roads, upon which the following bodies were represented:

- BAA plc
- British Adhesives' and Sealants' Association
- British Aggregate Construction Materials' Industries
- British Cement Association
- Concrete Society
- County Surveyors' Society
- Department of the Environment (Property Services Agency)
- Department of Transport
- Federation of Civil Engineering Contractors
- Hot Extruded Sealant Association
- Institution of Civil Engineers
- Institution of Highways and Transportation
- Coopted members

This British Standard, having been prepared under the direction of Technical Committee B/510, was published under the authority of the Standards Board and comes into effect on 15 August 1993

© BSI 02-1999

First published in BS 2499 May 1954
Second edition November 1966
Third edition December 1973
Fourth edition as BS 2499-1 August 1993

The following BSI references relate to the work on this standard:
Committee reference B/510/3
Draft for comment 92/18214 DC

ISBN 0 580 22075 3

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 References	1
3 Definitions	1
4 Sampling	1
5 Classification	2
6 Performance	2
7 Bitumen compatibility	3
8 Containers	3
9 Marking	3
10 Manufacturer's certificate	4
Annex A (informative) Information to be given with enquiry or order	5
Annex B (informative) Typical manufacturer's certificate	5
Table 1 — Types of hot-applied joint sealant	2
Table 2 — Flow resistance	2
Table 3 — Penetration values of hot-applied joint sealants	3
Table 4 — Solubility of fuel-resistant hot-applied joint sealants	3
List of references	Inside back cover

Foreword

This Part of BS 2499 has been prepared under the direction of Technical Committee B/510, Road Materials. Together with BS 2499-2:1992 and BS 2499-3:1993, it supersedes BS 2499:1973, which is withdrawn.

Methods of test are described in BS 2499-3:1993, and BS 2499-2:1992 is a code of practice for the application and use of joint sealants.

Information which should be given with an enquiry or order is shown in Annex A. A typical form of manufacturer's certificate is shown in Annex B.

Requirements for cold-applied joint sealants are specified in BS 5212.

It has been assumed in the drafting of this British Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

Product certification. Users of this British Standard are advised to consider the desirability of third party certification of product conformity with this British Standard based on testing and continuing surveillance which may be coupled with assessment of a supplier's quality systems against the appropriate Part of BS 5750.

Enquiries as to the availability of third party certification schemes will be forwarded by BSI to the Association of Certification Bodies. If a third party certification scheme does not already exist, users should consider approaching an appropriate body from the list of Association members.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.