

Methods of testing

Water used in industry —

Part 104: Silica: reactive, total and
suspended

IMPORTANT NOTE. It is essential that this Part be read in conjunction with the information in Part 100 of this standard, “Foreword, scope and general requirements”, which is published separately.

UDC 628.1:663.63.01:543.3:546.284-31

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Environment and Pollution Standards Committee, was published under the authority of the Executive Board and comes into effect on 30 November 1983

© BSI 09-1999

The Committees responsible for this British Standard are shown in Part 100
The following BSI references relate to the work on this standard:
Committee reference EPC/37
Draft for comment 77/50234 DC

ISBN 0 580 11741 3

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
0 Introduction	1
1 Scope	1
Section 104.1 Reactive silica: spectrophotometric method (reduced molybdosilicic acid)	
2 Range	1
3 Maximum size of test portion	1
4 Principle	1
5 Interferences	1
6 Reagents	2
7 Apparatus	2
8 Sampling	2
9 Calibration	2
10 Procedure	3
11 Calculation	3
Section 104.2 Total silica: fusion and spectrophotometry	
12 Range	3
13 Maximum size of test portion	3
14 Principle	3
15 Interferences	3
16 Reagents	3
17 Apparatus	4
18 Sampling	4
19 Calibration	4
20 Procedure	4
21 Calculation	5
Section 104.3 Suspended silica: filtration, fusion and spectrophotometry	
22 Range	5
23 Maximum size of test portion	5
24 Principle	5
25 Interferences	5
26 Reagents	5
27 Apparatus	5
28 Sampling	5
29 Calibration	5
30 Procedure	5
31 Calculation	6

