

Methods of testing

Plastics —

Part 1: Thermal properties —

**Method 120C: Determination of the 1/10
Vicat softening temperature of
thermoplastics**

IMPORTANT NOTE. Before reading this method it is essential to read
BS 2782-0, introduction, issued separately

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics Standards Policy Committee (PLM/-) to Technical Committee PLM/17, upon which the following bodies were represented:

- British Plastics Federation
- British Steel Industry
- British Telecommunications plc
- Department of Trade and Industry (National Physical Laboratory)
- EEA (the Electronics and Business Equipment Association)
- Electrical and Electronic Insulation Association (BEAMA Ltd.)
- Electrical Installation Equipment Manufacturers' Association (BEAMA Ltd.)
- GAMBICA (BEAMA Ltd.)
- Man-made Fibres Producers' Committee
- Ministry of Defence
- PIRA
- Packaging and Industrial Films Association
- Plastic Industrial Containers Association
- Plastics and Rubber Institute
- RAPRA Technology Ltd.
- Standards Association of Australia
- Telecommunication Engineering and Manufacturing Association
- Yarsley Technical Centre Ltd.

This British Standard, having been prepared under the direction of the Plastics Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 31 October 1990

© BSI 07-1999

First published (as a revision of Method 102F of BS 2782:1970) in BS 2782:Methods 120A to 120E, October 1976
Second edition, as BS 2782:Methods 120C, October 1990

The following BSI references relate to the work on this standard:
Committee reference PLM/17
Draft (ref 90/36065) announced
BSI News March 1990

ISBN 0 580 18649 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Principle	1
3 Apparatus	1
4 Test pieces	1
5 Conditioning	1
6 Procedure	1
7 Test report	1
Publication(s) referred to	Inside back cover