

Methods of testing

Plastics —

Part 1: Thermal properties —

Method 140E. Flammability of a small, inclined test piece exposed to an alcohol flame (laboratory method)

IMPORTANT NOTE Before reading this method it is essential to read the foreword, general introduction and instructions to BS 2782, issued separately.

UDC 678.5/.8:678.01:536.468

Confirmed December 2011

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 4, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 May 1982

© BSI 04-1999

The following BSI references relate to the work on this standard:
Committee reference PLM/17
Draft for comment 78/55085DC

ISBN 0 580 11456 2

Amendments issued since publication

Amd. No.	Date of issue	Comments
5439	April 1987	Indicated by a sideline in the margin

Contents

	Page
0 Introduction	1
1 Scope and field of application	1
2 Principle	1
3 Apparatus and reagent	1
4 Test pieces	1
5 Conditioning	2
6 Procedure	2
7 Test report	2
Figure 1 — General arrangement of apparatus	3
Figure 2 — Frame and wire grid	4
Figure 3 — Side elevation of apparatus	4
Publications referred to	Inside back cover