

Methods of testing

Plastics —

Part 4: Chemical properties —

Method 452B: Determination of carbon
black content of polyolefin compound

IMPORTANT NOTE. Before reading this method it is essential to read
BS 2782-0, Introduction, issued separately.

UDC [678.5/.7].01:543.86:678.742:678.046.2

Confirmed January 2012

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/21, upon which the following bodies were represented:

- British Plastics Federation
- British Textile Confederation
- Department of the Environment (Building Research Establishment)
- Department of the Trade and Industry (National Physical Laboratory)
- EEA (the Association of Electronics, Telecommunications and Business Equipment Industries)
- Electrical and Electronic Insulation Association (BEAMA Ltd.)
- GAMBICA (BEAMA Ltd.)
- Ministry of Defence
- Packaging and Industrial Films Association
- Plastics and Rubber Institute
- PIRA International
- RAPRA Technology Ltd.
- Yarsley Technical Centre Ltd.

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 January 1993

© BSI 08-1999
First published February 1978
Second edition January 1993

The following BSI references relate to the work on this standard:
Committee reference PRM/21
Draft for comment 92/40573 DC

ISBN 0 580 21412 5

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Informative reference	1
3 Principle	1
4 Reagent	1
5 Apparatus	1
6 Procedure for combustion in nitrogen	1
7 Procedure for ashing	2
8 Calculation of result	2
9 Test report	2
List of references	Inside back cover