

Methods of testing

Plastics —

Part 4: Chemical properties —

Method 451F: Determination of formaldehyde in phenolic mouldings (colorimetric method) —

Method 451G: Determination of formaldehyde in phenolic mouldings (gravimetric method) —

Method 451H: Determination of sulphates in phenolic mouldings —

Method 451J: Determination of chlorides in phenolic mouldings

IMPORTANT NOTE. Before reading this method it is essential to read the foreword, general introduction and instructions to BS 2782, issued separately.

UDC 678.S/8:678.01:678.632:[543.432 + 543.21 + 543.845 + 543.848]

Confirmed
January 2012

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 3 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Executive Board on 28 February 1978

© BSI 11-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/17
Draft for comment 77/51403 DC

ISBN 0 580 10077 4

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
0 Introduction	1
1 Scope	1
2 References	1
3 Principle	1
4 Preparation of water extract	1
5 Method 451F. Determination of formaldehyde (colorimetric method)	1
6 Method 451G. Determination of formaldehyde (gravimetric method)	2
7 Method 451H. Determination of sulphates	2
8 Method 451J. Determination of chlorides	2
9 Test report	3