

Methods of testing

Plastics —

Part 5: Optical and colour properties —

Method 530A: Determination of
yellowness index —

Method 530B: Determination of the
colour of near-white or near-colourless
materials

IMPORTANT NOTE. Before reading this method it is essential to read the foreword, general introduction and instructions to BS 2782, issued separately.

UDC 678.5/8:678.01:620.1:535 – 201/ – 202:535 – 23

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Executive Board on 29 October 1976

© BSI 08-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/17
Draft for comment 70/11332

ISBN 0 580 09297 6

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
0 Introduction	1
1 Scope and field of application	1
2 References	1
3 Principle	2
4 Apparatus	2
5 Test pieces	2
6 Conditioning	2
7 Procedure	2
8 Calculation	3
9 Test report	4
Appendix A Adams-Nickerson System	5
Appendix B Bibliography	6
Table 1 — Colours deduced from L , a , b coordinates	5
Table 2 — Values of V_y for Y equals 0 to 100	6

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.