

Methods of testing

Plastics —

Part 6: Dimensional properties —

Method 621D: Determination of
compacted apparent bulk density of
PVC resins

[ISO title: Plastics — PVC resins — Determination of compacted
apparent bulk density]

IMPORTANT NOTE. Before reading this method, it is essential to read the foreword,
general introduction and instructions to BS 2782, issued separately.

UDC 678.5/.8:678.01:542.3:531.755.22:678.743.24

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

National foreword

This method is identical with ISO 1068 “*Plastics — PVC resins — Determination of compacted apparent bulk density*” which has been prepared by ISO/TC 61, Plastics.

Terminology and conventions. The text of the International Standard has been approved as suitable for publication, without deviation, as a British Standard. Some terminology and certain conventions are not identical with those used in British Standards; attention is especially drawn to the following.

The comma has been used throughout as a decimal marker. In British Standards it is current practice to use a full point (on the baseline) as the decimal marker.

Where the words “International Standard” appear, referring to this standard, they should be interpreted as “British Standard”.

Cross-reference. For the following reference to an International Standard given in the text, there is a corresponding British Standard; this is given below:

Reference to International Standard	Corresponding British Standard
ISO 60:1977 ^a	BS 2782:Method 621A:1978 <i>Apparent density of moulding material that can be poured from a funnel</i> (identical)

^a Since the publication of ISO 1068, ISO/R 60 (referred to in clause 1) has been superseded by ISO 60 “*Plastics — Determination of apparent density of material that can be poured from a specified funnel*”.

WARNING NOTE. This method, which is identical with ISO 1068, does not necessarily detail all the precautions necessary to meet the requirements of the Health and Safety at Work etc. Act 1974.

Attention should be paid to any necessary safety precautions, and the method should only be operated by trained personnel.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date of issue	Comments

This British Standard, having been prepared under the direction of Plastics Standards Committee, was published under the authority of the Executive Board on 28 February 1978

© BSI 11-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/17
Draft for comment 77/50307 DC

ISBN 0 580 10029 4

Contents

	Page
National foreword	Inside front cover
1 Scope and field of application	1
2 Principle	1
3 Apparatus	1
4 Procedure	1
5 Expression of results	1
6 Test report	1
Figure — Test apparatus	2