BRITISH STANDARD

BS 2782-7: Method 720B: 1979

Methods of testing

Plastics —

Part 7: Rheological properties —

Method 720B: Cup flow of phenolic and alkyd moulding materials

IMPORTANT NOTE. Before reading this method it is essential to read the foreword, general introduction and instructions to BS 2782, issued separately.

Confirmed January 2010

UDC 678.5/.8:678.01:532.135

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Documents
Document Sharing Hub

Full document details: BS 2782-7:Method 720B:1979

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Executive Board and comes into effect on 31 August 1979

© BSI 11-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/17
Draft for comment 78/55155 DC

ISBN 0 580 10903 8

Amendments issued since publication

Amd. No.	Date of issue	Comments

Documents
Document Sharing Hub

Full document details: BS 2782-7:Method 720B:1979

Contents

		Page
0	Introduction	1
1	Scope	1
2	Reference	1
3	Principle	1
4	Apparatus	1
5	Procedure	1
6	Expression of results	2
7	Test report	2
Figure 1 — Detail of cup flow mould		2

© BSI 11-1999

Documents
Document Sharing Hub
Full document details: BS 2782-7:Method 720B:1979