

Methods of testing

Plastics —

Part 7: Rheological properties —

**Method 732F: Determination of
viscosity number of methyl
methacrylate polymers**

IMPORTANT NOTE. Before reading this method it is essential to read BS 2782-0, Introduction, issued separately.

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/21, upon which the following bodies were represented:

- British Plastics Federation
- British Steel Industry
- British Telecommunications plc
- British Textile Confederation
- Department of Trade and Industry (National Physical Laboratory)
- EEA (the Association of Electronics, Telecommunications and Business Equipment Industries)
- Electrical and Electronic Insulation Association (BEAMA Ltd.)
- Electrical Installation Equipment Manufacturers' Association (BEAMA Ltd.)
- GAMBICA (BEAMA Ltd.)
- Ministry of Defence
- Packaging and Industrial Films Association
- PIRA
- Plastic Industrial Containers Association
- Plastics and Rubber Institute
- RAPRA Technology Ltd.
- Standards Association of Australia
- Yarsley Technical Centre Ltd.

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 28 June 1991

© BSI 12-1999

The following BSI references relate to the work on this standard:
Committee reference PRM/21
Draft for comment 87/38634 DC

ISBN 0 580 19774 3

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
1 Scope	1
2 Normative references	1
3 Definitions and units	1
4 Principle	1
5 Measurements	1
6 Apparatus	1
7 Solvent and test solution	2
8 Temperature of measurement	2
9 Procedure	2
10 Expression of results	2
11 Test report	3
Annex A (normative) Calibration of the viscometer	4
Annex B (normative) Determination of the limiting viscosity number	5
Annex C (informative) Bibliography	5
Figure A.1 — Kinetic energy correction as a function of the reciprocal of efflux time	5
Publication(s) referred to	Inside back cover

National foreword

This British Standard has been prepared under the direction of the Plastics and Rubber Standards Policy Committee and is identical with ISO 1628-6:1990 “*Plastics — Determination of viscosity number and limiting viscosity number — Part 6: Methyl methacrylate polymers*”, published by the International Organization for Standardization (ISO).

Cross-references

International Standard	Corresponding British Standard
ISO 1628-1:1984	BS 2782 <i>Methods of testing plastics</i> Method 732A:1991 <i>Determination of viscosity number: general conditions</i> (Identical)
ISO 4793:1980	BS 1752:1983 <i>Specification for laboratory sintered or fritted filters including porosity grading</i> (Identical)

The Technical Committee has reviewed the provisions of ISO 3105:1976 and ISO 8257-1:1987, to which reference is made in the text, and has decided that they are acceptable for use in conjunction with this standard.

WARNING NOTE. This British Standard, which is identical with ISO 1628-6, does not necessarily detail all the precautions necessary to meet the requirements of the Health and Safety at Work etc. Act 1974. Attention should be paid to any appropriate safety precautions and the method should be operated only by trained personnel.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.